## Contents of Applied Physics A 40-49

This listing presents the papers in alphabetical order of the first author, subdivided into the sections "Solids and Materials" and "Surfaces, Interfaces, and Layer Structures". The author index that follows covers Applied Physics A and B, and is presented in tabular form. The names are listed in alphabetical order in the first column. The second and third columns contain the bibliographic data necessary to locate the paper. The issue is specified by the number separated from the volume number by a slash. The PACS numbers given in the fourth column may be used in conjunction with the PACS listing on page II to infer the topic of a paper.

### Solids and Materials

Abdelmohsen N., Labib H.H.A., Abou El-Ela A.H., Elsayed S.N.: Electrical properties and thermal conductivity of AgTITe2 in the solid and liquid phases

Appl. Phys. A 48/3, 251-253 (1989) PACS: 72.20

Abdul-Gader M.M., Wishah K.A., Mahmud Y.A., Abdallah M.A.-H., Ahmad-Bitar R.N.:

Effect of visible light intensity on the dielectric behaviour of mercuric iodide.

Appl. Phys. A 43/2, 123-130 (1987) PACS: 77.40 72.40 77.30

Abdul-Gader M.M., Wishah K.A., Mahmud Y.A., Toda K.,

Ahmad-Bitar R.N.:

AC electrical behavior of a Pb2CrO5 ceramic sample with surface electrodes

Appl. Phys. A 49/6, 665-670 (1989) PACS: 72.20 72.40 72.80 77.40

Abe Y .: Dynamical Hopf bifurcation in piezoelectric semiconductor resonators. Appl. Phys. A 48/2, 177-180 (1989) PACS: 72.20H 43.25 72.80

Abraham E., Halley J.M.: Some calculations of temperature profiles in thin films with laser heat-

ing. Appl. Phys. A 42/4, 279-285 (1987) PACS: 61.80 44.90

Abras A., Campos A.A.G., Carvalho A.V. de, Ladeira L.O.:

Conversion electron and X-ray Mössbauer studies of boronized lowcarbon steel under corrosion and oxidation conditions.

Appl. Phys. A 41/3, 185-189 (1986) PACS: 76.00 68.20 65.00 Afifi M.A., Labib H.H.A., Abou El Ela A.H., Sharaf K.A.:

Threshold switching effects in AgTISe2 and CuTISe2 films. Appl. Phys. A 46/2, 113-117 (1988) PACS: 72.20

Ahmad M., Zihlif A .:

Effect of mechanical tension on electrical transport properties of amorphous Fe<sub>92</sub>Zr<sub>8</sub> alloy. Appl. Phys. A **45**/3, 203-205 (1988) PACS: 72.15

Aktas G., Cil C.Z., Aktulga E.:

Sensitivity analysis of the modulated photocurrent method.

Appl. Phys. A 48/3, 237-240 (1989) PACS: 72.40

Aktulga E., Zaim Cil C., Aktas G.:

Phase shift analysis of modulated photocurrent: A new approach to determining the energy scale.

Appl. Phys. A 48/6, 517-520 (1989) PACS: 72.40

Al-Nasr I.A., Jabr I.J., Al-Saleh K.A., Saleh N.S.: Masurements of Ka cross sections and fluorescence yields for elements in the range 42≤Z≤57 using radioisotope X-ray fluorescence.

Appl. Phys. A 43/1, 71-73 (1987) PACS: 79.20

Alexandrescu R., Morjan J., Grigoriu C., Mihailescu I.N., Bastl Z., Tlaskal J., Mayer R., Pola J.:

Silicone polymer deposition by CO2 laser induced decomposition of silane in the presence of methyl methacrylate

Appl. Phys. A 46/4, 275-279 (1988) PACS: 82.50 68.55 78.65

Angadi M.A., Nallamshetty K .:

Electrical conduction in Cu/Mn multilayer films.

Appl. Phys. A 49/3, 273-277 (1989) PACS: 73.60

Aniya M., Kobayashi M.:

Collective excitations in fast ion conductor superlattices.

Appl. Phys. A 49/6, 641-646 (1989) PACS: 68.65 73.20 66.30

Aoki K., Yamamoto K.:

Nonlinear response and chaos in semiconductors induced by impact ion-

Appl. Phys. A 48/2, 111-125 (1989) PACS: 72.20H 05.45

Aoki K., Mugibayashi N.:

Bifurcation phenomena in a periodically driven current filament and a conjecture on the turbulent patterns by computer simulations. Appl. Phys. A 48/2, 161-169 (1989) PACS: 72.20H 05.45

Arshed M., Baber N., Iqbal M.Z., Zafar N.:

Non-exponential dark capacitance transients from red-emitting GaP LEDs - field and edge effects on the 0.75 eV centre

Appl. Phys. A 40/2, 129-132 (1986) PACS: 71.55F 85.60 85.30 Avanesyan S.M., Gusev V.E., Zheludev N.I.:

Generation of deformation waves in the processes of photoexcitation and recombination of nonequilibrium carriers in silicon Appl. Phys. A 40/3, 163-166 (1986) PACS: 78.20 43.35

Badwal S.P.S., Nardella N.:

Formation of monoclinic zirconia at the anodic face of tetragonal zirconia polycrystalline solid electrolytes

Appl. Phys. A 49/1, 13-24 (1989) PACS: 81.60 81.40 82.65 82.20

Baker S.D., Milne W.I., Robertson P.A.:

Photoenhanced deposition of silicon oxide thin films using a novel windowless internal nitrogen discharge lamp

Appl. Phys. A 46/4, 243-248 (1988) PACS: 77.55 81.15

Baliga S., Jain A.L.:

Effect of compositional variation on the properties of Y-Ba-Cu-O compounds.

Appl. Phys. A 48/5, 419-422 (1989) PACS: 74.70

Baliga S., Jain A.L.:

Enhanced grain growth in YBa2Cu3O7-doped with Ag, Cu, and CuO. Appl. Phys. A 49/2, 139-141 (1989) PACS: 74.70

Banerjee J.P., Pati S.P., Roy S.K.:

High frequency characterisation of double drift region InP and GaAs diodes

Appl. Phys. A 48/5, 437-443 (1989) PACS: 85.30

Barhdadi A., Amzil H., Muller J.C., Siffert P.:

Thermal annealing effects on grain boundary recombination activity in silicon

Appl. Phys. A 49/3, 233-237 (1989) PACS: 61.16D 61.70 81.40 61.50 Barkan I.B., Ishchenko V.N., Kochubei S.A., Lunenok D.I., Razhev A.M.: Study of the subsurface photorefractive effect in lithium niobate.

Appl. Phys. A 44/2, 167-170 (1987) PACS: 42.70 61.00 68.00 Barringer E.A., Bowen H.K.:

Effects of particle packing on the sintered microstructure. Appl. Phys. A 45/4, 271-275 (1988) PACS: 81.20E 81.20 Bauer W., Majer K., Major J., Schaefer H.-E., Seeger A.,

Carstanjen H.D., Decker W., Diehl J., Stoll H.:

The positron beam at the Stuttgart pelletron accelerator and its applications to a+ µa positron lifetime measurements.

Appl. Phys. A 43/4, 261-267 (1987) PACS: 78.70 61.70 07.77 Beling C.D., Simpson R.I. Charlton M., Jacobsen F.M., Griffith T.C., Moriaty P., Fung S.:

A field-assisted moderator for low-energy positron beams. Appl. Phys. A 42/2, 111-116 (1987) PACS: 78.80 72.90 79.90

Benedetto G., Spagnolo R.: Photoacoustic measurement of the thermal effusivity of solids. Appl. Phys. A 46/3, 169-172 (1988) PACS: 43.35 81.70

Benkherourou O., Deville J.P.:

X-ray photoelectron spectroscopy of silicon oxynitride layers obtained by low-energy ion implantation.

Appl. Phys. A 46/2, 87-90 (1988) PACS: 73.40Q 79.60 61.70

Bergner H., Brückner V., Leine L., Supianek M.: Reflectivity and transmittance investigations of photoexcited charge carriers in silicon in the picosecond time domain Appl. Phys. A 43/2, 97-104 (1987) PACS: 72.20J 78.20

Berthe R., Hartmann U., Mende H.H.:

Dependence of the longitudinal magnetoresistance of iron whiskers on the measuring current.

Appl. Phys. A 44/3, 223-225 (1987) PACS: 72.15G

Biglari B., Samimi M., Hage-Ali M., Siffert P.:

Passivation of high-resistivity cadmium telluride by hydrogen implanta-

Appl. Phys. A 43/1, 47-52 (1987) PACS: 72.20

Böhm M., Scharmann A.:

The pre-exponential factor of the escape probability in thermally stimulated processes

Appl. Phys. A 43/1, 29-35 (1987) PACS: 71.00 72.20 78.00

Böhm M., Salamon S., Kiss Z.:

Amorphous silicon logic integrated circuits.

Appl. Phys. A 45/1, 53-61 (1988) PACS: 61.40 85.30 85.60

Braichotte D., Bergh H. van den:

Gas phase versus surface contributions to photolytic laser chemical vapor deposition rates.

Appl. Phys. A 45/4, 337-343 (1988) PACS: 42.60 81.10 82.65 Brandes G.R., Canter F.K., Horsky T.N., Mills A.P. Jr.:

Demonstration of positron re-emission microscopy using an immersion objective.

Appl. Phys. A 46/4, 335-338 (1988) PACS: 07.80 78.70 66.55

Brass S.G., Ghandehari M.H.:

The effect of oxygen ordering through controlled exposure to oxygen on the superconductive properties of LaBa<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> Appl. Phys. A 48/4, 401-404 (1989) PACS: 74.70

Brauer G., Balogh A.G., Jahn L.:

Positron annihilation study of ordering processes in rare earth cobalt permanent magnets.

Appl. Phys. A 42/4, 287-289 (1987) PACS: 75.00 78.70

Brousse T., Retoux R., Poullain G., Provost J., Murray H., Bloyet D.,

Superconducting screen printed thick films of YBa2Cu3O7 and Bi<sub>1.6</sub> Pb<sub>0.4</sub> Sr<sub>1.6</sub> Ca<sub>2.4</sub> Cu<sub>3</sub> O<sub>10</sub> on polycrystalline substrates Appl. Phys. A **49**/2, 217-220 (1989) PACS: 74.70 75.00

Brunner A.J., Ma E., Nicolet M-A.:

Silicide formation by furnace annealing of thin Si films on large-grained Ni substrates

Appl. Phys. A 48/3, 229-232 (1989) PACS: 61.70N 68.90 81.90 Bucher E., Schulz S., Lux-Steiner M.Ch., Munz P., Gubler U., Greuter F .:

Work function and barrier heights of transition metal silicides.

Appl. Phys. A 40/2, 71-77 (1986) PACS: 73.40 Bunkin N.F., Dmitriyev A.K., Luk'yanchuk B.S., Shafeev G.A., Szörényi T.:

Thermodiffusional instability and potential distribution in laser-heated absorbing electrolytes

Appl. Phys. A 40/3, 159-162 (1986) PACS: 82.00 61.80

Cabanski W., Schulz M.:

Tunneling current-voltage characteristics of Ti-silicide/p-Si/p+Si Schottky diodes

Appl. Phys. A 48/3, 203-210 (1989) PACS: 71.20 73.40 73.30 Cantarero A., Martinez-Pastor J., Segura A., Chevy A.: Excitonic absorption and Urbach's tail in bismuth sulfide single crystals. Appl. Phys. A 45/2, 125-132 (1988) PACS: 78.20D 71.35

Carlson D.E.:

Hydrogenated microvoids and light-induced degradation of amorphoussilicon solar cells.

Appl. Phys. A 41/4, 305-309 (1986) PACS: 61.40 84.60

Castaldini A., Cavallini A., Poggi A., Susi E.:

The electrical activity of stacking faults in Czochralski silicon. Appl. Phys. A 48/5, 431-436 (1989) PACS: 72.20J 61.70

Cerdeira F., Torriani I., Motisuke P., Lemos V., Decker F.: Optical and structural properties of polycrystalline CdSe deposited on titanium substrates

Appl. Phys. A 46/2, 107-112 (1988) PACS: 78.20 61.10 81.15

Chakrabarti P., Choudhury S.C., Pal B.B.:

Noise characteristics of a superlattice avalanche photodiode. Appl. Phys. A 48/4, 331-334 (1989) PACS: 72.70 79.20 85.60

Chakrabarti P., Pal B.B.:

Effect of optical radiation in a photo-DOVATT. Appl. Phys. A 42/4, 311-315 (1987) PACS: 70.20 72.40 85.60

Chantre A.:

Introduction to defect bistability.

Appl. Phys. A 48/1, 3-9 (1989) PACS: 61.70 71.00

Chan Tung N., Caratini Y., D'Anterroches C., Buevoz J.L.: Characteristics of thin gate dielectric in a rapid thermal processing machine and temperature uniformity studies Appl. Phys. A 47/3, 237-247 (1988) PACS: 77.55F 77.50

Charlton M., Jacobsen F.M.:

Applications of accelerator-based low-energy positron beams in atomic physics.

Appl. Phys. A 43/4, 235-245 (1987) PACS: 78.70 34.90 36.10

Chen C.S., Schroder D.K.:

Vibrational modes and infrared absorption of interstitial oxygen in sili-

Appl. Phys. A 42/4, 257-262 (1987) PACS: 61.70 71.55 78.50

Chen S.H., Carter C.B., Enquist P.:

Transmission electron microscopy study of defects in Sn-doped GaAs films grown by molecular beam epitaxy

Appl. Phys. A 44/2, 143-151 (1987) PACS: 68.55J 81.30 68.35

Cho H.Y., Kim E.K., Min S.-K., Choh S.H.: Isothermal capacitance transient spectroscopy (ICTS) study for midgap levels in Hb-GaAs by rapid thermal annealing

Appl. Phys. A 48/4, 359-363 (1989) PACS: 61.70A 71.55 Claridge D.A., Dickens P.G., Goodenough J.B.:

NMR relaxation times and proton motion in H, WO; Appl. Phys. A 49/1, 65-68 (1989) PACS: 66.30 76.60

Cole M., Sheldon M.H., Glasse M.D., Latham R.J., Linford R.G.: EXAFS and thermal studies on zinc polymeric electrolytes. Appl. Phys. A 49/3, 249-257 (1989) PACS:61.40 61.10 66.30 64.60 Collins R.A., Johnston D.F.C., Dearnaley G.:

Tantalum and cobalt silicides: Temperature sensor applications. Appl. Phys. A 40/2, 109-117 (1986) PACS: 61.80 72.80

Conzelmann H .:

Photoluminescence of transition metal complexes in silicon.

Appl. Phys. A 42/1, 1-18 (1987) PACS: 71.55 78.55 71.35 Corbel C., Bernède P., Pascard H., Rullier-Albenque F., Korman R., Marucco IF:

Positron annihilation at defects in sintered high-T<sub>c</sub> perovskite superconductors

Appl. Phys. A 48/4, 335-341 (1989) PACS: 74.70 78.70 61.70

Czaputa R.:

Transition metal impurities in silicon: New defect reactions. Appl. Phys. A 49/4, 431-436 (1989) PACS: 71.55 66.30 73.60

Czekaj D., Hollmann E.K., Kozirev A.B., Volpyas V.A., Zaytsev A.G.: Ion energies at the cathode of the DC planar magnetron sputtering dis-

Appl. Phys. A 49/3, 269-272 (1989) PACS: 79.20 52.00

D'Anna E., Leggieri G., Luches A., Luby S., Zemek J.: Pulsed laser synthesis of titanium silicides using a Q-switched Nd:glass laser.

Appl. Phys. A 48/6, 503-507 (1989) PACS: 68.55 79.20 82.50 D'Anna E., Leggieri G., Luches A., Majni G., Nava F., Ottaviani G.: Metal silicides with energetic pulses.

Appl. Phys. A 40/3, 183-190 (1986) PACS: 68.55 79.20

Dahm J., Niebling K.D., Ley R., Werth G.: Temperature dependence of slow-positron production and of positronium formation on untreated surfaces.

Appl. Phys. A 44/2, 105-106 (1987) PACS: 07.77 29.25 Danesh P., Kalitzowa M., Pantchev B., Simov S., Blasi C. de, Vitali G.,

Dependence of glow discharge Si:H:Cl film morphology on diluent gas

and SiCl4 partial pressure.

Appl. Phys. A 47/3, 301-307 (1988) PACS: 61.16D 68.55 68.60

Dannefear S., Mascher P., Kerr D.:

Comment on "Amorphous hydrogenated silicon studied by positron lifetime spectroscopy" Appl. Phys. A 43/2, 91-92 (1987) PACS: 71.60 72.80 78.70

Dehe G., Griesbach P., Gütlich P., Suwalski J.:

57 Fe, 61 Ni, and 121 Sb Mössbauer study of oxidic spinel ferrities

Co<sub>x</sub> Ni<sub>5/3-x</sub> FeSb<sub>1/3</sub>O<sub>4</sub>. Appl. Phys. A 43/3, 213-218 (1987) PACS: 75.30 76.00 DeWames R.E., Morgan P.E.D., Ratto J.J., Porter J.R., Hall W.F.,

Marshall D.B., Goldberg I.B.:

Remanent fields and critical currents in Tl<sub>2</sub>Ba<sub>2</sub>Ca<sub>2</sub>Cu<sub>3</sub>O<sub>x</sub> ceramic. Appl. Phys. A 49/3, 325-329 (1989) PACS:74.60 74.70

Dietrich T.R., Chiussi S., Stafast H., Comes F.J.:

ArF laser CVD of hydrogenated amorphous silicon: The role of buffer

Appl. Phys. A 48/5, 405-414 (1989) PACS: 81.15G 82.50 73.60

Dlubek G., Krause R., Brümmer O., Tittes J.: Positron-lifetime study of vacancy annealing in neutron-irradiated

Appl. Phys. A 42/2, 125-127 (1987) PACS: 61.80 78.70 Dôka O., Miklôs A., Lörincz A.:

Resolution of nonlinear thermal wave microscopes.

Appl. Phys. A 48/5, 415-417 (1989) PACS: 73.00 78.00 65.00 Dobrovolskis Z., Grigoras K., Krotkus A.:

Measurement of the hot-electron conductivity in semiconductors using ultrafast electric pulses

Appl. Phys. A 48/3, 245-249 (1989) PACS: 72.20

Dorikens M., Dorikens-Vanpraet L., Segers D., Lemahieu J.:

Generation of slow positrons on an electron LINAC.

Appl. Phys. A 43/4, 257-259 (1987) PACS: 07.77 29.25 78.70

Dünnwald J., Winter J., Vietzke E., Otto A.: Raman spectroscopy of carbonization films and carbonaceous limiters in fusion vessels.

Appl. Phys. A 46/2, 91-96 (1988) PACS: 52.40H 61.40 78.30

Dupasquier A., Quartapelle L.:

Surface polarization effect on positron backdiffusion from dielectrics. Appl. Phys. A 44/3, 239-244 (1987) PACS: 71.60 78.70 72.90

Duschl-Maass M., Maass W., Hoffmann H., Friedlaender F.J.:

Particle accumulation on a single wire in transverse HGMS configuration.

Appl. Phys. A 42/2, 117-124 (1987) PACS: 85.70 41.00

El-Kabbany F., Badr Y., Said G., Taha S.:

Ferroelectricity associated with the metastable phase "III" of AgNO3. Appl. Phys. A 43/1, 65-70 (1987) PACS: 64.00 77.00 85.50 Elwenspoek M.:

Kinetics of a rough crystal face: Temperature dependence on the

Appl. Phys. A 41/2, 123-125 (1986) PACS: 61.50C 68.45 81.10 Engelmann H., Mouahid F., Dézsi I., Molnár B., Gonser U., Siebert D., Dahlem J., Tuczek F.:

A Mössbauer and ESR study of LiNbO3-Fe2O3 for low Fe2O3 concentrations.

Appl. Phys. A 48/3, 211-217 (1989) PACS: 64.75 76.80 81.30 81.40

Evans E.B., McCormick M.A., Kennedy S.L., Erb U.: The effect of inclusion size on grain boundary wetting in Al-Sn alloys. Appl. Phys. A 42/4, 269-272 (1987) PACS: 61.70N 61.25

Faber J., Geoffroy C., Roux A., Sylvestre A., Abélard P.:
A systematic investigation of the DC electrical conductivity of rareearth doped ceria.

Appl. Phys. A 49/3, 225-232 (1989) PACS: 66.30 61.70 82.45

Feile R., Rodek E.:

Phase transformation in a glass-ceramic observed by laser spectroscopy. Appl. Phys. A 45/3, 185-187 (1988) PACS: 61.40 66.30 78.00

Fernández P., Remon A., Garcia J.A., Llopis J., Piqueras J.:

Localized luminescence in ZnO:Mn ceramics.

Appl. Phys. A 46/1, 1-3 (1988) PACS: 78.55H 78.60 81.40 Ferreira J.M., Maple M.B., Zhou H., Hake R.R., Lee B.W., Seaman C.L., Kuric M.V., Guertin R.P.:

Magnetic field alignment of high-T<sub>c</sub> superconductors RBa<sub>2</sub>Cu<sub>3</sub>0<sub>7-δ</sub> (R=rare earth).

Appl. Phys. A 47/1, 105-110 (1988) PACS: 74.70V 74.30 74.60 Franceschetti D.R., Ross A.P.:

Impedance characteristics of three-phase electrodes on solid electrolytes. Appl. Phys. A 49/1, 111-116 (1989) PACS: 82.45 85.80 82.65

Fujii K., Ohyama T., Otsuka E.:

Magnetic field dependence of spontaneous oscillation in n-InSb. Appl. Phys. A 48/2, 189-191 (1989) PACS: 72.20H

Fujiwara Y., Nishino T., Hamakawa Y.:

Measurements of residual stress in semi-insulating GaAs by correlated luminescence lines

Appl. Phys. A 41/2, 115-122 (1986) PACS: 78.55D 71.55 71.70 Fukuda K., Kohsaka R., Nomura K., Sambongi T.:

Metastable state of sliding CWD in K<sub>0.3</sub> MoO<sub>3</sub>.

Appl. Phys. A **48**/2, 171-175 (1989) PACS: 72.15N 72.15 72.70

Gaboriaud R.J., Jaouen C., Grob J.J., Grob A.:

Ion beam induced atomic mixing in Fe/Al bilayered samples. Appl. Phys. A 41/2, 127-135 (1986) PACS: 61.80 72.15 73.60 Gadkari S.C., Muthe K.P., Singh K.D., Sabharwal S.C., Gupta M.K.:

Preparation of Bi-Sr-Ca-Cu-O bulk superconductor and thick films. Appl. Phys. A 49/3, 331-334 (1989) PACS: 74.90

Garcia B.J., Martinez J., Piqueras J., Castano J.L., Minoz-Yagüe A.: Ge diffusion into GaAs by pulsed laser irradiation.

Appl. Phys. A 46/3, 191-196 (1988) PACS: 61.70T 79.20 72.80

Garcia J.A., Remon A., Piqueras J.: Photoluminescence from electron irradiated ZnO.

Appl. Phys. A 42/4, 297-299 (1987) PACS: 61.70B 61.80 78.55

Garrido-Suarez C., Braichotte D., Bergh H. van den:

Searching for optimum conditions in the laser writing of small ohmic

Appl. Phys. A 46/4, 285-290 (1988) PACS: 42.60 81.10 85.40

Germanova K., Hardalov Ch.:

EL2 deep level in sub-bandgap surface photovoltage spectra in GaAs bulk crystals.

Appl. Phys. A 43/2, 117-121 (1937) PACS:61.70 73.40

Ghatak K.P., Chattopadhyay N., Mondal M.:

On the gate capacitance of MOS structures in n-channel inversion layers on ternary chalcopyrite semiconductors.

Appl. Phys. A 48/4, 365-371 (1989) PACS: 73.20 73.25 73.40 Ghatak K.P., Chattopadhyay N., Mondal M.:

On the diffusitivity-mobility ratio of the carriers in n-channel inversion layers on ternary chalcopyrite semiconductors

Appl. Phys. A 44/4, 305-312 (1987) PACS: 73.20 73.40

Ghezzi C., Gombia E., Mosca R., Pillan M.:

Electron traps and positive DLTS signals in VPE GaAs MESFETs. Appl. Phys. A 48/5, 457-463 (1989) PACS: 71.55 85.30 Gislason H.P.:

Triplet bound excitons in copper-doped gallium phosphide. Appl. Phys. A 48/1, 11-24 (1989) PACS:71.55E 76.30 78.55

Gladyszewski G., Mikolajczak P.:

A new method for studying ion beam mixing. Appl. Phys. A 48/6, 521-526 (1989) PACS: 61.10 61.55 68.48 Gonczarek R .:

Stoichiometric relations in high-temperature superconducting compounds.

Appl. Phys. A 47/2, 111-113 (1988) PACS: 74,70 74,30 74,90 Gösele U., Ahn K.-Y., Marioton B.P.R., Tan T.Y., Lee S.T.:

Do oxygen molecules contribute to oxygen diffusion and thermal donor formation in silicon?

Appl. Phys. A 48/3, 219-228 (1989) PACS:61.70 66.30 85.30 Götz G.:

Explosive crystallization processes in silicon.

Appl. Phys. A 40/1, 29-36 (1986) PACS: 42.60 64.00 68.20 81.10

Grader G.S., Gallagher P.K., Thomson J., Gurvitch M.: Rates of change in high temperature electrical resistivity and oxygen

diffusion coefficient in Ba<sub>2</sub> YCu<sub>3</sub>O<sub>x</sub>.

Appl. Phys. A 45/3, 179-183 (1988) PACS: 74.00 66.30 82.20

Griffin J.A., Hartung J., Weber J., Navarro H., Genzel L. Photothermal ionisation spectroscopy of oxygen-related shallow defects in crystalline silicon.

Appl. Phys. A 48/1, 41-47 (1989) PACS: 61.70 78.30 72.40

Gupta P.K., Chopra K.L.:

Plasma-processed obliquely deposited Bi-Ge-Se and Ag/Bi-Ge-Se films as resist materials

Appl. Phys. A 46/2, 103-106 (1988) PACS: 85.40E 52.40 73.60

Hache F., Ricard D., Flytzanis C., Kreibig U.: The optical Kerr effect in small metal particles and metal colloids: The

case of gold. Appl. Phys. A 47/4, 347-357 (1988) PACS: 42.65 78.20 82.70 Halbritter J.:

On the oxidation and on the superconductivity of niobium. Appl. Phys. A 43/1, 1-28 (1987) PACS: 73.00 74.00 79.00 81.00

Hamano A., Atake T., Saito Y .: Thermodynamic studies of successive phase transitions in BaZnGeO4

and a new solid phase below 186.1 K. Appl. Phys. A 49/1, 91-94 (1989) PACS: 64.60 64.70 65.40 Harbecke B:

Application of Fourier's allied integrals to the Kramers-Kronig trans-

formation of reflectance data

Appl. Phys. A 40/3, 151-158 (1986) PACS 42.10 42.20 78.20 Harith M.A., Zhang J.P., Campisano S.U.:
Kinetics of Ni<sub>2</sub>Si growth from pure Ni and Ni(V) films on (111) and

(100) Si.

Appl. Phys. A 42/1, 35-39 (1987) PACS: 61.10 68.55 81.10

Hassel B.A. van, Burggraaf A.J.:

Structural, electrical and catalytic properties of ion-implanted oxides. Appl. Phys. A 49/1, 33-40 (1989) PACS: 66.30 81.40 81.60 61.70 Haug A .:

Relations between the  $T_0$ -values of bulk and quantum-well GaAs. Appl. Phys. B 44/3, 151-153 (1987) PACS: 42.55P

Heinz P., Kriegleder W., Laubereau A.:

Feedback control of an actively-passively mode-locked Nd: glass laser. Appl. Phys. A 43/3, 209-212 (1987) PACS: 42.60B 42.60

Henning J.C.M., Ansems J.P.M.:

Determination of the photoionization threshhold of the deep donor in Al<sub>0.33</sub>Ga<sub>0.67</sub>As:Si: Evidence for small lattice relaxation Appl. Phys. A 44/3, 245-247 (1987) PACS:61.70T 71.55 72.40 78.50

Hidalgo C., Diego N. de, Moser P.:

The recovery of electron irradiated zinc and cadmium by positron annihilation spectroscopy. Appl. Phys. A 40/1, 25-28 (1986) PACS: 61.70B 61.80 78.70

Hirscher M., Schwendemann B., Kronmüller H.:

Simultaneous measurement of residual resistivity recovery and magnetic after-effect in high-purity α-ion.

Appl. Phys. A 41/3, 191-195 (1986) PACS: 72.15C 75.60 61.80 Hofmann D., Müller G., Streckfuβ N.:

Semi-insulating electrical properties of undoped InP after heat treatment in a phosphorus atmosphere.

Appl. Phys. A 48/4, 315-319 (1989) PACS: 72.80E

Howell R.H., Rosenberg I.J., Fluss M.J.:

Production and use of low-energy, monoenergetic positron beams from electron LINACS.

Appl. Phys. A 43/4, 247-255 (1987) PACS: 78.70B 07.77

Huber E., Marinero E.E.:

Magneto-optical activity of Ag at the plasma frequency. Appl. Phys. A 47/2, 131-135 (1988) PACS: 78.20L

Huebener R.P., Peinke J., Parisi J.:

Experimental progress in the nonlinear behavior of semiconductors. Appl. Phys. A 48/2, 107-110 (1989) PACS: 05.45 72.20 72.70 Huguenin D., Moser P.:

Temperature effect on positron trapping in Fe59 Ni25 Cr16 alloy containing voids.

Appl. Phys. A 48/6, 583-585 (1989) PACS: 61.70 71.60 78.70 Humlicek J., Lukes F., Navratil K., Garriga M., Ploog K.:

Ellipsometric and reflectance studies of GaAs/AlAs superlattices. Appl. Phys. A 49/4, 407-412 (1989) PACS: 78.651- 07.60

Huomo H., Soininen E., Vehanen A.: Analysis of positron diffusion data.

Appl. Phys. A 49/6, 647-658 (1989) PACS: 66.30 71.60 78.70

Hwu J.G., Wang W.S.:

Direct indication of lateral nonuniformities of MOS capacitors from the negative equivalent interface trap density based on charge-temperature technique.

Appl. Phys. A 40/1, 41-46 (1986) PACS: 73.40

Irion E., Bürger N., Kürner W., Thonke K., Sauer R., Zulehner W., Pensl G .:

Photoluminescence study of acceptor-carbon complexes in irradiated silicon: Aluminum-related defects.

Appl. Phys. A 48/1, 25-30 (1989) PACS: 71.55H 78.55

Ishii T:

Non-local treatment of hopping conduction - application to ultrasonic attenuation.

Appl. Phys. A 49/1, 61-64 (1989) PACS: 66.30 63.10 Itoh T., Uchikawa H.:

The Tl-Ba-Ca-Cu-O superconducting ceramics containing Al<sub>2</sub>O<sub>3</sub>. Appl. Phys. A 48/4, 321-323 (1989) PACS: 74.70 74.60

Ito Y., Takano T., Hasegawa M.:

Positron annihilation in synthetic zeolites.Comparison between lifetime and angular correlation data

Appl. Phys. A 45/3, 193-201 (1988) PACS: 78.70D 81.90

Jackman T.E., Aers G.C., Denhoff M.W., Schultz P.J.:

Point-defect production in arsenic-doped silicon studied with variableenergy positrons.

Appl. Phys. A 49/3, 335-339 (1989) PACS: 68.35D 68.55 78.70 Jing J., Gonser U.:

A model for the high-T<sub>c</sub> superconductivity based on electron hopping. Appl. Phys. A 44/2, 101-104 (1987) PACS: 74.00

Jones K.S., Prussin S., Weber E.R.:

A systematic analysis of defects in ion-implanted silicon. Appl. Phys. A 45/1, 1-34 (1988) PACS: 61.80 81.40

Jou C.J., Washburn J.:

A macro-resonance-cell description for high-T<sub>c</sub> oxide superconductors. Appl. Phys. A 49/2, 171-179 (1989) PACS: 74.70 €1.70 63.00 Junevicius D., Reklaitis A.:

Instability of photoexcited electron-hole plasma in short semiconductor structures

Appl. Phys. A 42/1, 41-43 (1987) PACS: 72.20 85.30

Kalbitzer S.:

Ionographic patterns with amorphous/crystalline contrast. Appl. Phys. A 44/2, 153-155 (1987) PACS: 78.65 61.80

Kaloyeros A., Williams W.S.:

Application of molecular (static) secondary ion mass spectroscopy to detection of organic molecules in amorphous titanium carbide. Appl. Phys. A 42/2, 139-143 (1987) PACS: 82.80 82.85 81.10

Kaminskii A.A.:

Orthorhombic NaREGeO4 crystals with Nd3+ ions; structure and formation, luminescence properties and stimulated emis Appl. Phys. A 46/3, 173-183 (1988) PACS: 42.55R 61.10 61.50 61.60

Katsumata T., Okada H., Kikuta T., Fukuda T.:

Optical properties and origin of infrared light scattering centers in undoped semi-insulating GaAs crystals.

Appl. Phys. A 42/2, 103-109 (1987) PACS: 61.70 78.90 72.80

Keinonen J., Räisänen J.:

Annealing behaviour of C-implanted a-Hf.

Appl. Phys. A 40/4, 253-256 (1986) PACS: 66.30J 61.70

Keller W. W .:

Comment on "Non-exponential dark capacitance transients from redemitting GaP LEDs - field and edge effects on the 0.75 eV centre". Appl. Phys. A 42/4, 301-302 (1987) PACS: 71.55 85.60 85.30

Kellogg G.L., Brenner S.S.:

Atomic-level studies of superconducting and nonsuperconducting YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub>. Appl. Phys. A 48/3, 197-201 (1989) PACS: 74.70V 61.16 79.70

Khan R.U., Chakrabarti P., Pal B.B.:

MITAIT mode in DDR heterostructure impatt.

Appl. Phys. A 42/4, 303-309 (1987) PACS: 72.20 79.20 85.30

Kielczynski P., Pajewski W.:

Inverse method for determining the depth of nonhomogeneous surface layers in elastic solids from the measurements of the dispersion curves of group velocity of surface SH waves. Appl. Phys. A 48/5, 423-429 (1989) PACS:62.30 68.35

Kieninger W., Metzger W., Huebener R.P.:

Propagation of heat pulses in single-crystalline sapphire. Appl. Phys. A 41/3, 179-183 (1986) PACS: 65.00 62.00

Kikkawa S., Shimanouchi-Futagami R., Koizumi M.:

Plasma assisted CVD of TiS<sub>2</sub>. Appl. Phys. A **49**/1, 105-109 (1989) PACS: 81.10 85.80 72.60

Kim H.-S., Kim E. K., Min S.-k., Lee C. X-ray and DLTS characterizations of In<sub>x</sub>Ga<sub>1-x</sub>As<sub>x<0.03</sub>/GaAs layers

grown by VPE using an In/Ga alloy source Appl. Phys. A 49/2, 143-147 (1989) PACS: 61.70 68.35 71.55

Kim S.-J., Nicolet M.-A., Averback R.S.:

Ion mixing and thermochemical properties of markers in Cu. Appl. Phys. A 41/3, 171-174 (1986) PACS: 61.80 66.30

Kopcewicz M., Engelmann H., Stenger S., Smirnov G.V., Gonser U., Wagner H.-G.:

Mössbauer study of the fast magnetization reversal in FeBO<sub>3</sub> induced by external RF magnetic fields.
Appl. Phys. A 44/2, 131-134 (1987) PACS: 76.00 75.00

Kosacki I:

Physical properties and applications of Cd<sub>1-x</sub>Pb<sub>x</sub>F<sub>2</sub> superionic crystals. Appl. Phys. A 49/4, 413-424 (1989) PACS:66.30 61.70 85.80 65.50

Krötz G., Wind J., Müller G.:
The effect of H-dilution on the transport properties of doped a-Si<sub>1-x</sub>Ge<sub>x</sub>:H alloys. Appl. Phys. A 49/2, 165-169 (1989) PACS 72.20 72.40 73.60 Krühler W., Kusian W., Karg F., Pfleiderer H.:

Electrical properties and degradation behavior of hydrogenated amorphous Si alloys for solar cells.

Appl. Phys. A 41/4, 275-283 (1986) PACS: 85.30 86.30 73.60 Kubiak R.A.A., Newstead S.M., Leong W.Y., Houghton R., Parker E.H.C., Whall T.E.:

The electrical properties of doped silicon grown by molecular beamepitaxy (MBE). Appl. Phys. A 42/3, 197-200 (1987) PACS: 72.20 73.60

Kumagai N., Kumagai N., Tanno K.:

Electrochemical and structural characteristics of tungstic acids as cathode materials for lithium batteries. Appl. Phys. A 49/1, 83-89 (1989) PACS: 72.60 85.80 61.70

Kunst M., Müller G., Schmidt R., Wetzel H.:

Surface and volume decay processes in semiconductors studied by contactless transient photoconductivity measurements. Appl. Phys. A 46/2, 77-85 (1988) PACS: 72.40 73.20

Kuphal E .:

The influence of graphite boat material on the purity of LPE InGaAs. Appl. Phys. A 43/1, 37-40 (1987) PACS: 81.10 85.30

Kurosu T., Yasuda H., Akiba Y., Iida M., Choe I.Y .: Transient negative photoconductivity in silicon doped with gold. Appl. Phys. A 43/3, 205-208 (1987) PACS: 72.40 72.20 85.30

Lakshmikumar S.T., Rastogi A.C.:

Nature of contact resistance in high-T<sub>c</sub> YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-6</sub> superconductors. Appl. Phys. A 48/4, 325-329 (1989) PACS:74.40Y 73.40 73.90 Landi E., Guimaraes S., Solmi S.:

Influence of nucleation on the kinetics of boron precipitation in silicon. Appl. Phys. A 44/2, 135-141 (1987) PACS: 61.70S 64.75

Landi E., Armigliato A., Solmi S., Kögler R., Wieser E.:

Electrical activation of boron-implanted silicon during rapid thermal annealing.

Appl. Phys. A 47/4, 359-366 (1988) PACS: 61.70 61.70

Langer J.J., Uler E., Golankiewicz K .:

Toward molecular electronics. An intramolecular p-n junction. Appl. Phys. A 43/2, 139-141 (1987) PACS: 85.40 72.20 76.00 Langfeld R.:

A new method of analysis of DLTS spectra.

Appl. Phys. A 44/2, 107-110 (1987) PACS: 71.55H 72.20 02.60

Lappalainen R., Anttila A.:

Annealing behaviour of implanted nitrogen in bulk and evaporated Ni. Appl. Phys. A 42/4, 263-267 (1987) PACS: 66.30J 61.70

Lau F., Mader L., Mazure C., Werner Ch., Orlowski M .:

A model for phosphorus segregation at the silicon-silicon dioxide inter-

Appl. Phys. A 49/6, 671-675 (1989) PACS: 64.75 66.30

Lau F., Gösele U.:

Two-dimensional phosphorus diffusion for soft drains in silicon MOS transistors.

Appl. Phys. A 40/2, 101-107 (1986) PACS: 61.70 66.30

Lee W.-Y., Wang W.-S .: Approximation to the two-step diffusion profile by a series of Gaussian

functions.

Appl. Phys. A 46/4, 281-283 (1988) PACS: 61.70W 66.30 61.70 Leo K., Rühle W.W., Queisser H.J., Ploog K .:

Hot carrier cooling in GaAs quantum wells.

Appl. Phys. A 45/1, 35-39 (1988) PACS: 72.10D 78.55

Li J.N., Kadowaki K., Menken M.J.V., Huang Y.K., Bakker K., Menovsky A.A., Franse J.J.M.:

Weak links in the superconducting transition of multiphase Bi-Ca-Sr-Cu-O compounds.

Appl. Phys. A 48/2, 193-195 (1989) PACS: 74.70 74.50

Li J.N., Kadowaki K., Menken M.J.V., Huang Y.K., Bakker K., Menovsky A.A., Franse J.J.M.:

Upper critical fields of single-crystalline and polycristal line Ca-Sr-Bi-Cu-O Compounds.

Appl. Phys. A 47/2, 209-211 (1988) PACS: 74.70V 74.60

Liberts G., Eyett M., Bäuerle D.:

Direct laser writing of superconducting patterns into the superconducting ceramic Y-Ba-Cu-O.

Appl. Phys. A 46/4, 331-334 (1988) PACS: 74.70V 42.60 82.65

Ling S., Nowik A.S., Cormack A.N., Catlow C.R.A.: Dielectric relaxation and computer stimulation studies of rutile-struc-

tured MnF<sub>2</sub> crystals. Appl. Phys. A 49/1, 69-73 (1989) PACS: 77.40 61.70 66.30

Liou S.S., Worrell W.L.:

Electrical properties of novel mixed-conducting oxides.

Appl. Phys. A 49/1, 25-31 (1989) PACS: 81.20 66.30 72.60 61.70

Litsardakis G., Samaras D., Collomb A., Mignot J.P.:

Manganese location and magnetic structure determination of SrMn2-W hexagonal ferrite by means of neutron diffraction. Appl. Phys. A 47/4, 327-331 (1988) PACS: 75.30

Ludorf W., Wang X.-Z., Bäuerle D.:

In situ preparation of Bi-Sr-Ca-Cu-O superconducting films by laser sputtering.

Appl. Phys. A 49/2, 221-223 (1989) PACS: 74.70 42.60 81.10

Lühr-Tanck W., Bosse H., Kurschat Th., Ederhof M., Sager A., Hehenkamp Th .:

Positron lifetime and Doppler-broadening measurements in noble metals and their alloys.

Appl. Phys. A 44/3, 209-211 (1987) PACS: 61.70B 71.60 78.70

Lu Y.F., Takai M., Nagatomo S., Namba S.:

Wet-chemical etching of Mn-Zn ferrite by focused Ar+-laser irradiation in H3PO4.

Appl. Phys. A 47/4, 319-325 (1988) PACS: 81.40 82.65

Ma E., Lim B.S., Nicolet M.-A., Natan M.:

Growth of Ni2Si by rapid thermal annealing: Kinetics and moving spe-

Appl. Phys. A 44/2, 157-160 (1987) PACS: 66.30 68.55

Magariño J .:

Amorphous silicon diodes and TFTs for active matrix flat panel display applications

Appl. Phys. A 41/4, 297-303 (1986) PACS: 85.60 61.40

Mahmud Y.A., Wishah K.A., Abdul-Gader M.M., Abdallah M.A.-H., Ahmad-Bitar R.N.:

Temperature dependence of AC-photoconductivity of  ${\rm HgI}_2$  crystal. Appl. Phys. A 42/2, 129-131 (1987) PACS: 72.20 72.80 70.90

Majni G., Mengucci P., D'Anna E., Leggieri G., Luches A., Nassisi V .:

Silicon carbide synthesis with energy pulses

Appl. Phys. A 49/2, 181-187 (1989) PACS: 68.55 79.20

Maldonado C.D.:

An analytical technique for the calculation of distributed resistance in a rectangular domain.

Appl. Phys. A 47/4, 333-346 (1988) PACS: 85.40 41.00

Mandelis A., Lo W., Wagner R.E.:

Photopyroelectric spectroscopy (P2ES) of electronic defect centers in crystalline n-CdS.

Appl. Phys. A 44/2, 123-130 (1987) PACS: 72.20 61.70

Mannsperger H., Kalbitzer S., Müller G.:

Doping efficiencies of gas-phase and ion-implantation doped a-Si:H. Appl. Phys. A 41/4, 253-258 (1986) PACS: 72.80N

Marshall D.B., DeWames R.E., Morgan P.E.D., Ratto J.J.:

Flux penetration in high-T<sub>c</sub> superconductors: Implications for magnetic suspension and shielding.

Appl. Phys. A 48/1, 87-91 (1989) PACS: 74.60G 82.25 74.30

Martinez J., Fogarassy E., Mesli A., Siffert P.:

Electrical characteristics of laser-annealed silicon diodes. Appl. Phys. A 42/4, 273-277 (1987) PACS: 73.40L

Martin S.W .:

Conductivity relaxation in glass: Compositional contributions to nonexponentiality.

Appl. Phys. A 49/3, 239-247 (1989) PACS: 61.40 66.30

Mazzone A.M.:

Ion-beam mixing of multilayered targets: Ballistic effects. Appl. Phys. A 42/3, 193-196 (1987) PACS: 61.70 66.30 Mazzone A.M.:

Dose effects in ion implanted compound semiconductors. Appl. Phys. A 45/2, 113-118 (1988) PACS: 61.80 61.70 Mbungu-Tsumbu N., Dauwe C., Diatezua M.D., Mbosei L.,

Motoko K .:

Time and temperature dependent three-quantum annihilation and lifetime positronium in alumina powder.

Appl. Phys. A 48/4, 343-346 (1989) PACS: 78.70 82.65

McElfresh M.W., Maple M.B., Yank K.N., Fisk Z .:

Onset of superconductivity at 107 K in YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-6</sub> at high pressure. Appl. Phys. A 45/4, 365-368 (1988) PACS 74.70V

Mertens Ph., Bogen P.:

Densities and velocity distributions of atomic hydrogen and carbon, measured by laser-induced fluorescence with frequency tripling into the vacuum UV

Appl. Phys. A 43/3, 197-204 (1987) PACS: 42.65C 32.50 79.20 52.80

Mey G. de, Verhenne G., Oost K. van, Landuyt J .:

Conductivity fluctuations in planar resistors.

Appl. Phys. A 43/2, 93-95 (1987) PACS: 72.20 73.60 41.00

Miotello A .:

Analysis of temperature and enhanced diffusion effects in sputtering of CrSi<sub>2</sub>

Appl. Phys. A 40/2, 85-89 (1986) PACS: 79.20N 66.30

Moslehi M.M.:

Single-wafer optical processing of semiconductors: Thin insulator growth for integrated electronic device applications Appl. Phys. A 46/4, 255-273 (1988) PACS: 73.60 77.55 81.10

Motoko-Kwete, Segers D., Dorikens M., Dorikens-Vanpraet L.,

Clauws P., Lemahieu I.:

Temperature characteristics of positron trapping at defects in electron irradiated silicon.

Appl. Phys. A 49/6, 659-664 (1989) PACS: 61.70 61.80 78.70

Mück M., Rogalla H., Heiden C.:

A frequency-modulated read-out system for DC SQUIDs. Appl. Phys. A 47/3, 285-289 (1988) PACS: 74.50

Mück M., Rogalla H., Heiden C.:

Relaxation oscillators made of bridge-type Josephson contacts. Appl. Phys. A 46/2, 97-101 (1988) PACS:74.50

Müller A., Härdtl K.H.:

Ambipolar diffusion phenomena in BaTiO<sub>3</sub> and SrTiO<sub>3</sub>. Appl. Phys. A 49/1, 75-82 (1989) PACS: 66.30 72.60 85.80

On the generation and annealing of dangling bond defects in hydrogenated amorphous silicon. Appl. Phys. A 45/1, 41-51 (1988) PACS: 66.30L 68.60 72.80

Equilibrium dangling bond densities in a-Si:H and its related thin film

allovs.

Appl. Phys. A 45/2, 103-107 (1988) PACS: 71.55 72.80

Muragi B.D., Zope M.J., Zope J.K.: Mechanism for nonlinear I-V behaviour and temperature dependence of

threshhold switching in Se-Te-Sn system. Appl. Phys. A 46/4, 299-303 (1988) PACS:72.20

Nag B.R., Ahmed S.R., Deb Roy M.:

Noise current spectrum in submicrometer samples.

Appl. Phys. A 41/3, 197-199 (1986) PACS: 72.20 72.70

Nakano S., Kuwano Y., Ohnishi M.:

High performance a-Si solar cells and new fabrication methods for a-Si

Appl. Phys. A 41/4, 267-274 (1986) PACS: 85.60 61.40 84.60

Nattermann K., Danielzik B., Linde D. von der.

Photoinduced refractive index changes and photoluminescence in semi-

conductor-doped glas

Appl. Phys. A 44/2, 111-118 (1987) PACS: 78.20 78.55 07.60

Neumann-Spallart M., Schwarz A., Grabner G.:

Photocurrents in p-n Si diodes under high intensity (pulsed-laser) illu-

mination: Quantum yields and kinetic evaluation Appl. Phys. A 46/1, 9-12 (1988) PACS: 72.20J 29.40 85.60

Nikolic R., Tripkovic J.:

Measurements of thermal conductivities of some low-melting materials

in a concentric cylinder apparatus.

Appl. Phys. A 44/4, 293-297 (1987) PACS: 65.00 86.00

Nimtz G., Marquardt P.:

The electron cut-off wavelength transistor.

Appl. Phys. A 47/4, 317-318 (1988) PACS: 72.15R 85.40 85.30

Nowotny J., Rekas M., Weppner W.:

Thermoelectric power of YBa<sub>2</sub>Cu<sub>3</sub>O<sub>x</sub> in equilibrium with gas phases. Appl. Phys. A 47/2, 205-208 (1988) PACS 74.70 72.20 61.70

Obi Y., Morita H., Fujimori H.:

Magnetic and electrical properties of several Mn-based amorphous al-

Appl. Phys. A 42/3, 201-204 (1987) PACS: 61.40 75.50

Ochando M.A., Llopis J.:

Electron microscope observations in heat treated MgO:Ni crystals.

Appl. Phys. A 42/3, 209-212 (1987) PACS: 61.16 81.40

Oehr C., Suhr H.:

Deposition of silver films by plasma-enhanced chemical vapour deposi-

Appl. Phys. A 49/6, 691-696 (1989) PACS: 81.15G 52.90 68.55

Ohima S., Yamada T., Hayashida T., Yamano M.:

Characterization of a-Si:H thin film transistors, and the effect of thermal annealing.

Appl. Phys. A 41/4, 285-289 (1986) PACS: 61.40 72.80 73.40 73.90 Oliveira Jr. O.N., Ferreira G.F.L.:

Electron transport in corona charged 12 µm teflon FEP with saturable

deep traps

Appl. Phys. A 42/3, 213-217 (1987) PACS: 72.20J 73.60

Pal B.B., Chakrabarti P.

Theoretical Characterization of a superlattice APD.

Appl. Phys. A 42/3, 173-177 (1987) PACS: 72.15 72.40 78.55 79.20

Pal B.B., Chakrabarti P.:

Theoretical characterization of a superlattice avalanche photodiode. Appl. Phys. A 42/3, 173-177 (1987) PACS: 72.15 72.40 78.55 79.20

Pang D., Yang Z., Chen D., Quan M.X.:

Effect of polarizable atmospheres on superconductivity of the Y-Ba-Cu-O compounds

Appl. Phys. A 48/4, 355-357 (1989) PACS: 74.70V

Paprocki K., Brylowska I., Syszko W.:

Depth distributions of Au recoil atoms in silicon.

Appl. Phys. A 45/2, 109-112 (1988) PACS: 61.10T 79.20

Passerini S., Curini R., Scrosati B.:

Characterization of poly(ethylene oxide) copper salt polymer electro-

Appl. Phys. A 49/4, 425-429 (1989) PACS: 61.40 66.30 72.60

Pearton S.J., Corbett J.W., Shi T.S.:

Hydrogen in crystalline semiconductors.

Appl. Phys. A 43/3, 153-195 (1987) PACS: 71.55F 72.80

Peinke J., Parisi J., Röhricht B., Mayer K.M., Rau U., Claua W., Huebener R.P., Jungwirt G., Prettl W .:

Classification of current instabilities during low-temperature breakdown in germanium.

Appl. Phys. A 48/2, 155-160 (1989) PACS: 05.45 72.20 72.70

Pensl G., Schulz M., Hölzlein K., Bergholz W., Hutchison J.L.: New oxygen donors in silicon.

Appl. Phys. A 48/1, 49-57 (1989) PACS: 71.55F 81.40 73.40

Pietzsch J., Kamiya T.:

Determination of carrier density dependent lifetime and quantum efficiency in semiconductors with a photoluminescence method (application to InGaAsP/InP heterostructures).

Appl. Phys. A 42/2, 91-102 (1987) PACS: 78.55D 72.20 42.60

Plocharski J., Wieczorek W., Przyluski J., Such K.:

Mixed solid electrolytes based on poly(ethylene oxide).

Appl. Phys. A 49/1, 55-60 (1989) PACS: 66.30 61.10 64.60 82.45

Plusa D., Wyslocki J.J., Wyslocki B., Pfranger R.:

Domain-wall energy in sintered Nd<sub>15</sub>Fe<sub>77</sub>B<sub>8</sub> permanent magnet. Appl. Phys. A 40/3, 167-170 (1986) PACS: 75.50B 75.60

Politis C.:

High-T<sub>e</sub> superconductivity in the multi phases Sr-Bi-Ca-Cu-O. Appl. Phys. A 45/3, 261-263 (1988) PACS: 74.40V

Ponpon J.P., Saulnier A., Stuck R.:

Behaviour of implanted arsenic during rapid thermal annealing of Ti on

Appl. Phys. A 44/3, 227-232 (1987) PACS: 61.70W 68.60 81.40

Poth H .:

Antihydrogen formation through positron-antiproton radiative combi-

Appl. Phys. A 43/4, 287-293 (1987) PACS: 07.77 78.70

Pozela J., Namajunas A., Tamasevicius A., Ulbikas J.:

Quantitative characterization of chaotic instabilities in semiconductors. Appl. Phys. A 48/2, 181-188 (1989) PACS: 72.20 72.70 06.00

Rajainmäki H.:

High-resolution positron lifetime spectrometer with BaF<sub>2</sub> scintillators.

Appl. Phys. A 42/3, 205-208 (1987) PACS: 78.70B 06.60

Rauschenbach B., Posselt M., Küchler R.:

Ion beam mixing of Al/Fe binary systems. Appl. Phys. A 48/4, 347-354 (1989) PACS:61.80 68.35

Rauschenbach B.:

Formation of copper/gold solid solutions by ion beam mixing. Appl. Phys. A 40/1, 47-57 (1989) PACS: 61.14F 61.70 81.40

Reau J.M., Hagenmuller P.:

Correlations between clusterization and electrical properties within fluorite-type anions excess solid solutions: Setting of a model.

Appl. Phys. A 49/1, 3-12 (1989) PACS: 66.30 61.70 Reger G., Hoffmann H., Friedlaender F.J.:

Ordered HGMS filters in the transverse configuration.

Appl. Phys. A 44/2, 161-166 (1987) PACS: 85.70

Rich A., House J. van, Gidley D.W., Conti R.S., Zitzewitz P.W.: Spin-polarized low-energy positron beams and their applications. Appl. Phys. A 43/4, 275-281 (1987) PACS: 34.90 36.10 75.30

Riesterer T., Bednorz J.G., Müller K.A., Reihl B.:

The high-T<sub>c</sub> superconductor Sr<sub>0.2</sub>La<sub>1.8</sub>CuO<sub>4</sub>: A direct and inverse photoemission study.

Appl. Phys. A 44/1, 81-82 (1987) PACS: 74.90 79.60

Riette H.L., Miranda L.C.M., Vargas H.:

Characterization of photovoltaic cells using the photothermal deflection spectroscopy.

Appl. Phys. A 44/3, 219-222 (1987) PACS: 78.20N 72.20 81.70

Rincon J.M., Fernández P., Lliopis J.:

Characterization of zirconia/mullite ceramics by cathodoluminescence

Appl. Phys. A 44/4, 299-303 (1987) PACS: 78.60 81.70

Rivas J., Iñiguez J., Moreno E.:

A simple model for magnetic after-effects in magnetite at room temperature.

Appl. Phys. A 42/2, 133-137 (1987) PACS: 75.60L

Roman A .:

Determination of the losses induced by irreversible Barkhausen jumps of the 180° domain wall moving with a sinusoidal motion in the single domain wall model.

Appl. Phys. A 42/4, 291-295 (1987) PACS: 75.60E 75.50

Roussignol P., Ricard D., Flytzanis C.:

Nonlinear optical properties of commercial semiconductor-doped glasses

Appl. Phys. A 44/4, 285-292 (1987) PACS: 78.20 42.65 81.40

Rupp G., Wettling W., Jantz W.:

Surface spin waves in anisotropic magnetic multilayers. Appl. Phys. A 42/1, 45-55 (1987) PACS: 75.00 75.70 78.35

Rupp R.A., Maillard A., Walter J.:

Impact of the sublinear photoconductivity law on the interpretation of holographic results in BaTiO<sub>3</sub>.

Appl. Phys. A 49/3, 259-268 (1989) PACS: 42.40 42.70 72.40

Sakata I., Yamanaka M., Okazaki S., Hayashi Y.:

Relationship between optical and structural properties of hydrogenated amorphous silicon.

Appl. Phys. A 48/4, 295-304 (1989) PACS: 61.40 73.60 78.30 Sakata I., Okazaki S., Hayashi Y.:

Validity of quasi-static capacitance-voltage measurements applied to hydrogenated amorphous silicon diodes.

Appl. Phys. A 40/3, 171-176 (1986) PACS: 73.60 71.20 86.30

Sande M. Van, Goethem L. Van, Laet L. De, Guislain H .: Dislocations in high-purity germanium and its relation to \( \gamma\)-ray detector performance.

Appl. Phys. A 40/4, 257-261 (1986) PACS: 29.00 61.70

Schaefer H.-E., Würschum R., Schwarz R., Slobodin D., Wagner S.: Amorphous hydrogenated silicon studied by positron lifetime spectro-

Appl. Phys. A 40/3, 145-149 (1986) PACS: 71.60 72.80 78.70

Schaefer H.E., Würschum R., Schwarz R., Slobodin D., Wagner S.: Reply to the comment by S. Dannefeer et al. on the paper of H.E. Schaefer et al. on "Amorphous hydrogenated silicon studied by positron lifetime spectroscopy".

Appl. Phys. A 43/4, 295-296 (1987) PACS: 71.60 72.80 78.70 Schluckebier M., Pfeiffer Th., Muskalla K., Schmülling W.,

Kamke D.:

Heavy-ion-induced desorption of deuterium from titanium. I. Experiment and theory.

Appl. Phys. A 42/1, 19-33 (1987) PACS:61.80 66.30 79.20 Schluckebier M., Pfeiffer Th., Muskalla K., Schmülling W., Kamke D.:

Heavy-ion induced desorption of deuterium from titanium. II. Inhibition by foreign atoms. Kinetic parameters. Appl. Phys. A 42/3, 179-192 (1987) PACS: 61.80 66.30 79.20

Schöll E .: Theoretical approaches to nonlinear and chaotic dynamics of generation-recombination processes in semiconductors.

Appl. Phys. A 48/2, 95-106 (1989) PACS: 72.20H 72.20 05.45

Schorn R.P., Zaki Ewiss M.A., Hintz E .:

Velocity distributions of copper and lithium atoms sputtered from a Cu/Li alloy measured with laser induced fluorescence. Appl. Phys. A 46/4, 291-297 (1988) PACS: 32.50 68.40 79.20

Schröter L., Zacharias H., David R.:

Internal energy distribution of recombinatively desorbing D, from sulfur covered poly-Pd.

Appl. Phys. A 41/1, 95-97 (1986) PACS: 33.20 82.65

Segura A., Martinez-Tomás C., Casanovas A., Cantarero A., Martinez-Pastor J., Chevy A.:

Carrier scattering mechanisms in p-type indium selenide. Appl. Phys. A 48/5, 445-450 (1989) PACS: 72.10

Segura A., Martinez-Tomás M., Mari B., Casanovas A.: Acceptor levels in indium selenide. An investigation by means of the Hall effect, deep-level-transient spectroscopy and photoluminescence. Appl. Phys. A 44/3, 249-260 (1987) PACS:71.55 78.55

Sen Gupta A., Naidu S.V., Sen P.:

Annealing study of defects in alpha-irradiated n-type GaAs by positron-annihilation technique.

Appl. Phys. A 40/2, 95-99 (1986) PACS: 61.80 78.70

Servidori M., Cannavò S., Ferla G., LaFerla A., Rimini E .:

Damage created by high-current-density implants of phosphorus into (100) and (111) silicon wafers.

Appl. Phys. A 44/3, 213-218 (1987) PACS:61.70T 79.20

Sharma S.K., Banerjee S., Kuldeep , Jain A.K.:

Diffusion of Au and Cu in amorphous Fe<sub>80</sub>B<sub>20</sub> and Fe<sub>83</sub>B<sub>18</sub> alloys. Appl. Phys. A 45/3, 217-220 (1988) PACS: 66.30 61.40

Shirai H., Tanabe A., Oda S., Hanna J., Nakamura T., Shimizu I.:

Design of multiple layered a-Si:H(F)/a-SiGe<sub>x</sub>:H(F)films for enhancement in photoresponse in the near-infrared spectrum.

Appl. Phys. A 41/4, 259-265 (1986) PACS: 61.40 85.60

Singh J., Itoh N., Truong V.V.:

Influence of exciton-exciton interaction with spin paired charge carriers and exciton-lattice interaction of the surface properties of crystalline solids

Appl. Phys. A 49/6, 631-639 (1989) PACS: 71.35 73.90

Singh S.R., Pal B.B.:

Electron ionization rate in III-V ternary semiconductors. Appl. Phys. A 43/2, 105-109 (1987) PACS: 72.15 79.20

Singh S.R., Pal B.B.:

Hot-electron drift velocity in III-V semiconductors under the condition of impact ionization

Appl. Phys. A 43/1, 53-60 (1987) PACS: 72.15 79.20

Skou E.M., Jacobsen T .:

A model for the frequency dispersion of the impedance of compressed powders of ionic conductors.

Appl. Phys. A 49/1, 117-121 (1989) PACS: 66.30 73.40

Slavov S.H.:

Equivalent resonance radius of contoured AT-cut quartz resonators. Appl. Phys. A 43/2, 111-116 (1987) PACS: 62.00

Slavov S.H .:

Modes of vibration, motion inductance, and resonance interval of circular, convex AT-cut bevelled design trapped energy quartz resonators. Appl. Phys. A 40/1, 59-65 (1986) PACS: 62.00

So F.C.T., Kolawa E., Nieh S.C.W., Zhao X.-A., Nicolet M.-A.: Properties of reactively sputtered  $Mo_{1-x}O_x$  films. Appl. Phys. A 45/4, 265-270 (1988) PACS 81.15 81.60

Solmi S., Cembali F., Fabbri R., Servidori M., Canteri R.: Dependence of anomalous phosphorous diffusion in silicon on depth position of defects created by ion implantation Appl. Phys. A 48/3, 255-260 (1989) PACS: 61.70 61.80

Song X.N., Seiler D.G., Loloee M.R.:

Nonlinear oscillations and chaotic behavior due to impact ionization of shallow donors in InSb. Appl. Phys. A 48/2, 137-141 (1989) PACS: 72.20H 72.80 72.20

Spangler J., Brandl A., Prettl W.:

Sequence of different types of nonlinear current oscillation in n-GaAs. Appl. Phys. A 48/2, 143-147 (1989) PACS: 05.40 72.70 72.20

Srinivasan R., Braren B.:

Ultraviolet laser ablation and etching of polymethyl methacrylate sensitized with an organic dopant. Appl. Phys. A 45/4, 289-292 (1988) PACS: 42.60 82.65 73.40

Stafast H.:

Initial steps in the photochemical vapour deposition of amorphous sili-

Appl. Phys. A 45/2, 93-102 (1988) PACS: 81.15G 82.30 82.60

Steiner P., Courths R., Kinsinger V., Sander I., Siegwart B., Hüfner S.,

Photoemission on high T<sub>c</sub> superconductors. Appl. Phys. A 44/1, 75-79 (1987) PACS: 74.00 74.10 74.70 79.60 Strawinski L., Wawrzyniak Z.M.:

Influence of the head core machining upon the fringing field. Appl. Phys. A 40/4, 247-251 (1986) PACS: 81.40R 85.70 75.50

Stümpel H., Vorderwülbecke M., Mimkes J.: Diffusion of selenium and tellurium in silicon

Appl. Phys. A 46/3, 159-163 (1988) PACS: 66.30

Sugii T., Ito T., Ishikawa H.:

Low-temperature fabrication of silicon nitride films by ArF excimer laser irradiation. Appl. Phys. A 46/4, 249-253 (1988) PACS: 68.55 73.60 77.55

Sugioka K., Toyoda K.:

Influence of laser fluence and the dopant gas pressure on the properties of photochemical doping of Si into GaAs using XeCl excimer laser. Appl. Phys. A 45/3, 189-192 (1988) PACS:66.30 82.65

Sun Y.M., Krühler W., Nebel C.E., Bauer G.H.:

Temperature dependence of photodegradation in amorphous hydrogenated silicon.

Appl. Phys. A 46/1, 5-8 (1988) PACS: 73.60 85.30

Svob L., Grattepain C., Marfaing Y.:

Diffusion of deuterium in GaAs a molecular gas source Appl. Phys. A 47/3, 309-311 (1988) PACS: 72.80E 66.30

Symons J., Ghannam M., Nijs J., Ammel A. van, Schepper P. de, Neugroschel A., Mertens R.:

The use of amorphous and microcrystalline silicon for silicon heterojunction bipolar transistors.

Appl. Phys. A 41/4, 291-295 (1986) PACS: 61.40 85.30

Tabib-Azar M., Das P.:

Acoustoelectric measurements of minority and majority carrier mobilities in semiconductors including Hg<sub>1-x</sub>Cd<sub>x</sub>Te. Appl. Phys. A 45/2, 119-124 (1988) PACS: 72.50 73.25 73.40

Tamura M., Ohyu K.:

Residual defects in high-energy B-, P- and As-implanted Si by rapid

Appl. Phys. A 49/2, 149-155 (1989) PACS: 61.70 61.80

Tanaka H., Sakai T., Shimbo M., Arai S., Yamazaki T.: A thin-film transistor with a very thin a-Si:H layer and its application

for an LC panel. Appl. Phys. A 41/4, 311-314 (1986) PACS: 73.40Q 73.60 86.60

Teitsworth S.W.: The physics of space charge instabilities and temporal chaos in extrinsic

photoconductors Appl. Phys. A 48/2, 127-136 (1989) PACS: 05.45 72.20

Thörner G., Borstel G.: Unoccupied surface states and surface barrier in metals.

Appl. Phys. A 41/1, 99-101 (1986) PACS: 73.20

Toda K., Morita S., Takahashi K.:

Crystal-orientation dependence of photoconductivity in Pb2 CrO5 thin film.

Appl. Phys. A 43/2, 131-137 (1987) PACS: 72.40

Trzcinski R., Queisser H.J.:

Charge transport in semiconductor microjunctions. Appl. Phys. A 47/2, 119-122 (1988) PACS: 73.40L 72.20 72.80

Ullrich B., Schubert E.F., Stark J.B., Cunningham J.E.: Spatial distribution of impurities in delta-doped n-type GaAs. Appl. Phys. A 47/2, 123-129 (1988) PACS: 81.10 73.60 75.30

Ursu I., Alexandrescu R., Draganescu V., Grigoriu C., Mihailescu I.N., Morjan I., Prokhorov A.M., Karlov N.V., Legutchev A.S.

Laser action on resonant molecular flows through capillaries. Laser action on resonant molecular flows through capitlaries.

Appl. Phys. B 47/1, 61-65 (1988) PACS: 82.651 82.65

Ursu I., Nistor L.C., Teodorescu V.S., Nistor S.V.,

Mihailescu I.N., Kolesnikov N.N., Konov V.I., Kulakov M.P., Shub V.E .:

Damage studies in cubic ZnSe single crystals grown from melt. Appl. Phys. A 48/5, 451-456 (1989) PACS: 61.80

Vayenas C.G., Bebelis S., Neophytides S., Yentekakis I.V.: Non-Faradaic electrochemical modification of catalytic activity in solid electrolyte cells.

Appl. Phys. A 49/1, 95-103 (1989) PACS: 85.80 82.20 82.65 73.20 Verbruggen A.H., Stoll H., Heeck K., Koch R.H.:

A novel technique for measuring resistance fluctuations independently of background noise

Appl. Phys. A 48/3, 233-236 (1989) PACS: 06.00 07.00 61.70

Vitali G., Kalitzova M., Pashov N., Werner P., Bartsch H.: Damage distribution in Si+-implanted gallium arsenide - lattice imag-

Appl. Phys. A 45/2, 133-135 (1988) PACS: 61.16D 61.70 61.80

Vitali G., Kalitzova M., Pashov N., Werner P., Bartsch H., Karpuzov D:

Lattice imaging study of in-depth disordering of Si-implanted GaAs. Appl. Phys. A 46/3, 185-190 (1988) PACS: 61.16D 61.70 61.80

Wagner P., Oeder R., Zulehner W.: Nitrogen-oxygen complexes in Czochralski-silicon. Appl. Phys. A 46/2, 73-76 (1988) PACS: 61.70 78.30 Wagner P., Hage J.:

Thermal double donors in silicon. Appl. Phys. A 49/2, 123-138 (1989) PACS: 61.70E 78.50 Waldeer K.T., Urbassek H.M.:

Collision cascade evolution in media with energy independent scattering: Spatial energy and angular distribution.

Appl. Phys. A 45/3, 207-215 (1988) PACS: 79.20N 05.60 Wang K.-M., Liu X.-J., Wang Y.-H., Shi B.-R., Liu J.-T .:

Mean projected range of ions in homogeneous materials. Appl. Phys. A 48/3, 241-244 (1989) PACS: 29.70G 61.80 79.20

Weber J., Davis R.J., Habermeier H.-U., Sawyer W.D., Singh M.: Photoluminescence detection of impurities introduced on silicon by dry etching processe

Appl. Phys. A 41/3, 175-178 (1986) PACS: 78.55 61.80 71.35

Weller A., Thomas P., Feldmann J., Peter G., Göbel E.O.: Model calculations of diffusion limited trapping dynamics in quantum well laser structures.

Appl. Phys. A 48/6, 509-515 (1989) PACS: 73.20D 78.55 78.47 Werner J.:

Schottky barrier and pn-junction I/V-plots - small signal evaluation. Appl. Phys. A 47/3, 291-300 (1988) PACS:73.30 73.40

Wettling W., Windscheif J.:

Direct and fast comparison of near-infrared absorption and photoluminescence topography of semi-insulating Ga/As wafers.

Appl. Phys. A 40/3, 191-195 (1986) PACS: 61.70W 78.50 78.55 Wichert Th., Deicher M., Grübel G., Keller R., Schulz N., Skudlik H.: Indium-defect complexes in silicon studied by perturbed angular correlation spectroscopy.

Appl. Phys. A 48/1, 59-85 (1989) PACS:61.70 81.40 76.80

Wieder T., Thoma K., Gärtner H.:

New scattering formula for the analysis of X-ray line broadening by composition profiles. Appl. Phys. A 46/3, 165-167 (1988) PACS: 61.10D 78.70

Wilhelm H.E.:

Macroscopic short-time electrodynamics for conductors. Appl. Phys. A 46/1, 17-23 (1988) PACS: 03.50D 41.10 42.90 Will N.F., Hofmann K., Schulz M.:

Trap centers in Au-implanted MOS structures. Appl. Phys. A 41/2, 107-114 (1986) PACS:71.55 66.30 73.40

Windscheif J., Wettling W., Jantz W.:

Nondestructive topographic evaluation of ion-implanted layers on GaAs substrates by optical absorption. Appl. Phys. A 47/2, 115-118 (1988) PACS: 61.70T 61.80 78.65 78.50

Wishah K.A., Mahmud Y.A., Abdul-Gader M.M., Abdallah M.A.-H., Ahmad-Bitar R.N.:

Temperature dependence of dielectric behaviour of illuminated HgI2. Appl. Phys. A 43/1, 61-63 (1987) PACS: 72.20 72.80 70.90

Woods C.L., Matson C.L., Salour M.M.:

Crystallographic fringe orientation diffraction efficiency in bismuth silicon oxide.

Appl. Phys. A 40/3, 177-182 (1986) PACS: 42.65J 42.70 72.40 78.20

Yamada K., Miura N., Hamaguchi C.:

Chaotic conductivity oscillation in n-type Si in high magnetic fields. Appl. Phys. A 48/2, 149-153 (1989) PACS: 05.40 72.70 79.20 Yamada K., Tobisawa S.:

CdS multilings perpared by the conically converging shockwave tech-

Appl. Phys. A 49/2, 157-163 (1989) PACS: 62.50 81.10 Yang K.N., Lee B.W., Maple M.B., Laderman S.S.:

Compounds in mixed phase CeBa<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> and TbBa<sub>2</sub>Cu<sub>3</sub>O<sub>y</sub> systems. Appl. Phys. A 46/3, 229-232 (1988) PACS: 74.70V 75.50

Zaiour A., Hage-Ali M., Koebel J.M., Bentz A., Siffert P.: Equilibrium segregation coefficient and liquid diffusion coefficient of some impurities in tellurium.

Appl. Phys. A 43/3, 219-222 (1987) PACS: 64.75

Zandbergen H.W., Tendeloo G. van, Landuyt J. van, Amelinckx S.: The structure and defect structure of high T<sub>c</sub> superconducting materials in the system T1-Ba-Ca-Cu-O.

Appl. Phys. A 46/3, 233-239 (1988) PACS: 74.00 61.14 61.70 Zandbergen H.W., Groen W.A., Tendeloo G.van, Amelinckx S.:

High-resolution electron microscopy and electron diffraction on

 $Bi_2Sr_{2-x}La_xCa_nCu_{1+n}O_{6+2n+\delta}$ . Appl. Phys. A **48**/4, 305-314 (1989) PACS: 74.70 ZHANG S.-y., LU Z.-n., YU J., YUAN W.-b.:

Anomalous SAW velocity changes on Ti-diffused ZY-LiNbO<sub>3</sub>. Appl. Phys. A 40/2, 119-122 (1986) PACS: 62.00 68.25

Zhang Z., Kennedy J.H., Thompson J., Anderson S., Lathrop D.A., Eckert H .:

Competitive network modification in non-oxide chalcogenide glasses. Structural and motional properties of glasses in the system  $\text{Li}_2\text{S-}\text{P}_2\text{S}_5\text{-}\text{B}_2\text{S}_3$  studied by multinuclear NMR techniques.

Appl. Phys. A 49/1, 41-54 (1989) PACS: 61.40 66.30 61.10 Zundel T., Mesli A., Muller J.C., Siffert P.:

Boron neutralization and hydrogen diffusion in silicon subjected to lowenergy hydrogen implantation.

Appl. Phys. A 48/1, 31-40 (1989) PACS: 66.30 61.70 Zundel T., Courcelle E., Mesli A., Muller J.C., Siffert P.:

Field-enhanced neutralization of electrically active boron in hydrogen implanted Schottky diodes.

Appl. Phys. A 40/2, 67-69 (1986) PACS: 66.30J 72.80

## Surfaces, Interfaces, and Layer Structures

Adegboyega G.A., Poggi A., Susi E., Castaldini A., Cavallini A.: Schottky contact barrier height enhancement on p-type silicon by wet chemical etching

Appl. Phys. A 48/4, 391-395 (1989) PACS: 73.30 Adekoya W.O., Muller J.C., Siffert P.:

Rapid thermal annealing of electrically-active defects in virgin and implanted silicon.

Appl. Phys. A 42/3, 227-232 (1987) PACS: 81.40E 61.80 61.70 71.55

Affrossman S., Bailey R.T., Cramer C.H., Cruickshank F.R., MacAllister J.M.R., Alderman J.:

Laser photochemical etching of silicon.

Appl. Phys. A 49/5, 533-542 (1989) PACS: 79.20 81.60 82.65

Aktulga E., Aktas G.:

Phase shift analysis of modulated photocurrent: Determination of the energy scale.

Appl. Phys. A 45/3, 221-224 (1988) PACS: 72.40

Al-Refaie S.N .:

Dielectric and interfacial properties of InP plasma-grown oxides. Appl. Phys. A 48/6, 575-582 (1989) PACS: 73.40R 73.60

Al-Saleh K.A., Meyer J.D., Saleh N.S.:

XRF Induced by PIXE: Comparison with radioisotope XRF.

Appl. Phys. A 42/4, 327-329 (1987) PACS: 79.20

Albano E.V., Mártin H.O.:

Study of recombination reactions of particles absorbed on fractal and multifractal substrata.

Appl. Phys. A 47/4, 399-407 (1988) PACS: 82.65J 66.30

Altkorn R.I., Andreshak J.C., Gupta A.:

Temperature measurement during laser heating of thin films using a temperature-sensitive phosphor.

Appl. Phys. A 48/3, 273-276 (1989) PACS:07.20 42.60 44.50 78.55

Andrieu S., Ferrieu F., d'Aitaya F.A.:

In situ spectroscopic ellipsometry: Application to Sb coverage measurement in the monolayer range on Si(111). Appl. Phys. A 49/6, 719-722 (1989) PACS: 07.60F 68.45 81.51

Angadi M.A., Thanigaimani V.:

Thickness dependence of temperature coefficient of resistance of MnBi films

Appl. Phys. A 44/3, 261-264 (1987) PACS: 73.60

Arita I.H., Hernandez R., Castano V.M.:

Preparation and imaging of macro-bicrystals in thin films.

Appl. Phys. A 47/4, 413-417 (1988) PACS: 61.70N

Arvanitis D., Rabus H., Domke M., Puschmann A., Comelli G.,

Petersen H., Tröger L., Lederer T., Baberschke K.:

High resolution photoabsorption spectroscopy at the carbon K-edge. Appl. Phys. A 49/4, 393-397 (1989) PACS: 07.85 33.20 35.20

Baberschke K., Farle M., Zomack M.:

The ferromagnetic order and the critical exponent gamma of Gd monolayers and thin films on W(110).

Appl. Phys. A 44/1, 13-18 (1987) PACS: 75.70A 75.30 76.30

Ballentine C.A., Fink R.L., Araya-Pochet J., Erskine J.L.:

Exploring magnetic properties of ultrathin epitaxial magnetic structures using magneto-optical techniques.

Appl. Phys. A 49/5, 459-466 (1989) PACS: 75.30G 75.70 75.40

Baller T.S., Veen G.N.A. van, Hal H.A.M. van:

The influence of substrate material and annealing procedure on the properties of superconducting thin films. Appl. Phys. A 46/3, 215-220 (1988) PACS:73.00 74.00 81.00

Baszczyszyn R., Kleint Ch.:

Influence of surface roughness on adsorbate mobility. Cross-correlation measurements of potassium coadsorbed with nickel on the W(112) plane. Appl. Phys. A 46/2, 145-151 (1988) PACS: 05.40 82.65 68.90 83.90

Bäuerle D.:

Laser-induced formation and surface processing of high-temperature superconductors

Appl. Phys. A 48/6, 527-541 (1989) PACS: 74.70 42.60 81.10

Baumberger M., Stocker W., Rieder K.H.:

Investigations of the selective population of hydrogen subsurface sites on Pd(110) using He diffraction and thermal-desorption spectroscopy. Appl. Phys. A 41/2, 151-156 (1986) PACS: 82.65J 68.20 79.20

Baumgärtner H., Fuenzalida V., Eisele I.:

Ozone cleaning of the Si-SiO<sub>2</sub> system. Appl. Phys. A 43/3, 223-226 (1987) PACS: 81.60

Beben J., Kleint Ch., Meclewski R .:

Field-emission flicker noise from potassium adsorbed on W(111) bounded and unbounded surface diffusion by spectral analysis.

Appl. Phys. A 40/2, 79-84 (1986) PACS:05.40 82.65 68.90 73.90 Beier T., Pescia D., Stampanoni M., Vaterlaus A., Meier F.:

Ground state magnetic properties of ultrathin fcc Fe and Co films on Cu(001) surfaces

Appl. Phys. A 47/1, 73-76 (1988) PACS: 73.60 75.70 68.55

Bell A.E., Swanson L.W.:

The influence of substrate geometry on the emission properties of a liquid metal ion source

Appl. Phys. A 41/4, 335-346 (1986) PACS: 79.70 41.80 07.80

Bentini G.G., Bianconi M., Summonte C.:

Surface doping of semiconductors by pulsed laser irradiation in reactive atmosphere.

Appl. Phys. A 45/4, 317-324 (1988) PACS: 79.20D 81.60 82.65 61.80 Bernards J.P.C., Schrauwen C.P.G., Luitjens S.B.:

Single-layer and multilayered films for perpendicular recording based on a Co-Cr alloy

Appl. Phys. A 49/5, 491-497 (1989) PACS: 75.60 75.70 68.55

Bertel E., Jacob W., Dose V.:

The adsorption of xenon on both low and high work-function metals. Appl. Phys. A 44/1, 93-95 (1987) PACS: 68.55 64.70 73.30 Bertel E., Memmel N., Jacob W., Dose V., Netzer F.P., Rosina G.,

Rangelov G., Astl G., Rösch N.:

Alkali metal oxides: Occupied, unoccupied and excited states. Appl. Phys. A 47/1, 87-89 (1988) PACS: 73.60H 71.70 79.60 78.70

Bertness K.A., Mahowald P.H., McCants C.E., Wahi A.K.,

Kendelewicz T., Lindau I., Spicer W.E.:

Photoenhancement mechanism for oxygen chemisorption on GaAs (110) using visible light.

Appl. Phys. A 47/3, 219-228 (1988) PACS: 73.50G 68.45 82.50

Bhatia K.L., Krätschmer W., Kalbitzer S.:

Optical absorptivity of ion-beam irradiated silicon

Appl. Phys. A 45/1, 69-72 (1988) PACS: 78.65 61.80 Blügel S., Drittler B., Zeller R., Dederichs P.H.:

Magnetic properties of 3d transition metal monolayers on metal sub-

Appl. Phys. A 49/6, 547-562 (1989) PACS: 75.30P 75.70 Borisov M., Germanova K., Hardalov Ch., Tosheva T.:

Surface space-charge layer analysis in semi-insulting GaAs containing deep levels in bulk.

Appl. Phys. A 40/4, 219-225 (1986) PACS: 61.70 73.40

Braichotte D., Bergh H. van den:

Growth rates and electrical conductivity of microscopic ohmic contacts fabrictated by laser chemical vapor deposition of platinum. Appl. Phys. A 44/4, 353-359 (1987) PACS: 81.10 85.40 42.60

Braichotte D., Bergh H. van den:

Temperature effects in the photolytic LCVD of platinum Appl. Phys. A 49/2, 189-197 (1989) PACS: 42.60 81.10 82.65

Brannon J.H.:

Chemical etching of silicon by CO<sub>2</sub>-laser-induced dissociation of NF<sub>3</sub>. Appl. Phys. A 46/1, 39-50 (1988) PACS: 82.50E 82.65 82.80

Briones F., González L., Ruiz A.:

Atomic layer molecular beam epitaxy (ALMBE) of III-V compounds: Growth modes and applications.

Appl. Phys. A 49/6, 729-737 (1989) PACS: 68.55 82.40 61.14

Broeder F.J.A. den, Kuiper D., Donkersloot H.C., Hoving W.: A comparison of the magnetic anisotropy of [001] and [111] oriented Co/Pd multilayers.

Appl. Phys. A 49/5, 507-512 (1989) PACS: 75.70 75.30 75.50

Bruno P., Renard J .- P .:

Magnetic surface anisotropy of transition metal ultrathin films. Appl. Phys. A 49/5, 499-506 (1989) PACS: 75.30G 75.30 75.70

Campbell E.E.B., Ulmer G., Bues K., Hertel I.V.:

Analysis of ionic fragments from 308 nm photoablation of polyimide. Appl. Phys. A 48/6, 543-547 (1989) PACS 79,20D 82.80 Cartier E., Pfluger P., Pireaux J.-J., Rei Vilar M.:

Mean-free paths and scattering processes for 0.1-4500 eV electrons in saturated hydrocarbon films.

Appl. Phys. A 44/1, 43-53 (1987) PACS: 68.35 73.60

CHEN C.-X.:

Electrical conductivity of multi-layered metallic thin films.

Appl. Phys. A 40/1, 37-40 (1986) PACS: 73.40J

CHEN C .- X .:

General electrical transport properties of polycrystalline multi-layered metallic thin films

Appl. Phys. A 42/2, 145-148 (1987) PACS: 73.40J 73.60

Chen G.P., Seggern J. von, Gnaser H., Hofer W.O.: Sputtering yields of nickel and chromium.

Appl. Phys. A 49/6, 711-718 (1989) PACS: 79.20

Chen J.M., Zheng Y., Chen G.L., Ren C.X., Yang J., Xie L.M., Zou S.C.

Study of interaction between ZrO2 (YSZ) substrates and YBa2Cu3O7-6 superconducting films.

Appl. Phys. A 48/3, 277-281 (1989) PACS: 74.70 66.30 68.20 68.48

Christmann K., Ehsasi M.:

Isotope effects in the interaction of hydrogen and deuterium with a rhodium (100) surface.

Appl. Phys. A 44/1, 87-91 (1987) PACS: 82.20T 82.65

Chuang T.J., Hiraoka H., Mödl A .:

Laser-photoetching characteristics of polymers with dopants. Appl. Phys. A 45/4, 277-288 (1988) PACS: 82.50E 82.65

Czekaj D., Hollmann E.K., Kozirev A.B., Volpias V.A., Zaytsev A.G.: Cathode etching rate in abnormal glow discharge Appl. Phys. A 48/6, 573-574 (1989) PACS: 79.20 52.00

D'Anna E., Leggieri G., Luches A.:

Laser synthesis of metal silicides.

Appl. Phys. A 45/4, 325-335 (1988) PACS: 68.55 79.20 82.50

Dalay Ü., Akpinar S.:

Excess capacitance of ZnO-Au varactors

Appl. Phys. A 42/3, 249-255 (1987) PACS: 73.40 85.30 71.20

Delgado J.C., Andreu J., Sardin G., Esteve J., Morenza J.L.:

Hydrogenated amorphous silicon films obtained by a low pressure DC glow discharge.

Appl. Phys. A 46/3, 207-213 (1988) PACS: 61.40 72.20 78.65

Devine R.L.S., Foxon C.T., Joyce B.A., Clegg J.B., Gowers J.P.:

Beryllium diffusion across GaAs/(Al, Ga)As heterojunctions and GaAs/AlAs superlattices during MBE growth.

Appl. Phys. A 44/2, 195-200 (1987) PACS: 66.30J 61.70 68.48 Dodonov A.I., Fayazov I.M., Fedorovich S.D., Krylova E.A.,

Maskova E.S., Molchanov V.A., Eckstein W.:

Experimental and computer study of the spatial distributions of particles sputtered from polycrystals.

Appl. Phys. A 49/3, 299-304 (1989) PACS: 79.20

Spin-resolved inverse photoemission of ferromagnetic surfaces. Appl. Phys. A 49/4, 351-364 (1989) PACS: 75.30P 75.50 79.60

Dorbath K., Häfele H.-G., Tacke M., Lambrecht A.:

Nonlinear optical studies of relaxation times of carriers in MBE layers

of PbSe and PbEuSe. Appl. Phys. A 47/4, 387-391 (1988) PACS: 72.80J 42.65

Dose V., Fauster Th., Schneider R.:

Improved resolution in VUV isochromat spectroscopy. Appl. Phys. A 40/4, 203-207 (1986) PACS: 07.65E 79.60

Du Y.C., Wang H., Sun D.C., Li F.M.:

Polysilicon dry etching by a large-area electron beam Appl. Phys. A 45/2, 165-168 (1988) PACS: 52.80S 79.20 81.60

Ebel F., Faust W., Hahn C., Langer S., Schneider H.: Production of slow positrons with the Giessen 65 MeV LINAC. Appl. Phys. A 44/2, 119-121 (1987) PACS: 07.77 29.25 Eiswirth M., Ertl G.:

Dynamic order in a surface process.

Appl. Phys. A 47/1, 91-94 (1988) PACS: 82.65J 82.20 68.35

El Akkad F., Ragaie H.F., Abdel Naby M.:

Properties of RF sputtered Zn<sub>x</sub>Cd<sub>1-x</sub>S thin films. Appl. Phys. A 48/5, 493-495 (1989) PACS:73.60F 78.65 81.15A

El-Dessouki M.S., Attia V.A.:

Surface photovoltage spectroscopy for real n- and p-type (110) CdTe surfaces in the visible and near infrared spectral range.

Appl. Phys. A 45/2, 175-178 (1988) PACS: 73.20 Ellegaard O., Pedrys R., Schou J., Sorensen H., Borgesen P.:

Sputtering of solid argon by keV electrons.

Appl. Phys. A 46/4, 305-312 (1988) PACS: 61.80F 66.30 79.20

Etspüler A., Suhr H.:

Deposition of thin rhodium films by plasma-enhanced chemical vapor

Appl. Phys. A 48/4, 373-375 (1989) PACS: 81.15G 52.90 68.55

Eyett M., Bäuerle D., Wersing W., Lubitz K., Thomann H.: Laser-induced chemical etching of ceramic PbTi1-x Zrx O Appl. Phys. A 40/4, 235-239 (1986) PACS: 42.60 81.30 82.65

Fang C.S., Chang Y.L., Tse W.S.:

Effects of annealing temperature on the alloying behaviour of AuGe-GaAs(100) interface.

Appl. Phys. A 49/3, 285-292 (1989) PACS: 73.40 82.80 85.30

Fauster Th., Hartwig D., Dürr H.:

The determination of shadowing critical angles in impact collison ion scattering spectroscopy.

Appl. Phys. A 45/1, 63-67 (1988) PACS: 79.20N

Felici R., Penfold J., Ward R.C., Williams W.G.:

A polarized neutron reflectometer for studying surface magnetism. Appl. Phys. A 45/2, 169-174 (1988) PACS: 61.10F 68.00 75.70

Feurer E., Suhr H.:

Preparation of gold films by plasma-CVD. Appl. Phys. A 44/2, 171-175 (1987) PACS: 81.15G 52.90 68.55

Fick D.:

Surface physics with nuclear probes.

Appl. Phys. A 49/4, 343-350 (1989) PACS: 68.35 76.60 73.20 76.80

Finzel H.-U., Schmiedl E., Wiamann P.:

The effect of surface roughness on the resistivity increase of thin metal films during gas adsorption.

Appl. Phys. A 42/1, 87-90 (1987) PACS: 73.60

Förster A., Layet J.M., Lüth H.:

The effect of inhomogeneous dopant profiles on the electron energy loss spectra on Si(100).

Appl. Phys. A 47/1, 95-97 (1988) PACS: 72.90 73.90 71.45

Foulon F., Slaoui A., Fogarassy E., Fuchs C., Siffert P.: Analysis of UV-laser induced oxidation of implanted silicon by optical

reflectivity measurements. Appl. Phys. A 47/3, 255-258 (1988) PACS: 81.60 61.80 78.70

Foulon F., Fogarassy E., Slaoui A., Fuchs C., Unamuno S., Siffert P.: Melting threshhold of crystalline and amorphized Si irradiated with a pulsed ArF (193nm) excimer laser.

Appl. Phys. A 45/4, 361-364 (1988) PACS: 68.15 68.55 78.65

Frank K.H., Horn K., Wilder J., Koch E.E.:

Unoccupied electronic levels and conduction-band structure of Xe(111) probed by inverse photoemission

Appl. Phys. A 44/1, 97-99 (1987) PACS: 71.25T 73.20

Freund H.-J., Neumann M.:

Photoemission of molecular adsorbates.

Appl. Phys. A 47/1, 3-23 (1988) PACS: 73.20 79.60 82.65 Frey H.:

High rate primary ion beam deposition of a-Si:H films. Appl. Phys. A 47/2, 193-197 (1988) PACS:68.55 72.40 81.15 Fujiwara K., Miguel J.L.de, Tapfer L., Ploog K.:

Modified excitonic resonances in GaAs/AlAs multiple quantum well heterostructures with ultrathin barriers.

Appl. Phys. A 44/4, 323-328 (1987) PACS: 78.65 73.20 78.55 73.60

Germann R., Forchel A., Weimann G.:

Bevel fabrication for depth resolved studies of multiple quantum well

Appl. Phys. A 47/4, 373-376 (1988) PACS: 78.55D 71.35 81.60

Germar R., Dürr W., Krewer J.W., Pescia D., Gudat W.: Layer-by-layer growth of metal overlayers.

Appl. Phys. A 47/4, 393-398 (1988) PACS: 68.55

Gnaser H., Hofer W.O.:

On the emission of neutral clusters in sputtering.

Appl. Phys. A 48/3, 261-271 (1989) PACS: 79.20N 36.40

Gonzalez L., Clegg J.B., Hilton D., Gowers J.P., Foxon C.T., Joyce B.A.: Silicon migration during MBE growth of doped (Al, Ga)As films. Appl. Phys. A 41/3, 237-241 (1986) PACS: 68.55 66.30

Gradmann U., Przybylski M., Elmers H.J., Liu G.:

Ferromagnetism in the thermodynamically stable monolayer Fe(110) on W(110), coated by Ag.

Appl. Phys. A 49/6, 563-571 (1989) PACS: 75.70A 68.55 76.80

Gritsch T., Coulman D., Behm R.J., Ertl G.:

A scanning tunneling microscopy investigation of the 1x2=1x1 structural transformation of the Pt(110) surface.

Appl. Phys. A 49/4, 403-406 (1989) PACS: 68.35R 61.16

Gronckel H.A.M. de, Swüste C., Kopinga K., Jonge W.J.M. de: Microscopic properties of Co/Pd Multilayers studied by ferromagnetic and nuclear magnetic resonance. Appl. Phys. A 49/5, 467-472 (1989) PACS: 75.50F 76.50 76.60

Grunze M., Strasser G., Golze M.:

Precursor mediated and direct absorption of molecular nitrogen on

Appl. Phys. A 44/1, 19-29 (1987) PACS: 82.65

Gupta A.K., Sharma S.K., Venaik A.:

Electrothermographic behaviour of corona charged cellulose acetate and the leucomalachite green mixed system.

Appl. Phys. A 42/2, 167-171 (1987) PACS: 73.40B

Haag C., Suhr H.:

Improved adhesion of Cu on pre-etched polytetrafluoroethylene by PECYD deposited thin metallic layers.

Haegel N.M., Winnacker A.:

Photo production of surface recombination centers in gallium arsenide. Appl. Phys. A 42/3, 233-237 (1987) PACS: 78.55 72.20

Appl. Phys. A 47/2, 199-203 (1988) PACS: 81.15G 52.90 68.55

Häuser B., Keim E.G., Rogalla H., Silfhour A. van:

C-axis oriented growth of magnetron sputtered YBaCuO thin films on MgO substrates.

Appl. Phys. A 46/4, 339-341 (1988) PACS: 73.60K. 74.70 81.15 Harris J.:

On the adsorption and desorption of  $H_2$  at metal surfaces. Appl. Phys. A 47/1, 63-71 (1988) PACS: 82.65M 68.35 82.20

Heinrich B., Cochran J.F., Arrott A.S., Purcell S.T., Urquhart K.B., Dutcher J.R., Egelhoff Jr. W.F.:

Development of magnetic anisotropies in ultrathin epitaxial films of Fe(001) and Ni(001).

Appl. Phys. A 49/5, 473-490 (1989) PACS: 75.70

Heinz K :

Is there a future for LEED intensities?

Appl. Phys. A 41/1, 3-19 (1986) PACS: 61.14H

Herman M.A., Andersson T.G.:

Morphological stability in epitaxy of semiconductors. Application to optoelectronic monolithically integrated structures.

Appl. Phys. A 41/3, 243-252 (1986) PACS: 68.55 81.10 85.60

Hermann K., Bagus P.S.:

Local models for the interaction of adsorbates with surfaces. Appl. Phys. A 44/1, 63-73 (1987) PACS: 73.20 71.45 31.20

Heszler P., Bor Zs., Hajos G.:

Incubation process in polyimid upon UV photoablation. Appl. Phys. A 49/6, 739-740 (1989) PACS: 82.35 81.60 61.80

Hillebrands B., Baumgart P., Güntherodt G.:

Brillouin light scattering from spin waves in magnetic layers and multilavers.

Appl. Phys. A 49/6, 589-598 (1989) PACS: 75.30D 75.70 75.50

Hinzert H., Kleinherbers K.K., Janssen E., Goldmann A.:

Chemisorption of halogens on silver - a critical comparison of results from photoemission and thermal desorption spectroscopy. Appl. Phys. A 49/3, 313-320 (1989) PACS: 79.60 82.65

Horiike Y., Hayasaka N., Sekine M., Arikado T., Nakase M., Okano H.: Excimer-laser etching on silicon.

Appl. Phys. A 44/4, 313-322 (1987) PACS: 82.50 81.60 82.30 Hornsey R.I.:

The emission characteristics of an indium needle-type liquid metal ion source.

Appl. Phys. A 49/3, 293-297 (1989) PACS: 79.70 41.80

Hornsey R.L:

The high-temperature behaviour of gallium and indium liquid metal ion

Appl. Phys. A 49/6, 697-705 (1989) PACS: 79.70 41.80

Houle F.A.:

Basic mechanisms in laser etching and deposition. Appl. Phys. A 41/4, 315-330 (1986) PACS: 81.40 82.65

Huang L.J., Liu B.X., Li H.-D.:

Amorphization in Fe-Cu system by tracing its microscopic features. Appl. Phys. A 44/3, 269-272 (1987) PACS: 68.55 61.80 63.50 61.16 Hwu J.-G., Chuang J.-B., Fu S.-L .:

Constant bias-temperature and constant charge-temperature agings for silicon oxide films of MOS devices

Appl. Phys. A 48/4, 377-383 (1989) PACS: 73.00

Hwu J.-G., Fu S.-L .:

The radiation hardness property of dry oxide grown by postoxidation cooling in oxygen ambie

Appl. Phys. A 46/3, 221-227 (1988) PACS: 73.00

Inushima T., Hirose N., Urata K., Ito K., Yamazaki S.: Film growth mechanism of photo-chemical vapor deposition. Appl. Phys. A 47/3, 229-236 (1988) PACS: 81.15G 82.30 82.60

Ishitani T., Kawanami Y., Ohnishi T., Umemura K.: Ion energy distributions in liquid-metal-ion sources.

Appl. Phys. A 44/3, 233-238 (1987) PACS: 79.70 41.80 07.80

Isu T., Jiang D.-S., Ploog K .:

Ultrathin-layer (AlAs)<sub>m</sub>(GaAs)<sub>m</sub> superlattices with m=1,2,3 grown by molecular beam epitaxy Appl. Phys. A 43/1, 75-79 (1987) PACS: 68.55 78.65 78.70

Jabr I.J., Al-Saleh K.A., Saleh N.S.:

Ion-beam induced mixing of Cu/Au bilayer thin film (kinematics and formation of solid solutions).

Appl. Phys. A 46/1, 13-16 (1988) PACS: 61.80 64.00 66.30

Jacob W., Dose V., Goldmann A.:

Atomic adsorption of oxygen on Cu(111) and Cu(110). Appl. Phys. A 41/2, 145-150 (1986) PACS: 73.20 79.20

Jantz W., Frey Th., Bachem K.H.:

Characterization of active layers in GaAs by microwave absorption. Appl. Phys. A 45/3, 225-232 (1988) PACS: 07.50 72.80 73.60 Jentzsch F., Henzler M.:

LEED investigations on pure and metal covered vicinal silicon (111). Appl. Phys. A 46/2, 119-123 (1988) PACS: 61.14H 68.20 68.40

Jiang J.-S., Yang X.-L., Chen L.-W., Zhou N.-F .:

A Mössbauer study on the surface hyperfine field of uniform hematite particles.

Appl. Phys. A 45/3, 245-247 (1988) PACS: 68.35 76.00

Jin S., Atrens A .:

Nature of oxygen in the passive film on stainless steels in 0.1M NaCl solution

Appl. Phys. A 48/4, 385-389 (1989) PACS: 68.45 81.60

Jin S., Atrens A.:

ESCA studies of the structure and composition of the passive film formed on stainless steels by various immersion temperatures in 0.1 M NaCl solution

Appl. Phys. A 45/1, 83-91 (1988) PACS: 68.45 81.60

Jin S., Atrens A.:

ESCA-studies of the surface film formed on stainless steels by exposure to 0.1M NaCl solution at various controlled potentials. Appl. Phys. A 46/1, 51-65 (1988) PACS: 68.45v 81.60

Jin S., Atrens A.:

ESCA-studies of the structure and composition of the passive film formed on stainless steels by various immersion times in 0.1 M NaCl solution

Appl. Phys. A 42/2, 149-165 (1987) PACS: 68.45 81.60

Jovicevic S., Konjevic N., Chapliev N.I., Konov V.I., Pimenov S.M.: CO<sub>2</sub> laser-induced plasma formation on a copper surface covered by dielectric particles.

Appl. Phys. A 48/3, 283-287 (1989) PACS: 61.80B

Joyce B.A., Zhang J., Neave J.H., Dobson P.J.: The application of RHEED intensity effects to interrupted growth and interface formation during MBE growth of GaAs/(Al, Ga)As structures. Appl. Phys. A 45/3, 255-260 (1988) PACS:61.14H

Kämper K.-P., Schmitt W., Wesner D.A., Güntherodt G.:

Thickness dependence of the spin- and angle-resolved photoemission of ultrathin, epitaxial Ni(111)/W(110) layers. Appl. Phys. A 49/6, 573-578 (1989) PACS: 75.70A 73.60 75.30 79.60

Kanata T., Takakura H., Hamakawa Y.:

Preparation of composition-controlled silicon oxynitride films by sputtering; deposition mechanism, and optical and surface properties. Appl. Phys. A 49/3, 305-311 (1989) PACS: 81.15C 68.60

Kapenieks A., Eyett M., Bäuerle D.:

Laser-induced surface metallization of ceramic PLZT.

Appl. Phys. A 41/4, 331-334 (1986) PACS: 82.65 42.60 81.30 Karthikeyan J., Sreekumar K.P., Venkatramani N., Kurup M.B.,

Patil D.S., Rohatgi V.K.:

Effect of process parameters on the properties of plasma-sprayed sup-

erconducting Y<sub>1</sub>Ba<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub> coatings. Appl. Phys. A **48**/5, 489-492 (1989) PACS:74.70 52.75 81.20

Kasowski R.V., Rhodin T., Tsai M.-H.:

Chemisorptive bonding of carbon monoxide on nickel (001): Formulation and application of a new pseudofunctional electron muffin tin ap-

Appl. Phys. A 41/1, 61-73 (1986) PACS: 68.20 73.20

Kempf J., Nonnenmacher M., Wagner H.H.:

Thin film characterization by laser interferometry combined with SIMS. Appl. Phys. A 47/2, 137-145 (1988) PACS:07.75 78.65

Kempf J., Nonnenmacher M., Wagner H.H.:

Photoexcitation of electron-hole pairs during SIMS.

Appl. Phys. A 49/3, 279-283 (1989) PACS: 07.75 73.30 79.60

Kempf J .:

Electrical activation of low-fluence boron implantation in silicon studied by PCV in combination with SIMS.

Appl. Phys. A 45/1, 77-81 (1988) PACS: 73.60

Kerkmann D.:

Kerr-effect magnetometry of the single monolayer Co/Cu(001). Appl. Phys. A 49/5, 523-526 (1989) PACS: 75.50C 75.70 79.60

Kern K., David R., Palmer R.L., Comsa G.:

The Novaco-McTague rotated Xe monolayer on Pt(111): A high-order commensurate locked phase Appl. Phys. A 41/1, 91-93 (1986) PACS: 68.35B 79.20

Kingham D.R., Swanson L.W.:

Theoretical investigation of liquid metal ion sources: Field and temperature dependence of ion emission.

Appl. Phys. A 41/2, 157-169 (1986) PACS: 79.70 41.80 07.80 Kirschner I:

Spin-polarized electron emission from magnetic and nonmagnetic solids. Appl. Phys. A 44/1, 3-11 (1987) PACS: 61.14 75.70

Kissel J., Zscheeg H., Rüdenauer F.G.: Pulsed operation of a liquid metal ion source.

Appl. Phys. A 47/2, 167-169 (1988) PACS: 79.40

Kissel J., Krueger F.R.:

Ion formation by impact of fast dust particles and comparison with related techniques

Appl. Phys. A 42/1, 69-85 (1987) PACS: 79.20 07.75

Kleint Ch., Funke M., Tomlinson R.D.:

Verification of CuInSe<sub>2</sub> density of states features by reflection electron energy loss spectroscopy.

Appl. Phys. A 46/2, 137-143 (1988) PACS: 71.20 81.60 68.00 71.45 Knibb M.G., Maksym P.A.:

Investigation of the structure of the 2x4 reconstructions of GaAs(001) by analysis of RHEED intensity data.

Appl. Phys. A 46/1, 25-29 (1988) PACS: 61.14 68.35

Kolb D.M., Franke C .:

Surface states at the metal-electrolyte interface.

Appl. Phys. A 49/4, 379-387 (1989) PACS: 73.20 82.45

Konstantinov L., Nowak R., Hess P.:

Film growth and mechanism of LICVD of chromium films from Cr(CO)<sub>6</sub> at 248 nm.

Appl. Phys. A 47/2, 171-181 (1988) PACS: 81.15 82.40 82.65

Konuma M., Stützler H., Kuhl J., Bauser E.:

Laser-induced chemical etching of silicon in NF3 atmosphere. Appl. Phys. A 48/5, 465-469 (1989) PACS: 81.60 82.60

Kordesch M.E., Engel W., Lapeyre G.J., Zeitler E., Bradshaw A.M.: The application of photoemission microscopy to the study of heterogeneous reactions over metal single crystal surfaces

Appl. Phys. A 49/4, 399-402 (1989) PACS: 79.60 61.16 68.35 68.45

Koren G:

Ar ion laser assisted chemical etching of via holes in tungsten sheets in

Appl. Phys. A 40/4, 215-217 (1986) PACS: 81.60B 82.65 42.50 Koren G., Hurst J.E.:

248 nm laser etching of GaAs in chlorine and ozone gas environments. Appl. Phys. A 45/4, 301-304 (1988) PACS: 42.60 82.50 85.30

Koren G., Ho F., Ritsko J.J.:

XeCl laser controlled chemical etching of aluminum in chlorine gas. Appl. Phys. A 40/1, 13-23 (1986) PACS: 81.60B 82.65 42.60

Krebs J.J.:

Ultrathin film magnetic research at the Naval Research Laboratory.

Appl. Phys. A 49/5, 513-521 (1989) PACS: 75.70

Krönert U., Becker St., Hilberath Th., Kluge H.-J., Schulz C .: Resonance ionization mass spectroscopy with a pulsed thermal atomic

Appl. Phys. A 44/4, 339-345 (1987) PACS: 07.65E 32.70 32.80 Kubiak R.A.A., McGlashan S.R.L., King R.M., Parker E.H.C.:

Oxygen and monatomic hydrogen interactions with PbTe film surfaces prepared by molecular-beam deposition.

Appl. Phys. A 40/1, 7-12 (1986) PACS: 73.60F 61.70 82.65 Kubiak R.A.A., Patel G., Leong W.Y., Houghton R., Parker E.H.C.:

Coevaporation phosphorus doping in Si grown by molecular beam epi-

Appl. Phys. A 41/3, 233-235 (1986) PACS: 73.60F 81.15 68.55 Kuhlenbeck K., Saalfeld H.B., Neumann M., Freund H.-J.,

Plummer E.W.:

A direct observation of the two-dimensional  $\pi$ -d bands for adsorbed CO

Appl. Phys. A 44/1, 83-86 (1987) PACS: 68.35 73.20 Kullmer R., Bäuerle D.:

Laser-induced chemical etching of silicon in chlorine atmosphere. Appl. Phys. A 43/3, 227-232 (1987) PACS: 81.60 82.65 42.60

Kullmer R., Bäuerle D.:

Excimer-laser-induced ablation of the high-T<sub>c</sub> superconductor Bi-Ca-Sr-Cu-O.

Appl. Phys. A 47/1, 103-104 (1988) PACS: 74.70 42.60 82.65

Kullmer R., Bäuerle D.: Laser-induced chemical etching of silicon in chlorine atmosphere III.

Combined CW and pulsed irradiation Appl. Phys. A 47/4, 377-386 (1988) PACS: 81.60 82.65 42.60

Kunst M., Jaegermann W., Schmeiaer D.:

Chemical etching of p-type Si(100) by  $K_2Cr_2O_7$ : A combined investigation by TRMC and XPS, UPS, and LEED.

Appl. Phys. A 42/1, 57-64 (1987) PACS: 73.20 72.20 79.60

Küper S., Stuke M.:

UV-excimer-laser ablation of polymethylmethacrylate at 248 nm: Characterization of incubation sites with Fourier transform IR- and UV-

Appl. Phys. A 49/2, 211-215 (1989) PACS: 33.20 81.40 82.30

Landolt M .:

High-resolution magnetic measurements at surfaces with spin polarized electrons.

Appl. Phys. A 41/1, 83-89 (1986) PACS: 79.20 73.90 75.60

Laude L.D., Wautelet M., Andrew R.:

Laser-induced synthesis of compound semiconducting films. Appl. Phys. A 40/3, 133-143 (1986) PACS: 86.84 78.65 78.90

Lee T.D., Lee H.W., Kim J.K., Park C.O.:

Surface structures on crystalline silicon irradiated by 10 ps laser pulses at 694.3 nm. Appl. Phys. A 48/5, 475-479 (1989) PACS: 79.20D 81.40 42.80 37.35

Lengfellner H., Betz J., Renk K.F.:

Preparation of Tl-Ba-Ca-Cu-O thin films by diffusion of Tl into laserevaporated  $Ba_2Ca_2Cu_3O_x$  films. Appl. Phys. A 48/5, 501-502 (1989) PACS: 73.60K 74.70 74.75

Liberts G., Eyett M., Bäuerle D.:

Laser-induced surface reduction of the High-T<sub>c</sub> superconductor YBa<sub>2</sub>Cu<sub>3</sub>O<sub>7-x</sub>. Appl. Phys. A 45/4, 313-316 (1988) PACS: 74.00 42.60 82.65

Liebsch A .:

Second-harmonic generation from simple metal surfaces and from absorbed alkali monolayers.

Appl. Phys. A 49/6, 677-679 (1989) PACS: 76.65E

Likonen J., Hautala M.:

Sputtering of Cu atoms by Ar ions

Appl. Phys. A 45/2, 137-150 (1988) PACS: 79.20

Liu W.C., Lour W.S., Chang C.Y.:

Application of superlattice gate and modulation-doped buffer for GaAs power MESFET grown by MBE.

Appl. Phys. A 49/3, 321-324 (1989) PACS: 73.40 68.65

Liu Z.X., Lin Z.D., Fan H.J., Li F.H., Bao Q., Zhang S.:

Dispersion of V2O5 supported on a TiO2 surface by X-ray photoelec-

Appl. Phys. A 45/2, 159-164 (1988) PACS: 82.65J 32.80

Luciani L., Zammit U., Marinelli M., Pizzoferrato R., Scudieri F., Martellucci S.

Photoacoustic monitoring of damage in ion implanted and annealed Si layers.

Appl. Phys. A 49/2, 205-209 (1989) PACS: 78.20 61.80 81.40

Mari B., Segura A., Chevy A.:

Tin-related shallow donor in indium selenide. Appl. Phys. A 46/2, 125-129 (1988) PACS: 71.55

Marriott P .:

On-axis energy analysis of 69 Ga+, Ga2+ and Ga2+ ions emitted from a gallium liquid metal ion source. Appl. Phys. A 44/4, 329-338 (1987) PACS: 79.70 41.80 07.80

Marx A., Krüger J.K., Unruh H.-G.:

Brillouin spectroscopy on monodomains of thin polycrystalline layers of molecular crystals.

Appl. Phys. A 47/4, 367-371 (1988) PACS: 78.35 62.20

Mauri D., Scholl D., Siegmann H.C., Kay E .:

Magnetism in very thin films of permalloy measured by spin polarized cascade electrons. Appl. Phys. A 49/5, 439-447 (1989) PACS: 75.70A 75.30 79.20

Mavroyannis C.:

Optical excitation spectra of rare-gas atoms physisorbed on metal surfaces. Numerical results.

Appl. Phys. A 47/2, 157-165 (1988) PACS: 68.35 73.20 78.65 Meier J., Keppner H., Bucher E., Munz P., Curtins H., Shah A.V., Paasche S., Bloss W.H.:

New stable microwave plasma passivated a-Si MIS cells with high open circuit voltage.

Appl. Phys. A 46/1, 31-34 (1988) PACS: 81.60j 72.80 84.60

Metzger D., Hesch K., Hess P.: Process characterization and mechanism for laser-induced chemical vapor deposition of a-Si:H from SiH<sub>4</sub>. Appl. Phys. A 45/4, 345-353 (1988) PACS:81.15 82.30 82.80

Micheli F., Boyd I.W .:

In-situ monitoring of laser-induced silicon oxidation. Appl. Phys. A 47/3, 249-253 (1988) PACS: 07.60H 81.60

Mogyoròsi P., Piglmayer K., Kullmer R., Bäuerle D.: Laser-induced etching of silicon in chlorine atomosphere.

Appl. Phys. A 45/4, 293-299 (1988) PACS: 81.60 82.65 42.60

Mondal A., Chaudhuri S., Pal A.K.: Optical properties of ZnTe films.

Appl. Phys. A 43/1, 81-84 (1987) PACS: 78.65

Mondal M., Bhattacharya S., Ghatak K.P.:

On the gate capacitance of MOS structures of Kane-type semiconductors under magnetic quantization. Appl. Phys. A 42/4, 331-336 (1987) PACS: 73.00 85.30

Morishita S., Tanemura M., Fujimoto Y., Okuyama F.:

High-resolution electron microscopy of Si cones formed on Ar+ bombarded Si wafers.

Appl. Phys. A 46/4, 313-321 (1988) PACS: 79.20 82.65

Moylan C.R., Baum T.H., Jones C.R.:

LCVD of copper: Deposition rates and deposit shapes. Appl. Phys. A 40/1, 1-5 (1986) PACS: 81.15G 82.30 Mrozek I., Otto A .:

SERS - a long range effect?

Appl. Phys. A 49/4, 389-391 (1989) PACS: 78.30 68.20 68.30 Müller J.E.:

Interaction of H<sub>2</sub>O, CO, and H<sub>2</sub> with Pt(111) and Pt(111) +K surfaces. Appl. Phys. A 49/6, 681-690 (1989) PACS:73.20H Müller K .- H:

Modelling ion-assisted deposition of CeO<sub>2</sub> films.

Appl. Phys. A 40/4, 209-213 (1986) PACS: 68.55 77.55 68.99 Muralidharan R., Ploog K .:

Determination of diffusion length of minority carriers in epitaxial layers

by photocurrent spectroscopy.

Appl. Phys. A 49/5, 527-531 (1989) PACS: 73.50P 68.35 68.55

Oehr C., Suhr H.:

Thin copper films by plasma CVD using copper-hexafluoro-acetylace-

Appl. Phys. A 45/2, 151-154 (1988) PACS: 81.15G 52.90 68.55 Orlowski M., Pless V.:

Analysis of rapid dry oxidation of silicon.

Appl. Phys. A 46/1, 67-71 (1988) PACS: 81.60 68.55

Pamler W.:

Application of Auger electron depth profile analysis to thin film interdiffusion studies

Appl. Phys. A 42/3, 219-226 (1987) PACS: 66.30 68.60 79.20

Pater K .:

Surface photovoltage measurement in MOS structures. Appl. Phys. A 44/2, 191-194 (1987) PACS: 07.50 73.40 Paunov M., Bauer E.:

An adsorption-desorption study of Cu on Mo(110).

Appl. Phys. A 44/2, 201-208 (1987) PACS: 68.45D 61.14 73.30

Pérez Méndez M., Fayos J., Briones F.:

Determination of In-plane lattice parameters of InAs/AlAs strainedlayer superlattices by X-ray precession camera. Appl. Phys. A 48/5, 471-473 (1989) PACS:78.50G 68.55

Ploog K., Hauser M., Fischer A.:

Fundamental studies and device application of of δ-doping in GaAs layers and in Al<sub>x</sub>Ga<sub>1-x</sub>As/GaAs heterostructures. Appl. Phys. A 45/3, 233-244 (1988) PACS: 68.55 68.65 73.60

Pollmann J., Kalla R., Krüger P., Mazur A., Wolfgarten G.: Atomic, electronic, and vibronic structure of semiconducto Appl. Phys. A 41/1, 21-38 (1986) PACS: 73.20 68.35 73.40 79.60 Poradzisz A., Szymonski M., Drwiega M., Lipinska E., Nowak T.,

Wierba M., Rotocka K., Lazarski S.:

A note on the radiative energy loss from an ion-bombarded surface. Appl. Phys. A 45/2, 155-158 (1988) PACS: 61.80 79.20

Preuss E., Freyer N., Bonzel H.P.:

Surface self-diffusion on Pt(110): Directional dependence and influence of surface-energy anisotropy. Appl. Phys. A 41/2, 137-143 (1986) PACS: 68.20 66.30

Rahman Khan M.S.:

Amorphous to crystalline transition in Dy-Fe thin films. Appl. Phys. A 40/4, 241-245 (1986) PACS: 68.55 81.10 61.50 Rau C .:

Ferromagnetic order and critical behavior at surfaces of ultra-thin epitaxial films.

Appl. Phys. A 49/6, 579-587 (1989) PACS: 75.30P 75.70 79.20 Reichling M., Masujima T., Shiwaku H., Kawata H., Ando M.,

Matthias E .: Photoacoustic X-ray absorption fine-structure spectroscopy of the Ni K-edge

Appl. Phys. A 49/6, 707-710 (1989) PACS: 78.70D

Reif J., Petzoldt S., Elg A.P., Matthias E.:

The role of defects in laser surface damage thresholds of fluoride crystals

Appl. Phys. A 49/2, 199-204 (1989) PACS: 42.85F 61.80 42.20 Rendulic K.D.:

The influence of surface defects on adsorption and desorption. Appl. Phys. A 47/1, 55-62 (1988) PACS: 68.10J 68.45 82.65 Rice-Evans P.C., Britton D.T., Cowan B.P.:

A vertical postiron beam for low-temperature surface studies. Appl. Phys. A 43/4, 283-285 (1987) PACS: 78.70B

Robinson C.J., Samant M.G., Marinero E.E.:

EXAFS study of the atomic structure of amorphous Tb20 Feat Appl. Phys. A 49/6, 619-629 (1989) PACS: 75.50K 75.10 61.10 18.20 Ruiz A., Gonzáles L., Mazuelas A., Briones F.:

Atomic layer molecular beam epitaxy growth of InAs on GaAs sub-

Appl. Phys. A 49/5, 543-545 (1989) PACS: 68.55

Ryssel H., Lorenz J., Hoffmann K .:

Models for implantation into multilayer targets.

Appl. Phys. A 41/3, 201-207 (1986) PACS: 34.00 61.80 85.30

Saidoh M., Gnaser H., Hofer W.O.:

On the chemical sputtering of oxygen-exposed molybdenum. Appl. Phys. A 40/4, 197-202 (1986) PACS: 79.20N 68.90 Sankur H., Cheung J.T .:

Formation of dielectric and semiconductor thin films by laser-assisted evaporation.

Appl. Phys. A 47/3, 271-284 (1988) PACS: 68.55 81.15

Sato T., Furuno S., Iguchi S., Hanabusa M.:

Diamond-like carbon films prepared by pulsed-laser evaporation. Appl. Phys. A 45/4, 355-360 (1988) PACS: 81.10 68.55 42.60

Schaupert K., Albrecht D., Armbruster P., Spohr R.: Permeation through latent nuclear tracks in polymer foils. Appl. Phys. A 44/4, 347-352 (1987) PACS: 61.80 66.30 61.40 Schölch H.P., Fickenscher P., Redel T., Stetter M., Saemann-Ischenko G., Benker W., Hartmann W., Frank K., Christiansen J.:

Production of YBa2Cu3O7-x superconducting thin films by pulsed pseudospark electron beam evaporation. Appl. Phys. A 48/4, 397-400 (1989) PACS: 74.70 81.15 41.80

Schönhense G.:

Photoelectron spin-polarization spectroscopy: A new method in adsorbate physics. The modal case of physisorbed rare gas Appl. Phys. A 41/1, 39-60 (1986) PACS: 32.80 71.70 79.60

Schorn R.P., Bay H.L., Hintz E., Schweer B.:

Investigation of partial sputtering of lithium from a binary Al/Li alloy with laser induced fluorescence.

Appl. Phys. A 43/2, 147-151 (1987) PACS: 79.20N 32.50 66.30

Schott K., Hofmann K.C., Schulz M.:

Blocking of silicon oxidation by low-dose nitrogen implantation. Appl. Phys. A 45/1, 73-76 (1988) PACS: 68.55 73.40 73.20 Schreck E., Dransfeld K .:

Enhanced electrical surface conductivity of LiNbO3 induced by fast argon ions.

Appl. Phys. A 44/3, 265-268 (1987) PACS: 73.00 68.20 61.80

Sesselmann W., Marinero E.E., Chuang T.J.:

Laser-induced desorption and etching processes on chlorinated Cu and solid CuCl surfaces Appl. Phys. A 41/3, 209-221 (1986) PACS: 79.20D 82.50 82.65

Singh A., Knystautas E.J.:

X-ray photoelectron spectroscopy of boron implanted 4145 steel sur-

Appl. Phys. A 40/2, 91-93 (1986) PACS: 68.25 73.20

Singh V.K., Pal B.B.:

Carrier frequency-dependent intrinsic parameters in an ion implanted silicon photo-MESFET.

Appl. Phys. A 44/4, 361-364 (1987) PACS: 72.40 78.55 85.30 85.60

Skumanich A., Dersch H., Fathallah M., Amer N.M.:

A contactless method for investigating the thermal properties of thin

Appl. Phys. A 43/4, 297-300 (1987) PACS:65.90 68.55 81.70 Slaoui A., Ponpon J.P., Siffert P.:

Characterization of thin silicon oxide obtained by lamp heating. Appl. Phys. A 43/4, 301-304 (1987) PACS: 68.55 78.30 73.40

Snowdon K.J., O'Connor D.J., MacDonald R.J.:

Observation of transient absorption or skipping motion in small angle ion-surface scattering.

Appl. Phys. A 47/1, 83-85 (1988) PACS: 79,20R 34.50 34.70 79.80 So S.K., Ho W .:

Photon-induced reactions of NO adsorbed on GaAs(110). Appl. Phys. A 47/3, 213-217 (1988) PACS: 79.20D 73.25 78.65

Stampanoni M.:

Magnetic properties of thin epitaxial films investigated by spin-polarized photoemission.

Appl. Phys. A 49/5, 449-458 (1989) PACS: 75.70 79.60 75.60 68.55 Steinmann W.:

Spectroscopy of image-potential states by two-photon photoemission. Appl. Phys. A 49/4, 365-377 (1989) PACS: 73.20C 79.60 79.20

Strzalkowski I., Marczewski M., Kowalski M.:

Thermal depopulation studies of electron traps in ion implanted silica layers.

Appl. Phys. A 40/2, 123-127 (1986) PACS: 73.40Q 73.60 Stulik D.:

Secondary ion emission from binary Fe-Cr, Fe-Ni, Cr-Ni and ternary Fe-Cr-Ni alloys: Chemical and physical matrix effects. Appl. Phys. A 42/3, 239-243 (1987) PACS: 79.20 07.80 07.75

Sugioka K., Toyoda K., Tachi K., Otsuka M.:

Formation of p-type layer by KrF excimer laser doping of carbon into GaAs in CH<sub>4</sub> gas ambient. Appl. Phys. A 49/6, 723-727 (1989) PACS: 66.30 82.65

Sun D.C., Yu Z.Q., Li F.M., Du Y.C., Wang H.:

Rapid growth of ultra thin SiO<sub>2</sub> films by a large-area electron beam.

Appl. Phys. A 48/6, 567-571 (1989) PACS: 52.80 79.20 81.60 68.55 Surney S., Kiskinova M.:

Formation of patchy surface overlayers: Alkali adsorption and alkali carbon monoxide and oxygen coadsorption on Ru(0001) and Ru(1010). Appl. Phys. A 46/4, 323-329 (1988) PACS: 68.35 73.30

Swanson L.W., Kingham D.R.:

On the mechanism of liquid metal ion sources. Appl. Phys. A 41/3, 223-232 (1986) PACS: 79.70 41.80 07.80 Takai M., Tsuchimoto J., Tokuda J., Nakai H., Gamo K., Namba S.: Laser-induced thermochemical maskless-etching of III-V compound semiconductors in chloride gas atmosphere.

Appl. Phys. A 45/4, 305-312 (1988) PACS: 81.40 82.65 Takai M., Lu Y.F., Koizumi T., Namba S., Nagatomo S.:

Thermochemical dry etching of single crystal ferrite by laser irradiation in CCl4 gas atmosphere.

Appl. Phys. A 46/3, 197-205 (1988) PACS: 81.40 82.65

Teixeira S.R., Freire Jr, F.L., Baumvol I.J.R.;

Interdiffusion, reaction, and stability in a thin film iron-aluminium bilavered system

Appl. Phys. A 48/5, 481-488 (1989) PACS: 68.55N 68.35

Telieps W.:

Surface imaging with LEEM.

Appl. Phys. A 44/1, 55-61 (1987) PACS: 61.16D 68.35

Tendeloo G. van, Zandbergen H.W., Landuyt J. van, Amelinckx S.: The deffect structure of the high-T<sub>c</sub> superconductors in the system Bi-Ca-Sr-Cu-O.

Appl. Phys. A 46/2, 153-158 (1988) PACS: 74.70 61.40 76.70

Thuillard M., Allmen M. von:

Surface free energy of laser-produced bond percolators. Appl. Phys A 43/2, 143-146 (1987) PACS: 81.90 64.70

Toet S.E., Lenstra D.:

A new energy model for the calculation of the surface reconstruction of III-V semiconductors: Application to the GaAs (110) surface. Appl. Phys. A 43/2, 85-89 (1987) PACS: 68.20

Tran Thoai D.B., Zeitler E .:

Multipole surface excitations on small oxide covered metal particles by fast electrons.

Appl. Phys. A 45/3, 249-253 (1988) PACS: 73.20 79.20

Ugolini D., Eitle J., Oelhafen P., Wittmer M.:

Amorphous hydrogenated carbon films on semiconductors: I. Electronic properties of the interface.

Appl. Phys. A 48/6, 549-558 (1989) PACS: 79.60 73.40 73.60 71.25 Umbach E.:

Electronic structure and interactions in well-defined coadsorbate layers. Appl. Phys. A 47/1, 25-36 (1988) PACS: 82.65 68.35 79.60 82.80

Ursu I., Mihailescu I.N., Nistor L.C., Teodorescu V.S., Prokhorov A.M., Chapliev N.I., Konov V.I., Starodumov Yu.M.:

Study of the compounds formed on damaged ZnSe windows by multipulse microsecond pulsed TEA-CO<sub>2</sub> laser irradiation in air.
Appl. Phys. A 40/4, 227-233 (1986) PACS: 42.70 42.60 61.80 68.20

Varga P.:

Neutralization of multiply charged ions at a surface. Appl. Phys. A 44/1, 31-41 (1987) PACS: 79.20 Veen G.N.A. van, Baller T.S., Dieleman J.:

A time-of-flight study on the nanosecond laser induced etching of Cu with Cl<sub>2</sub> at 308 nm.

Appl. Phys. A 47/2, 183-192 (1988) PACS: 66.00 79.20

A high-intensity 58Co slow-positron beam and applications to probe near-surface disorder.

Appl. Phys. A 43/4, 269-274(1987) PACS: 78.70 61.70 07.77

Vladimirov V.V., Gorshkov V.N.: Stability of liquid-metal ion sources.

Appl. Phys. A 46/2, 131-136 (1988) PACS: 68.10 79.70

Wautelet M., Laude L.D., Hanus F., Heinig K.-H.:

Negative thermal feedback in laser-assisted oxidation in thin Zn films. Appl. Phys. A 47/3, 313-316 (1988) PACS: 81.60 82.65 42.60 Weller D., Reim W .:

Spectroscopic study of potential magneto-optic storage layers. Appl. Phys. A 49/6, 599-618 (1989) PACS: 75.70 78.20

Wertheim G.K .:

Core-electron binding energies in atoms and monolayers, adsorbed on metallic substrate

Appl. Phys. A 41/1, 75-81 (1986) PACS: 79.60G 73.60

Wintterlin J., Brune H., Höfer H., Behm R.J.:

Atomic scale characterization of oxygen adsorbates on Al(111) by scanning tunneling microscopy.

Appl. Phys. A 47/1, 99-102 (1988) PACS:61.16D 82.65 73.20 Witt J., Müller K .:

Direct observation of reconstructed surfaces in the field ion microscope. Appl. Phys. A 41/1, 103-106 (1986) PACS: 61.16F 68.20

Wittke W., Hatta A., Otto A.:

Efficient use of the surface plasmon polariton resonance in light scattering from absorbates.

Appl. Phys. A 48/3, 289-294 (1989) PACS: 42.78D 78.30 78.65 82.65

Wittmer M., Ugolini D., Eitle J., Oelhafen P.:

Amorphous hydrogenated carbon films on semiconductors: II. Microstructural properties of the interface.

Appl. Phys. A 48/6, 559-566 (1989) PACS: 73.40 73.60 68.35 45.30 Wurm S., Alpern P., Savignac D., Kakoschke R.:

Modulated optical reflectance measurements on amorphous silicon layers

and detection of residual defects. Appl. Phys. A 47/2, 147-155 (1988) PACS: 78.50G 78.65 68.55

Xie Y.-L., Li H., Zhou Y.-L., Chen Z.-H., Yang G.-Z., Gu S.-J.: Bolometric observation of nonradiative decay of surface plasmons in

Appl. Phys. A 48/5, 497-500 (1989) PACS: 07.60 07.62 78.65

#### Yamamoto H.:

Resonant tunneling condition and transmission coefficient in a symmetrical one-dimensional rectangular double-barrier system. Appl. Phys. A 42/3, 245-248 (1987) PACS: 79.80 74.40

Yang G.Q., Campisano S.U.:

Phase formation and redistribution of Xe implanted in the NiSi system after fast melting and solidification.

Appl. Phys. A 44/3, 279-284 (1987) PACS: 81.40 72.20

YANG X.-I., SUN X.-d., ZHOU N.-f .:

Mössbauer study on surface magnetic properties in magnetic fluids. Appl. Phys. A 42/1, 65-67 (1987) PACS: 73.40 76.00 75.00

Young E.M.:

Electron-active silicon oxidation.

Appl. Phys. A 47/3, 259-269 (1988) PACS: 68.55b 79.60 34.80

Yu K.M., Jaklevic J.M., Haller E.E.:

Solid phase reactions between (100) GaAs and thin-film refractory metals (Ti, Zr, V., Nb, Cr, Mo, and W).

Appl. Phys. A 44/2, 177-190 (1987) PACS: 68.55 73.40

#### Zacharias H.:

Laser spectroscopy of desorbing molecules.

Appl. Phys. A 47/1, 37-54 (1988) PACS: 33.20 82.65

Zafar N., Chevallier J., Jacobsen F.M., Charlton M., Laricchia G.:

Experimentation with thin single crystal W foils as slow positron transmission mode moderators.

Appl. Phys. A 47/4, 409-412 (1988) PACS: 78.70 81.40 07.77

Zegenhagen J., Kayed M.A., Huang K.-G., Gibson W.M., Phillips J.C., Schowalter L.J., Hunt B.D.:

Determination of lattice mismatch in NiSi<sub>2</sub> overlayers on Si(111).

Appl. Phys. A 44/4, 365-369 (1987) PACS: 68.60 Zhang H., Aoyagi Y., Iwai S., Namba S.:

Study of metal-semiconductor interface states using deep level transient spectroscopy.

Appl. Phys. A 44/3, 273-277 (1987) PACS:73.30 73.40 73.20 Zhang J., Neave J.H., Dobson P.J., Joyce B.A.:

Effects of diffraction conditions and processes on RHEED intensity oscillations during the MBE growth of GaAs.

Appl. Phys. A 42/4, 317-326 (1987) PACS: 61.14H

Zhao X .- A., Thuillard M., Nicolet M.- A .:

Reaction of evaporated Ti films with large-grained Al substrates. Appl. Phys. A 46/1, 35-38 (1988) PACS 73.40 66.30 Zimny R., Hagedorn H., Winter H., Kirschner J.: Capture of polarized electrons from FE(110) into excited teams of fast atoms scattered at grazing incidence.

Appl. Phys. A 47/1, 77-81 (1988) PACS: 79.20N 75.50 34.50

# Contents of Applied Physics B 40-49

This listing presents the papers in alphabetical order of the first author, subdivided into the sections "Solids and Materials" and "Surfaces, Interfaces, and Layer Structures". The author index that follows covers Applied Physics A and B, and is presented in tabular form. The names are listed in alphabetical order in the first column. The second and third columns contain the bibliographic data necessary to locate the paper. The issue is specified by the number separated from the volume number by a slash. The PACS numbers given in the fourth column may be used in conjunction with the PACS listing on page II to infer the topic of a

## Photophysics and Laser Chemistry

Abraham E., Ogilvy I.J.M .:

Heat flow in interference filters

Appl. Phys. B 42/1, 31-34 (1987) PACS: 44.90

Aechtner P., Laubereau A.:

Collective modes - an analytical model for active mode locking in the

Appl. Phys. B 40/3, 133-139 (1986) PACS: 42.55B 42.60

Agranat M.B., Anisimov S.I., Makshantsev B.I.:

The anomalous thermal radiation from metals produced by ultrashort laser pulses. L

Appl. Phys. B 47/3, 209-221 (1988) PACS: 42.40 42.82 73.90

Ahmed T., Biswas A., Monzyk J.W., Yang G., Johnson K.W.:

Photoacoustic signal enhancement.

Appl. Phys. B 43/1, 53-56 (1987) PACS: 78.20 07.60

Aizu Y., Asakura T.:

Principles and development of spatial filtering velocimetry. Appl. Phys. B 43/4, 209-224 (1987) PACS: 06.00 07.60 42.80

Ajvasjan Yu.M., Ivanov V.V., Kovalenko S.A., Baev V.M.,

Sviridenkov E.A., Atmanspacher H., Scheingraber H.: Effects of nonlinear mode coupling on the chaotic dynamics of multi-

mode lasers Appl. Phys. B 46/2, 175-182 (1988) PACS: 42.50T 42.65

Akmansoy E., Lourtioz J.M., Cassard P.:

Comparative performances of stable- and unstable-resonator TEA CO2 lasers with CW injection.

Appl. Phys. B 43/2, 105-111 (1987) PACS: 42.55E 42.60

Al-Dhahir R.K., Dyer P.E., Sidhu J., Foulkes-Williams C.,

Oldershaw G.A.:

Dual excimer and CO2 laser etching studies of polyethylene terephtha-

Appl. Phys. B 49/5, 435-440 (1989) PACS: 82.50M 42.60

Alarcon M.C., Ito H., Inaba H.:

All-optical remote sensing of city gas through CH4 gas absorption employing a low-loss optical fiber link and an InGaAsP light-emitting diode in the near-infrared region.

Appl. Phys. B 43/2, 79-83 (1987) PACS: 42.80 07.65 82.80

Alonso E.M., D'Angelo R.J., Quel E.J.:

Studies of vibrational relaxation in CDF<sub>3</sub> following intense laser excita-

Appl. Phys. B 48/3, 249-252 (1989) PACS: 33.00 39.00 82.50

Alonso E.M., D'Angelo R.J., Quel E.J.:

Collisional effects in IR multiphoton absorption of CDF,

Appl. Phys. B 47/3, 233-237 (1988) PACS: 82.50 33.00 35.00

Alonso E.M., Peuriot A.L., Slezak V.B.:

CO2-laser-induced multiphoton absorption of CF2Cl Appl. Phys. B 40/1 39-42 (1986) PACS: 82.50 33.00 35.00

Ancellet G.M., Menzies R.T., Brothers A.M.:

Frequency stabilization and transverse mode discrimination in injection-

seeded unstable resonator TEA CO<sub>2</sub> lasers.
Appl. Phys. B 44/1, 29-35 (1987) PACS: 42.55E 42.60 42.68

Andersson P.S., Montán S., Svanberg S.:

Remote sample characterization based on fluorescence monitoring. Appl. Phys. B 44/1, 19-28 (1987) PACS: 07.60 07.65

Andrew R.:

CW Ar+ laser-induced oxidation of Cu layers.

Appl. Phys. B 41/4, 205-212 (1986) PACS: 81.60B 82.40 61.80 Angelis A. de, Lazzaro P. di, Garosi F., Giordano G., Letardi T.:

XeCl discharge diagnostic by holographic interferometry. Appl. Phys. B 47/1, 1-6 (1988) PACS: 42.40 52.80

Ankerhold G., Mitschke F., Frerking D., Ristau D., Mlynek J., Lange W.: Hard coatings for optically bistable interference filters. Appl. Phys. B 48/2, 101-104 (1989) PACS: 42.65P 68.55

Arai S., Sugita K., Ma P., Ishikawa Y., Kaetsu H., Isomura S.:
First-stage enrichment in CO<sub>2</sub>-laser-induced <sup>13</sup>C separation by a two-stage IRMPD process: IRMPD of CHCIF<sub>2</sub>/Br<sub>2</sub> mixtures.
Appl. Phys. B 48/5, 427-435 (1989) PACS 82.50 33.00

Arai S., Kawai M., Morimoto H., Tanaka K., Seyama H., Soma M.: Isotopically selective CVD of silicon by IRMPD of Si<sub>2</sub>F<sub>6</sub>.

Appl. Phys. B 47/3, 243-245 (1988) PACS 82.50 82.65 Arnesson J., Dafu C., Gnepf S., Kneubühl F.K.:

Multimode coupling and nonlinear gain effects in distributed and helical feedback gas lasers.

Appl. Phys. B 49/1, 1-28 (1989) PACS: 45.55E 42.60

Arrowsmith P., Vries M.S. de, Hunziker H.E., Wendt H.R.: Pulsed laser desorption near a jet orifice: Concentration profiles of entrained perylene vapor.

Appl. Phys. B 46/2, 165-173 (1988) PACS: 35.80 82.80 47.45

Au L.B., Solymar L.:

Amplification in photorefractive materials via a higher order wave. Appl. Phys. B 45/3, 125-128 (1988) PACS: 42.65 42.40 42.80

Au L.B., Solymar L.:

Transients in photorefractive two-wave mixing: A numerical study. Appl. Phys. B 49/4, 339-342 (1989) PACS: 42.80 42.40 42.65

Aussenegg F.R., Leitner A., Pedarnig J.D.:

Influence of thermal treatment on second-harmonic generation in silver island films.

Appl. Phys. B 49/3, 279-281 (1989) PACS: 78.65 42.65

Auyeung R.C.Y., Zielke D.M., Feldman B.J.:

Multiple harmonic conversion of pulsed CO2 laser radiation in Tl<sub>3</sub> AsSe<sub>3</sub>.

Appl. Phys. B 48/4, 293-297 (1989) PACS: 42.65C 42.70 42.55

Azcárate M.L., Quel E.J.:

Infrared multiple-photon dissociation of CDCl3 induced by a TEA CO2

Appl. Phys. B 47/3, 239-242 (1988) PACS: 82.50 33.80

Azcárate M.L., Quel E.J.:

Fluence and wavelength dependence of the IRMPA and IRMPD of CDCl<sub>3</sub> with a CO<sub>2</sub> laser. Appl. Phys. B 47/3, 223-228 (1988) PACS: 82.50 33.80

Bachor H.-A., Fisk P.T.H.:

Quantum noise - a limit in photodetection.

Appl. Phys. B 49/4, 291-300 (1989) PACS: 42.50 07.62

Baev V.M., Eschner J., Weiler A.:

Intracavity spectroscopy with modulated multimode lasers. Appl. Phys. B 49/4, 315-322 (1989) PACS: 32.70J 42.65

Bagayev S.N., Baklanov A.E., Chebotayev V.P., Dychkov A.S.: Superhigh resolution spectroscopy in methane with cold molecules Appl. Phys. B 48/1, 31-35 (1989) PACS: 07.65 33.00 42.72

Bailey R.T., Blaney S., Cruickshank F.R., Guthrie S.M.G., Pugh D., Sherwood J.N.:

A new method of assessing the efficiency of second harmonic generation by small samples of organic crystals. Appl. Phys. B 47/1, 83-86 (1988) PACS: 42.65C

Bajaj P.N., Manohar K.G., Suri B.M., Dasgupta K., Talukdar R.,

Chakraborti P.K., Rao P.R.K.:

Two colour multiphoton ionization spectroscopy of uranium from a metastable state

Appl. Phys. B 47/1, 55-59 (1988) PACS: 31.50 32.30 32.80

Bakhramov S.A., Berdikulov A.T., Kokharov A.M., Tikhonenko V.V.: Self-induced polarization rotation of the laser beam in resonance media. Appl. Phys. B 48/3, 243-244 (1989) PACS: 33.00 39.00 82.50

Baklanov E.V., Chebotayev V.P., Staroselsky M.P.:

New nonlinear resonances in a gas in the presence of a strong optical field.

Appl. Phys. B 49/2, 163-167 (1989) PACS: 32.00

Balykin V.I., Letokhov V.S.:

Atomic cavity with light-induced mirrors.

Appl. Phys. B 48/6, 517-523 (1989) PACS: 42.65K.

Balykin V.I., Sidorov A.I.:

Collimation and decollimation of atomic beams by laser radiation. Appl. Phys. B 42/1, 51-54 (1987) PACS: 42.65

Balykin V.I.:

On the possibility of velocity monochromatization of atomic beams below recoil velocity.

Appl. Phys. B 49/4, 383-388 (1989) PACS: 42.65K

Barr J.R.M., Hughes D.W.:

Coupled cavity modelocking of a Nd:YAG laser using second-harmonic

Appl. Phys. B 49/4, 323-325 (1989) PACS: 42.60D 42.65

Barth H.D., Jackschath C., Pertsch T., Huisken F.: CARS spectroscopy of molecules and clusters in supersonic jets. Appl. Phys. B 45/4, 205-214 (1988) PACS: 42.65 33.20 36.40 34.50

Bäuerle D.: Chemical processing with lasers: Recent developments. Appl. Phys. B 46/3, 261-270 (1988) PACS: 42.60 68.20 82.65

Bava E., Godone A., Novero C.:

Cavity phase-shift error evaluation in a magnesium atomic beam frequency standard.

Appl. Phys. B 48/6, 495-505 (1989) PACS: 32.80

Bava E., Godone A., Rietto G .:

Rabi and Ramsey interrogations of metastable beams. Appl. Phys. B 41/3, 187-196 (1986) PACS: 32.80

Bazhenov V.Yu., Vasnetsov M.V., Soskin M.S., Taranenko V.B.: Dynamics of laser-induced bubble and free-surface oscillations in an

absorbing liquid. Appl. Phys. B 49/5, 485-489 (1989) PACS: 42.65J 47.20 47.55

Beaudoin Y., Galarneau P., Normandin A., Chin S.L.

An experimental study of self-focusing and self-defocusing of a TEA CO<sub>2</sub> laser pulse in CDF<sub>3</sub>. Appl. Phys. B 42/4, 225-231 (1987) PACS: 42.55E 42.65 42.60 82.50

Becker T., Rinkleff R.-H., Steudel A.:

Superradiant transitions between high-lying levels of Sr in an external electric field.

Appl. Phys. B 49/3, 257-262 (1989) PACS: 32.60 42.50 Beck R .:

Fast-axial-flow CO<sub>2</sub>-laser with integrated turbo-blower. Appl. Phys. B 42/4, 233-236 (1987) PACS: 42.50E

Belyayev M.V., Chebotayev V.P., Maiorov A.P., Smirnov V.A.: Selective laser heating and nonlinear light scattering in a homogeneous medium

Appl. Phys. B 41/2, 131-133 (1986) PACS: 42.65 65.00

Bengtsson P.-E., Aldén M.:

Application of a pulsed laser for soot measurements in premixed flames. Appl. Phys. B 48/2, 155-164 (1989) PACS: 78.35 82.40

Bento A.C., Aguiar M.M.F., Vargas H., da Silva M.D., Bandeira I.N., Miranda L.C.M .:

Open photoacoustic cell X-ray detection.

Appl. Phys. B 48/3, 269-272 (1989) PACS: 78.90

Berdowski J .:

The influence of surface and volume effects on the light diffraction by SAW at parallel interfaces

Appl. Phys. B 42/4, 251-254 (1987) PACS: 43.00 41.00

Bernegger S., Sigrist M.W.:

Longitudinal resonant spectrophone for CO-laser photoacoustic spectroscopy.

Appl. Phys. B 44/2, 125-132 (1987) PACS: 07.65 43.20 43.85

Bethune D.S., Luntz A.C.:

A laser infrared source of nanosecond pulses tunable from 1.4 to 22 µm. Appl. Phys. B 40/2, 107-113 (1986) PACS: 42.65C 42.60 33.20 68.30 Beuermann Th., Stuke M.:

Tunable UV laser photolysis of organometallics with product detection by laser mass spectroscopy: Trimethylaluminium

Appl. Phys. B 49/2, 145-148 (1989) PACS: 81.15 82.50

Binh L.N., Dai X., Ja Y.H.:

Laser-induced self-phase modulation in polymeric film. Appl. Phys. B 49/4, 393-396 (1989) PACS: 42.65 42.80

Blazejowski J., Lampe F.W.:

CO2-laser-induced breakdown in mono- and diatomic gase Appl. Phys. B 41/2, 109-117 (1986) PACS: 82.50 82.30 42.60

Bloisi F., Vicari L., Cavaliere P., Martellucci S., Quartieri J., Mormile P., Pierattini G.:

Soret effect in forced Rayleigh scattering.

Appl. Phys. B 44/2, 103-106 (1987) PACS: 66.10C 42.65 78.20 Bloisi F., Vicari L., Cavaliere P., Martellucci S., Quartieri J., Mormile P.,

Laser induced thermal profiles in thermally and optically thin films. Appl. Phys. B 47/1, 67-69 (1988) PACS: 42.65J 78.20 78.65

Böhm D., Moers F.von, Kändler J., Hese A.:

Angle-tuned second-harmonic generation in LiIO3 with low losses due to index matching.

Appl. Phys. B 44/3, 189-192 (1987) PACS: 42.65C 42.70

Bonnie R.J.M., Witteman W.J.:

High pressure X-ray preionized TEMA-CO, laser. Appl. Phys. B 44/1, 37-39 (1987) PACS: 42.55E 42.60

Borsella E., Caneve L.: Frequency and time resolved luminescence of intermediate reaction products in IR laser decomposition of silane

Appl. Phys. B 46/4, 347-355 (1988) PACS: 82.50E 33.80

Bor Z., Szabó G.:

A novel picosecond distributed feedback dye laser arrangement for excimer laser pumping.

Appl. Phys. B 47/2, 135-140 (1988) PACS: 42.60 42.55

Bourdet G.L., Vinet J.Y .:

CW injection phase locking in homogeneously broadened media: I. Theory.

Appl. Phys. B 43/3, 203-208 (1987) PACS: 42.55 42.60

Bourdet G.L., Muller R.A., Mullot G.M., Vinet J.Y .: CW injection phase locking in homogeneously broadened media. II. Phase locking and tunability of CO<sub>2</sub> waveguide lasers. Appl. Phys. B 43/4, 273-279 (1987) PACS: 42.55 42.60

Bourdet G.L., Muller R.A., Mullot G.M., Vinet J.Y .:

Active mode locking of a high pressure CW waveguide CO2 laser. Appl. Phys. B 44/2, 107-110 (1987) PACS: 42.55E 42.60 42.60

Brand U., Mensing F., Helmcke J.:

Polarization properties and frequency stabilization of an internal mirror He-Ne laser emitting at 543.5 nm wavelength. Appl. Phys. B 48/4, 343-350 (1989) PACS: 42.50 42.55 42.60

Brenner K .- H .:

Digital optical computing. Appl. Phys. B 46/2, 111-120 (1988) PACS: 42.30 42.80 85.60

Broser I., Gutowski J .: Optical nonlinearity of CdS.

Appl. Phys. B 46/1, 1-17 (1988) PACS: 71.00 78.00

Brüggemann R., Petri M., Fischer H., Mauer D., Reinert D., Urban W.: Computer controlled diode laser spectrometer with a helium evaporation cryostat and spectroscopy of the  $\nu_3$  vibration of NCO. Appl. Phys. B 48/2, 105-110 (1989) PACS: 42.60 33.20

Brunn J., Grosse P., Wynands R.:
Ouantitative analysis of photoacoustic IR spectra. Appl. Phys. B 47/4, 343-348 (1988) PACS: 07.65 78.30 Bruzzese R., Rendina I., Sasso A., Borsella E.:

Two-photon ionization studies of amide groups in the UV. Appl. Phys. B 44/1, 45-50 (1987) PACS: 33.80K

Büchner B., Korpiun B.:

Frequency-dependent specific heat near the glass transition measured with the photoacoustic effect.

Appl. Phys. B 43/1, 29-33 (1987) PACS: 64.70P 61.25 62.65

Callender C.L., Rayner D.M., Hackett P.A.:

The translational energy distributions for metal atoms and ions produced via visible laser MPD/MPI of group 13 metal alkyls and MPI of aluminum and indium atomic beams

Appl. Phys. B 47/1, 7-15 (1988) PACS: 32.00 35.00

Candelier V., Giordano V., Hamel A., Théobald G., Cérez P., Audoin C.: Frequency stability of an optically pumped cesium beam frequency

Appl. Phys. B 49/4, 365-370 (1989) PACS: 32.80B 35.10 35.80 Cannon B.D., Whitaker T.J., Gerke G.K., Bushaw B.A.

Anomalous linewidths and peak-height ratios in <sup>137</sup>Ba hyperfine lines. Appl. Phys. B 47/2, 201-206 (1988) PACS: 32.70J 35.10

Carelli G., Ioli N., Moretti A., Pereira D., Strumia F.:

Frequency and efficiency measurements on FIR laser lines close to the N+  $^3P_2$ - $^3P_1$  transition.

Appl. Phys. B 45/2, 97-100 (1988) PACS: 42.55H 42.60 35.00 Carelli G., Ioli N., Moretti A., Pereira D., Strumia F., Densing R.:

New large offset far-infrared laser lines from CD<sub>3</sub>OH. Appl. Phys. B 44/2, 111-117 (1987) PACS: 42.55

Cartaleva St.St., Gateva S.V., Kolarov G.V.:

Simple single-frequency He-Ne laser.

Appl. Phys. B 40/3, 153-155 (1986) PACS: 42.60 42.55

Carusotto S., Polacco E., Iacopini E., Stefanini G., Zavattini E., Scuri F.: The ellipticity introduced by interferential mirrors on a linearly polarized light beam orthogonally reflected. Appl. Phys. B 48/3, 231-234 (1989) PACS: 42.70 42.80

Casdorff R., Blatt R.:

Ordered structures and statistical properties of ion clouds stored in a

Appl. Phys. B 45/3, 175-182 (1988) PACS: 32.80 35.80 05.40

Castillejo M., Zhou J.Y., Hutchinson M.H.R.:

Coherent VUV generation by frequency mixing in glass hollow wave-

Appl. Phys. B 45/4, 293-299 (1988) PACS: 42.65

Cefalas A.C., Mikropoulos T., Simon P., Hebling J., Nicolaides C.A.: Picosecond phase-conjugation by degenerate four-wave mixing in sodium vapour. Appl. Phys. B 46/4, 363-367 (1988) PACS: 42.65 42.60

Chebotayev V.P., Ulybin V.A.:

Doppler-free resonances of the second-order Raman scattering. Appl. Phys. B 49/4, 361-364 (1989) PACS: 42.50 42.62

Chen Y .: Behaviour of polarization beam splitters made from different types of

Appl. Phys. B 45/1, 17-20 (1988) PACS: 42.20 85.60

CHEN Y .:

Anisotropic fiber with cylindrical polar axes. Appl. Phys. B 42/1, 1-3 (1987) PACS: 42.80 42.20

Chen Yijiang:

Theoretical analysis of acousto-optic frequency shifter by dual mode

Appl. Phys. B 48/2, 131-137 (1989) PACS: 42.80M 43.20

Chen Yijiang

Anisotropic fibers with elliptical deformed core Appl. Phys. B 47/1, 21-25 (1988) PACS: 42.80 42.20

Chen Zhihao, Uu Yan, Yao Huihai: Birefringence and polarization mode dispersion in graded-core stressapplied polarization-maintaining fibers

Appl. Phys. B 48/3, 225-229 (1989) PACS: 42.80 42.20

Churakov V.V., Petukhov V.O., Tochitsky S.Ya.: Two-color TEA CO2 laser oscillation on the lines of regular and hot

Appl. Phys. B 42/4, 245-249 (1987) PACS: 42.55D

Clark B.K., Masters M., Huennekens J.:

Wave mixing and amplified spontaneous emission in pure potassium and mixed sodium-potassium vapors Appl. Phys. B 47/2, 159-167 (1988) PACS: 42.65C

Clark B.K., Luh W.T., Huennekens J.:

NaK  $2^1\Sigma^+ \rightarrow 1^1\Sigma^+$  band optically pumped laser near 1.02  $\mu$ m. Appl. Phys. B 49/2, 155-161 (1989) PACS:42.55H 33.50

Coisson R., Dattoli G., Renieri A.:

Optimization criteria for optical klystrons Appl. Phys. B 41/4, 231-234 (1986) PACS: 42.60 42.55

Costela A., Munoz J.M., Douhal A., Figuera J.M., Acuna A.U.: Experimental test of a four-level kinetic model for excited state intramolecular proton transfer dye lasers.

Appl. Phys. B 49/6, 545-552 (1989) PACS: 33.50 42.55

Coufal H., Lee W.:

Time resolved calorimetry of Te films during pulsed laser annealing. Appl. Phys. B 44/2, 141-146 (1987) PACS: 64.70P 68.60 78.90 Couture M., Piché M.:

On longitudinal mode spacing of laser cavities with pairs of gratings. Appl. Phys. B 45/2, 93-95 (1988) PACS: 42.60D

Cunin B., Geoffroy B., Heisel F., Lépine T., Miehé J.A.:

Spectral density analysis of noisy repetitive pulses. Models for continuously operating mode-locked lasers. Appl. Phys. B 48/1, 41-49 (1989) PACS: 02.50 42.60 42.80

Czarnetzki U., Döbele H.F., Rückle B.:

Stimulated IR-and vacuum-UV emission following two-photon-excitation of molecular hydrogen using an ArF laser.

Appl. Phys. B 48/1, 37-40 (1989) PACS: 33.80K 42.65

D'Ambrosio C., Fua W., Kompa K.L., Schmid W.E.: Isotope separation of <sup>32</sup>SF<sub>6</sub> and <sup>12</sup>CF<sub>3</sub>I by a Q-switched CO<sub>2</sub> laser. Appl. Phys. B 47/1, 17-20 (1988) PACS:33.80W Dam N., Reuss J.:

Characterization of an ethylene free jet. Appl. Phys. B 49/1, 39-47 (1989) PACS: 34.50E 47.55

Danailov M.B., Christov I.P., Michailov N.I.: Image transfer by modulation of short light pulses Appl. Phys. B 49/4, 371-375 (1989) PACS: 42.30V 42.30 42.60 Das T.K., Singh K.:

Phase conjugation via unequal amplitude multiple gratings in photorefractives: A simple shooting method for numerical solution Appl. Phys. B 49/6, 557-564 (1989) PACS: 42.65 78.20 42.40

Daunois A., Bigot J.Y.:

Switching dynamics of optical bistable devices Appl. Phys. B 45/3, 157-162 (1988) PACS: 42.65

Davies P.B., Morton-Jones A.J.:

Evaluation of jet-cooled laser spectroscopy for simplifying infrared spectra.

Appl. Phys. B 42/1, 35-40 (1987) PACS: 32.00

Deka B.K., Joshi R.S., Rob M.A.:

Self-focusing and defocusing of TEA CO<sub>2</sub> laser radiation in NH<sub>3</sub>. Appl. Phys. B 44/1, 1-4 (1987) PACS 42.55E 42.60 42.65

Del Bello U., Churakov V., Fua W., Kompa K.L., Maurer B., Schwab C., Werner L.:

Improved separation of the rare sulfur isotopes by infrared multiphoton dissociation of SF<sub>6</sub>. Appl. Phys. B 42/3, 147-153 (1987) PACS: 82.50 33.00 35.00

Dick B., Gierulski A.:

Multiplex rotational CARS of N<sub>2</sub>, O<sub>2</sub>, and CO with excimer pumped dye lasers: Species identification and thermometry in the intermediate temperature range with high temporal spatial resolution. Appl. Phys. B 40/1, 1-7 (1986) PACS: 42.65

Diegelmann M., Proch D., ZHAO Z.:

Discharge pumped CIF laser at 285 nm.

Appl. Phys. B 40/2, 49-58 (1986) PACS: 42.55H 82.30 42.60 Dietel W., Döpel E., Petrov V., Rempel C., Rudolph W., Wilhelmi B., Marowsky G., Schäfer F.P.:

Self phase modulation in a femtosecond pulse amplifier with subsequent compression.

Appl. Phys. B 46/2, 183-184 (1988) PACS: 42.60D

Dinev S.G., Stefanov I.L.:

Raman and parametric emission from excited states induced by colli-

Appl. Phys. B 44/4, 235-240 (1987) PACS: 42.60 42.65

Diney S.G., Hadjichristov G.B., Stefanov I.L.;

Interference effects between Raman and parametric stimulated emis-

Appl. Phys. B 49/6, 521-525 (1989) PACS: 32.00 42.65 Döbele H.F., Hörl M., Röwekamp M.:

Tuning ranges of KrF and ArF excimer laser amplifiers and of associated vacuum ultrviolet anti-Stokes Raman lines

Appl. Phys. B 42/2, 67-72 (1987) PACS: 42.65C 42.60 Dong S.Y., Wang G., Wang W., Zhang Z., Zheng J.:

The role of cluster in surface-enhanced Raman scattering (SERS).

Appl. Phys. B 49/6, 553-556 (1989) PACS: 68.45A

Dorn H.-P., Müller A.:

Scheibe-aggregates of pseudoisocyanine in solution and in molecular monolayers. Pt.1: Fluorescence lifetimes measured with the aid of a distributed feedback dye laser a streak camera.

Appl. Phys. B 43/3, 167-172 (1987) PACS: 33.50 78.65

Dreier T., Lange B., Wolfrum J., Zahn M.:

Determination of temperature and concentration of molecular nitrogen, oxygen and methane with coherent anti-Stokes Raman scattering. Appl. Phys. B 45/3, 183-190 (1988) PACS: 33.20 37.70 42.65 Dyer P.E., Oldershaw G.A., Sidhu J.:

CO<sub>2</sub> laser ablative etching of polyethylene terephthalate. Appl. Phys. B 48/6, 489-493 (1989) PACS: 82.50 42.60

Eckbreth A.C., Anderson T.J., Dobbs G.M.:

Multi-color CARS for hydrogen-fueled scramjet applications. Appl. Phys. B 45/4, 215-223 (1988) PACS: 07.60 33.00 42.80

Egorov S.E., Letokhov V.S., Moskovets E.V.: Laser-stimulated field desorption of molecular ions from a tungsten

Appl. Phys. B 45/1, 53-57 (1988) PACS: 33.00 79.20 79.70

Eichler H.-J., Chen J., Richter K.:

Four-wave mixing reflectivity of silicon at 1.06 µm: Influence of freecarrier absorption

Appl. Phys. B 42/4, 215-219 (1987) PACS: 42.65G

Eichler H.-J.:

Editorial: Photonic switches for lasers and optical processors. Appl. Phys. B 45/3, 109-112 (1988) PACS: 42.65

Eliasson B., Kogelschatz U.:

UV excimer radiation from dielectric-barrier discharges Appl. Phys. B 46/4, 299-303 (1988) PACS: 52.80 33.00 82.40

Elrod U., Lux-Steiner M.Ch., Obergfell M., Bucher E., Schlapbach L.: Surface chemistry of Zn<sub>3</sub>P<sub>3</sub> single crystals studied by XPS. Appl. Phys. B 43/3, 19:-201 (1987) PACS: 81.60 82.65

Emmert F., Dux R., Langhoff H.:

Improved lasing properties of the HêN2 system at 391 nm and 428 nm by H2 admixture.

Appl. Phys. B 47/2, 141-148 (1988) PACS: 42.55F

Epperlein D., Dick B., Marowsky G., Reider G.A.: Second-harmonic generation in centro-symmetric media. Appl. Phys. B 44/1, 5-10 (1987) PACS: 42.65

Erbschloe D.R., Solymar L., Takacs J., Wilson T.:

Higher diffracted orders in a BSO crystal: An experimental study of transients.

Appl. Phys. B 49/5, 431-433 (1989) PACS: 42.40 42.65 42.80

Ernsting N.P., Nikolaus B.:

Undamped relaxation oscillations due to self-gain-switching of laser dve mixtures.

Appl. Phys. B 41/1, 25-30 (1986) PACS: 42.55M

Ernst W.E., Kändler J.:

Molecular-beam spectroscopy of high-temperature species with narrowband dve lasers.

Appl. Phys. B 49/3, 227-237 (1989) PACS: 35.80 33.80

Erofeev E.A., Ibragimov E.A., Usmanov T.:

Full pump energy conversion at parametric amplification. Appl. Phys. B 47/4, 359-360 (1988) PACS: 42.65

Etchepare J., Grillon G., Arabat J.:
Polarization effects in femtosecond time-resolved coherent scattering from molecules in liquids. Appl. Phys. B 49/5, 425-429 (1989) PACS: 33.20 42.65

Facin J.A., Pereira D., Vasconcellos E.C.C., Scalabrin A., Ferrari C.A.: New FIR laser lines from CHD<sub>2</sub>OH optically pumped by CW CO<sub>2</sub> laser. Appl. Phys. B 48/3, 245-248 (1989) PACS: 42.55

Felderhof B.U., Marowsky G.:

Linear optics of polarization sheets.

Appl. Phys. B 43/3, 161-166 (1987) PACS: 41.00 42.20 75.65

Felderhof B.U., Marowsky G.:

Electromagnetic radiation from a polarization sheet located at an interface between two media.

Appl. Phys. B 44/1, 11-17 (1987) PACS: 42.65 78.65

Feldmann D., Kutzner J., Laukemper J., MacRobert S., Welge K.H.: Mass spectroscopic studies of the ArF-laser photoablation of polysty-

Appl. Phys. B 44/2, 81-85 (1987) PACS: 79.20D 82.80

Fletcher A.N., Pietrak M.E., Bliss D.E.:

Laser dye stability, Pt.11. The fluorinated azacoumarin dyes. Appl. Phys. B 42/2, 79-83 (1987) PACS: 78.60 61.80 82.50

Fletcher A.N., Henry R.A., Pietrak M.E., Bliss D.E., Hall J.H.: Laser dye stability. Pt.12. The pyridinium salts Appl. Phys. B 43/3, 155-160 (1987) PACS: 78.60 61.80 82.50

Földes I.B., Pakula R., Sakabe S., Sigel R.:

Light absorption in laser-heated cavities.

Appl. Phys. B 43/2, 117-122 (1987) PACS: 52.50J 44.40

Forsmann F., Jäger D.:

Thermooptical SEED devices: External control of nonlinearity, bistability and switching behaviour.

Appl. Phys. B 45/3, 151-155 (1988) PACS: 42.65 42.80

Fouckhardt H., Ebeling K.J.:

Photonic switching in GaAlAs optical strip waveguides by photoinduced electroabsorption.

Appl. Phys. B 45/3, 163-169 (1988) PACS: 42.82 42.65 42.10

Fourrier M., Kreisle A.:

Further investigations on IR pumping of CH<sub>3</sub>OD by a CW CO<sub>2</sub> laser. Appl. Phys. B 41/1, 57-60 (1986) PACS: 42.55H

Freisinger B., Kogelschatz U., Schäfer J.H., Uhlenbusch J., Viöl W.: Ozone production in oxygen by means of  $F_2$ -laser irradiation at  $\lambda =$ 157.6 nm.

Appl. Phys. B 49/2, 121-129 (1989) PACS: 33.80 82.50

French P.M.W., Taylor R.J.:

Passive mode locking of the continuous wave DCM dye laser. Appl. Phys. B 41/1, 53-55 (1986) PACS: 42.55 42.60

Frey L., Möller U., Langhoff H.:

On recombination lasers in the VUV excited by intense proton beams. Appl. Phys. B 41/3, 147-151 (1986) PACS: 52.20F 34.90 42.55 Fuhrberg P., Frölich D., Litfin G.:

Temporal evolution of the emission spectra of color center lasers. Appl. Phys. B 49/3, 205-209 (1989) PACS: 42.55B 42.55

Fuhrmann W., Demtröder W.:

A continuously tunable GaAs diode laser with an external resonator. Appl. Phys. B 49/1, 29-32 (1989) PACS: 42.55 42.60

Gale M.G., Ranson P., Denariez-Roberge M.:

Coherent spectroscopy with a distributed feedback dye laser. Appl. Phys. B 44/4, 221-233 (1987) PACS: 42.60 42.65 78.30

Ganeev R.A., Gorbushin V.V., Kulagin I.A., Usmanov T.: Optical harmonic generation in media with positive dispersion. Appl. Phys. B 41/1, 69-71 (1986) PACS: 42.65

Ganguly P., Somasundaram T.:

Studies on the enhancement of photoacoustic signals from nonporous solids in the presence of volatile liquids. Appl. Phys. B 43/1, 43-52 (1987) PACS: 07.65 43.35 78.20

Gastaud C., Redon M., Fourrier M.:

New strong CW FIR laser actions and assignments in COF2. Appl. Phys. B 47/4, 303-305 (1988) PACS: 42.55H

Gehrtz M., Pinsl J., Bräuchle C.:

Sensitive detection of phase and absorption gratings: Phase modulated, homodyne detected holography.

Appl. Phys. B 43/2, 61-77 (1987) PACS: 42.20 42.30 42.40 Gerasimchuk A., Kornilov S., Protsenko E., Tymper S.:

Frequency tuned carbon monoxide waveguide laser with RF pumping. Appl. Phys. B 48/6, 513-516 (1989) PACS: 42.55E

Gericke V., Hertel P., Krätzig E., Nisius J.P., Sommerfeldt R.: Light-induced refractive index changes in LiNbO3: Ti waveguides. Appl. Phys. B 44/3, 155-162 (1987) PACS: 42.40 42.82 78.20

Gerritsen J.W., Ernst G.J.:

High-pressure behaviour of an X-ray preionized discharge pumped XeCl laser.

Appl. Phys. B 46/2, 141-146 (1988) PACS: 42.55G 42.60

Gheorghe V.N.:

Analytic evaluation of high-order susceptibilities in multiwave mixing. Appl. Phys. B 46/2, 185-190 (1988) PACS: 45.20 42.65 Gilgen H.H., Cacouris T., Shaw P.S., Krchnavek R.R., Osgood R.M.:

Direct writing of metal conductors with near-UV light Appl. Phys. B 42/2, 55-66 (1987) PACS: 81.10 85.40 42.60

Giroux L., Back M.H., Back R.A

The absorption of pulsed CO2-laser radiation by ethylene at total pressures from 25 to 3000 Torr.

Appl. Phys. B 49/4, 307-313 (1989) PACS: 33.80K 42.60

Golub I., Shuker R., Erez G.:

Collinear nondegenerate four-wave mixing by a three-level system. Appl. Phys. B 41/1, 39-41 (1986) PACS: 42.65C 42.65 32.80

Gomes A.S.L., Österberg U., Taylor J.R.:

Spectral and temporal investigations of nonlinearities in a non-polarization preserving single-mode optical fibre.

Appl. Phys. B 41/4, 235-240 (1986) PACS: 42.10 42.65 42.80 Grimm R., Mlynek J.:

The effect of resonant light pressure in saturation spectroscopy. Appl. Phys. B 49/3, 179-189 (1989) PACS: 32.70J 42.50 42.65 Groakopf G., Ludwig R., Molt R., Weber H.G., Zhang S.B.:

Semiconductor-laser amplifier as an optically controlled switch. Appl. Phys. B 45/3, 171-174 (1988) PACS: 42.65 42.80 Grosse P., Wynands R.:

Simulation of photoacoustic IR spectra of multilayer structures. Appl. Phys. B 48/1, 59-65 (1989) PACS:07.65G 44.30 78.30

Guizard S., Chapoulard D., Horani M., Gauyacq D.: Detection of NO traces using resonantly enhanced multiphoton ioniza-

tion: A method for monitoring atmospheric pollutants. Appl. Phys. B 48/6, 471-477 (1989) PACS: 33.80R 42.68

Günther P., Fischer U.Ch., Dransfeld K .: Scanning near-field acoustic microscopy.

Appl. Phys. B 48/1, 89-92 (1989) PACS: 61.16 43.35

Güsten H., Rinke M., Wirth H.O.:

Photophysical properties and laser performance of photostable UV laser

Appl. Phys. B 45/4, 279-284 (1988) PACS: 07.65 33.00 42.55 82.50

Guyot-Sionnest P., Shen Y.R., Heinz T.F.:

Comments on "Determination of the nonlinear optical susceptibility  $\chi^2$ of surface layers" by B. Dick et al. Appl. Phys. B 42/4, 237-238 (1987) PACS: 42.65K

Habfast C., Poth H., Seligmann B., Wolf A., Berger J., Blatt P., Hauck P., Meyer W., Neumann R.:

Measurement of laser light Thompson-scattered from a cooling electron

Appl. Phys. B 44/2, 87-92 (1987) PACS: 41.80E 52.25 29.15

Hamisch J., Macdonald R.:

Comparison of pulsed and continuous operation of the Cu II laser. Appl. Phys. B 43/3, 183-187 (1987) PACS: 42.55H

Hamisch J., de la Rosa J.:

Calculation of geometrical changes in cylindrical copper hollow cathodes due to sputtering.

Appl. Phys. B 43/3, 189-195 (1987) PACS: 52.80H 79.20 42.55 Hammer Th., Bötticher W.:

Spectroscopic investigation of the ionization kinetics in XeCl laser discharges by Xe density measurements.

Appl. Phys. B 48/1, 73-84 (1989) PACS: 42.55G 52.65 52.70

Haselhoff E.H., Bonnie R.J.M., Ernst G.J., Witteman W.J.: Subnanosecond pulse measurements of 10.6 µm radiation with tellurium. Appl. Phys. B 46/1, 103-109 (1988) PACS: 42.60 42.65

Hayward J.E., Cassidy D.T., Reid J.:

High-sensitivity transient spectroscopy using tunable diode lasers. Appl. Phys. B 48/1, 25-29 (1989) PACS: 42.60K 35.80

Hebling J., Klebniczki J., Heszler P., Bor Zs., Rácz B.:

Travelling-wave amplified spontaneous emission excited in a prismatic goemetry

Appl. Phys. B 48/5, 401-403 (1989) PACS: 42.55M

Hebling J.:

20 ps pulse generation by an excimer laser pumped double self Qswitched distributed feedback dye laser.

Appl. Phys. B 47/3, 267-272 (1988) PACS: 42.55M 42.60

He C., Huang R., Zhang C .:

Rotational energy transfer in  $I_2^*(B^3\Pi)$  colliding with  $I_2(X^1\Sigma)$ , Ar and He: Experiment and fitting law

Appl. Phys. B 41/4, 251-257 (1986) PACS: 34.50

Heist P., Rudolph W., Petrov V.:

Combined self-phase modulation and amplification of femtosecond light

Appl. Phys. B 49/2, 113-119 (1989) PACS: 42.55M 42.60

Heldt J., Heldt J.R., Szczepanski J., Diehl H.A.:

Gain and excited singlet and triplet state absorption spectra of some 9-acetoxy-10(halogenacetoxy)phenylanthracen Appl. Phys. B 46/4, 339-346 (1988) PACS: 33.00 42.55

Helmcke J., Snyder J.J., Morinaga A., Mensing F., Gläser M.: New ultra-high resolution dye laser spectrometer utilizing a non-tunable

reference resonator.

Appl. Phys. B 43/2, 85-91 (1987) PACS: 42.50 42.60

Henneberger F., Woggon U., Puls J., Spiegelberg Ch.: Exciton-related optical nonlinearities in semiconductors and semicon-

ductor microcrystallites Appl. Phys. B 46/1, 19-25 (1988) PACS: 71.00 42.65 42.70

Hertel P., Menzler H.P.:

Improved inverse WKB procedure to reconstruct refractive index profiles of dielectric planar waveguides.

Appl. Phys. B 44/2, 75-80 (1987) PACS: 42.80 42.82

Hertz H.M., Aldén M., Svanberg S.:

Correction of imaging errors in spatially resolved laser scattering experiments in flames

Appl. Phys. B 45/1, 33-36 (1988) PACS: 82.40 42.30 42.60

Heuer W., Franke H.:

Characterization of polymer strip waveguides by leaky-mode spectros-

Appl. Phys. B 44/3, 185-188 (1987) PACS: 42.30 42.80 82.50

Highland R., Dunkle E., Hanko L., Hager G.:

Magnetic Q-switching of a photolytic iodine laser. Appl. Phys. B 48/4, 357-364 (1989) PACS: 42.65

Hilbig R., Hilber G., Wallenstein R.:

Nonresonant tripling and sum-frequency mixing in Hg. Appl. Phys. B 41/4, 225-230 (1986) PACS: 42.65 42.72

Holzapfel W., Leonhardt R., Zinth W.:

The influence of phase-modulation on femtosecond time-resolved coherent Raman spectroscopy.

Appl. Phys. B 47/4, 307-312 (1988) PACS: 42.65 42.80

Holzapfel W., Settgast W.;

Precise force measurement over 6 decades applying the resonator-internal photoelastic effect.

Appl. Phys. B 49/2, 169-172 (1989) PACS: 06.00 42.60 42.80

Huang Z.G., Shan H.Y., Huo Y., Wang H.: A gold-vapor laser using Ne-H<sub>2</sub> as buffer gas. Appl. Phys. B 44/1, 57-59 (1987) PACS: 42.55H 42.60

Hube M., Brinkmann R., Welling H., Beigang R., Wellegehausen B.: A cadmium photoionization laser pumped by laser induced plasma radiation from a multi foci device.

Appl. Phys. B 45/3, 197-201 (1988) PACS: 32.80H 42.55

Huisken F., Pertsch T .:

Coherent anti-Stokes Raman spectroscopy (CARS) of the v3 band of methane in supersonic molecular beams

Appl. Phys. B 41/3, 173-178 (1986) PACS: 42.65 33.20 34.50

Husinsky W., Mitterer S., Grabner G., Baumgartner I.:

Photoablation by UV and visible laser radiation of native and doped biological tissue

Appl. Phys. B 49/5, 463-467 (1989) PACS: 87.55H 82.50 87.15 87.50

Ibison M.C., Hanna D.C.:

Analysis of Raman gain for focussed Gaussian pump beams. Appl. Phys. B 45/1, 37-44 (1988) PACS: 42.65 78.30

Imasaka T., Kawasaki S., Ishibashi N.:

Generation of more than 40 laser emission lines from the ultraviolet to the visible regions by two-color stimulated Raman effect. Appl. Phys. B 49/4, 389-392 (1989) PACS: 42.65 51.70

Imhof R.E., Thornley F.R., Gilchrist J.R., Birch D.J.S.:

Opto-thermal study of the melting transition of benzophenone. Appl. Phys. B 43/1, 23-28 (1987) PACS: 65.00 68.45

Inguscio M., Ioli N., Moretti A., Strumia F., D'Amato F.:

Heterodyne of optically pumped FIR molecular lasers and direct frequency measurement of new lines.

Appl. Phys. B 40/3, 165-169 (1986) PACS: 06.00 35.00 42.60

Ioli N., Moretti A., Pereira D., Strumia F., Garelli G.:

A new efficient far-infrared optically pumped laser gas: CH<sub>3</sub> <sup>18</sup>OH. Appl. Phys. B 48/4, 299-304 (1989) PACS: 42.55

Ioli N., Moretti A., Strumia F.: High efficiency CW far infrared lasers at 119 µm and 127 µm.

Appl. Phys. B 48/4, 305-309 (1989) PACS: 42.55

Ionov I., Kobakhidze A.A.: A differential technique to measure small product yield increments in a time-of-flight mass spectrometer for investigating IR-spectra of highly excited polyatomics.

Appl. Phys. B 48/6, 507-511 (1989) PACS: 42.80 33.00

Ionov S.I., Stuchebryukhov A.A.Bagratashvili V.N., Lokhman V.N.,

Makarov G.N., Letokhov V.S.:

Evolution of the homogeneous IR spectrum of a highly vibrationally excited molecule as a result of a change in its vibrational energy. Appl. Phys. B 47/3, 229-232 (1988) PACS: 33.00 82.50

Ishihara T., Lin S.-C.:

Theoretical modeling of microwave-pumped high-pressure gas lasers. Appl. Phys. B 48/4, 315-326 (1989) PACS: 34.80 42.55 52.80 Ishizaka S.:

Laser emission from the organic free radical 9-julolidylthiyl in solution. Appl. Phys. B 48/2, 111-113 (1989) PACS: 33.00 42.55

Iyoda M., Sato S., Saito H., Fujioka T., Akiyama M.: A computer model of a transverse discharge CW CO laser. Appl. Phys. B 47/3, 251-258 (1988) PACS: 42.55E

Jackson P.E., Abramski K.M., Hall D.R.:

Automatic impedance matching and opto-Hertzian effect in RF excited CO2 waveguide lasers.

Appl. Phys. B 47/2, 149-157 (1988) PACS: 42.55E 42.60 42.80

Jacobs A., Wahl M., Weller R., Wolfrum J.:

Rotational distribution of nascent OH radicals after H2O2 photolysis at 193 nm.

Appl. Phys. B 42/3, 173-179 (1987) PACS: 82.50 33.50 06.50

Jahn L.A.G., Kasinski J.J., Miller R.J.D.:

High-energy handling capabilities of optical fibers: Application to pulse compression and direct generation of megawatt picosecond pulses. Appl. Phys. A 43/1, 41-46 (1987) PACS: 42.80M

Janossy M., Rózsa K., Apai P., Mezei P., Horváth P., Csillag L., Kroo N.:

Pulsed 469.4 nm hollow cathode He-Kr laser.

Appl. Phys. B 49/4, 343-347 (1989) PACS: 42.55F 42.60

Jara H., Boyer K., Johann U., Luk T.S., McIntyre I.A., McPherson A., Rhodes C.K.:

Dynamic absorption effects in KrF amplifiers.

Appl. Phys. B 42/1, 11-15 (1987) PACS: 42.55 33.00 42.80

Degenerate four-wave mixing in photorefractive Bi12 GeO20 crystals involving internal reflections.

Appl. Phys. B 41/4, 265-269 (1986) PACS: 42.65F 78.20

Jennings D.A.:

Coherent tunable far infrared radiation.

Appl. Phys. B 48/4, 311-313 (1989) PACS: 42.65 42.55

Jia Q.-k.:

An analysis of the free-electron laser small-signal gain in a resonator Gaussian mode

Appl. Phys. B 49/6, 541-544 (1989) PACS: 42.55 42.60 Jin R., Hanson C., Warren M., Richardson D., Gibbs H.M., Peyghambarian N., Khitrova G., Koch S.W.:

Room-temperature single-wavelength optical latching circuits using GaAs bistable devices as logic gates.

Appl. Phys. B 46/1, 61-67 (1988) PACS: 42.80 42.65 42.70 Johnson D.E., Humphreys Jr. R.H., Keating P., Hager G.D.:

A frequncy doubled chemical oxygen iodine laser.

Appl. Phys. B 48/4, 339-342 (1989) PACS: 42.55k 42.60 42.65

Johnson D.E., Highland R.G., Dunkle E.A.:

A photolytically Q-switched photolytic iodine laser. Appl. Phys. B 48/5, 445-448 (1989) PACS: 42.60

Johst K., Johansen H.:

Resonant two-step photoionization of molecules: Effects of pulse sequence, pulse duration and delay time of two lasers on ionization probability and selectivity.

Appl. Phys. B 48/6, 479-484 (1989) PACS: 33.80E

Jousten K., Böhringer K., Kalbitzer S.:

Current-voltage characteristics of a gas field ion source. Appl. Phys. B 46/4, 113-123 (1988) PACS: 79.70 07.80

Jun C., Eichler H.-J .:

Laser beam defocusing at 1.06 µm by carrier excitation in silicon. Appl. Phys. B 45/3, 121-124 (1988) PACS: 42.65K 72.20 78.20

Kadono H., Asakura T., Takai N.:

Roughness and correlation-length determination of rough surface objects using the speckle contrast.

Appl. Phys. B 44/3, 167-173 (1987) PACS: 06.00 07.60 42.20

Kagi N., Ema K .:

Optical pulse narrowing using a Fabry-Perot resonator. Appl. Phys. B 47/4, 295-297 (1988) PACS: 42.80 42.90

Kaiser J.H.:

Regularization in ellipsometry: Near surface depth profiles of the refractive index

Appl. Phys. B 45/! 1-5 (1988) PACS: 02.60N 07.60 78.20

Kalinin V., Solymar L.:

Transient effects in four-wave mixing in photorefractive passive phase conjugate mirrors. Appl. Phys. B 45/3, 129-135 (1988) PACS: 42.65 42.80

Kamp A., Himmel G.:

Determination of RF electric field strengths in deuterium from sattelite structure of Balmer lines.

Appl. Phys. B 47/2, 177-185 (1988) PACS: 32.00 52.00

Kane D.M., Bramwell S.R., Ferguson A.I.:

Comparison of FM dye lasers in standing-wave and ring configuration. Appl. Phys. B 40/3, 147-151 (1986) PACS: 42.60 06.00

Karve R.S., Nayak A.K., Sarkar S.K., Rama Rao K.V.S., Mittal J.P.: Selectivity enhancement in tritium isotope separation by multiple frequency multiple photon dissociation of the CTF3/CHF3 system.

Appl. Phys. B 49/6, 571-576 (1989) PACS: 82.50 33.00 Kaschke M., Wilhelmi B., Egorov V.D., Nguyen H.X., Zimmermann R.: Pump-pulse induced chirp production in semiconductors.

Appl. Phys. B 45/2, 71-75 (1988) PACS: 42.10 42.65 Kaschke M., Koch C.

Calculation of nonlinear optical polarization and phase matching in biaxial crystals.

Appl. Phys. B 49/5, 419-423 (1989) PACS: 42.65

Kato S., Satooka S., Takeuchi K., Makide Y., Tominaga T.: CO<sub>2</sub> laser isotope separation of tritium with (CF<sub>3</sub>)<sub>3</sub> CT. Appl. Phys. B 42/3, 167-172 (1987) PACS: 82.50 82.40 42.60

Keilmann F., Kussmaul K.W., Szentirmay Z.:

Imaging of optical wavetrains

Appl. Phys. B 47/2, 169-176 (1988) PACS: 42.20 42.40 Kelly S., New G.H.C., Wood D.:

Mode-locking dynamics of synchronously-pumped colour-centre lasers. Appl. Phys. B 47/4, 349-357 (1988) PACS: 42.60F

Kemmler M., Kluge J., Linde D. von der.

Characteristics of the loss modulation of intracavity Raman-Nath acousto-optic devices

Appl. Phys. B 41/4, 217-223 (1986) PACS: 78.20H 42.60

Kerr G.A., Hough J.:

Coherent addition of laser oscilltors for use in gravitational wave anten-

Appl. Phys. B 49/5, 491-495 (1989) PACS: 04.80 07.60 42.60

Kielczynski P., Pajewski W.:

Influence of a layered polarization of piezoelectric ceramics on shearhorizontal surface-wave propagation. Appl. Phys. B 48/5, 383-388 (1989) PACS:62.30 68.25 68.60

Kielich S., Tanas R., Zawodny R.:

Second-harmonic generated by self-squeezed light in isotropic medium. The role of light intensity-dependent effects in molecular-statistical structure.

Appl. Phys. B 45/4, 249-258 (1988) PACS: 42.50D 42.65

Kim Y.P., Hutchinson M.H.R.:

Intensity-induced nonlinear effects in UV window materials. Appl. Phys. B 49/5, 469-478 (1989) PACS: 42.65 42.70 78.20

Kintzer E.S., Rempel C.:

Near-surface second-harmonic generation for autocorrelation measurements in the UV.

Appl. Phys. B 42/2, 91-95 (1987) PACS: 42.65

Klebniczki J., Bor Zs., Szabó G.:

Theory of travelling-wave amplified spontaneous emission. Appl. Phys. B 46/2, 151-155 (1988) PACS: 42.55M Kobayashi T., Terasaki A., Hattori T., Kurokawa K.:

The application of incoherent light for the study of femtosecond-picosecond relaxation in condensed phase

Appl. Phys. B 47/2, 107-125 (1988) PACS: 36.00 42.65 42.80 Kocsis G., Bakos J.S., Ignácz P.N.:

Experimental comparison of blow-off methods for plasma-density mea-

Appl. Phys. B 49/5, 415-418 (1989) PACS: 52.40M 52.70

Kodirov M.K., Popov A.K., Slabko V.V., Yakhnin V.Z.:

Atomic-density distribution in a metal vapor cell studied by third-harmonic generation.

Appl. Phys. B 45/1, 47-52 (1988) PACS: 42.65 42.80

Kojima H., Uchida K., Takagi Y.:

A waveguide reactor for IR multiphoton dissociation and its application to <sup>13</sup>C laser isotope separation. Appl. Phys. B 41/1, 41-48 (1986) PACS: 33.00

Koren G., Donelon J.J.:

CO2 laser cleaning of black deposits formed during the excimer laser etching of polyimide in air.

Appl. Phys. B 45/1, 45-46 (1988) PACS: 81.40T 42.80 82.50

Koren G., Oppenheim U.P.:

Laser ablation of polymers in pressurized gas ambients.

Appl. Phys. B 42/1, 41-43 (1987) PACS: 81.60J 47.40 82.65

Koren G .:

Plume temperature in the laser ablation of polyimide films measured by infrared emission spectroscopy. Appl. Phys. B 46/2, 147-149 (1988) PACS: 81.60J 33.10 33.20 52.50

Kowalsky W.:

All-optical modulation at 1.3 µm wavelength in the InGaAsP/InP

Appl. Phys. B 46/1, 27-33 (1988) PACS: 42.82 42.65 42.10

Kozlov D.N., Smirnov V.V., Volkov S.Yu.:

Study of processes of translational, rotational and vibrational relaxation based on CARS spectra line shapes.

Appl. Phys. B 48/3, 273-283 (1989) PACS: 42.65 34.00 Krausz F., Lasztity P., Bakos J.S., Wintner E., Leising G.:

The influence of photoinduced structural distortions on interband absorption in polyacetylene.

Appl. Phys. B 45/1, 21-25 (1988) PACS: 42.65 63.20

Krausz F., Wintner E.:

Atmospheric influences in optical third-harmonic generation experi-

Appl. Phys. B 49/5, 479-483 (1989) PACS: 42.65K

Kröll S., Aldén M., Bengtsson P.-E., Löfström C .:

An evaluation of precision and systematic errors in vibrational CARS thermometry.

Appl. Phys. B 49/5, 445-453 (1989) PACS: 42.65 78.30

Kudryavtsev Yu.A., Petrunin V.V., Sitkin V.M., Letokhov V.S.: Laser photoionization detection of the rare isotope 3He. Appl. Phys. B 48/1, 93-96 (1989) PACS: 32.80F 31.60 07.75

Kühnle G., Schäfer F.P., Szatmári S., Tsakiris G.D.:

X-ray production by irradiation of solid targets with subpicosecond excimer laser pulses.

Appl. Phys. B 47/4, 361-366 (1988) PACS: 52.50J

Kukhtarev N.V., Semenets T.I., Ringhofer K.H., Tomberger G.: Phase conjugation by reflection gratings in electrooptic crystals. Appl. Phys. B 41/4, 259-263 (1986) PACS: 42.40 42.65

Kummrow A., Eichler H.J.:

Absorption bistability in evaporated ZnSe, thin films. Appl. Phys. B 49/6, 497-502 (1989) PACS: 42.65P

Kundu T.:

A theoretical analysis of acoustic microscopy with converging acoustic

Appl. Phys. B 46/4, 325-331 (1988) PACS: 43.85 62.65 68.25

Küper S., Stuke M .:

Femtosecond UV excimer laser ablation.

Appl. Phys. B 44/4, 199-204 (1987) PACS: 42.60 82.65

Kvaran A., Shaw M.J., Simons J.P.:

Vibrational relaxation of KrF and XeCl by rare gases. Appl. Phys. B 46/1, 95-102 (1988) PACS: 42.55H 78.60 82.40

Lago A., Woehl Jr. G., Riva R .:

A pulsed dye laser with grazing incidence and folded cavity.

Appl. Phys. B 49/1, 73-76 (1989) PACS: 42.60D

Lange B., Noda M., Marowsky G.:

High-speed N2-CARS-thermometr Appl. Phys. B 49/1, 33-38 (1989) PACS: 42.65

Laptev V.B., Ryabov E.A., Tumanova L.M.:

Laser separation of oxygen isotopes by IR multiphoton dissociation of (CH<sub>3</sub>)<sub>2</sub>O.

Appl. Phys. B 49/1, 77-83 (1989) PACS: 82.50 33.00 35.00

Larciprete R., Stuke M.:

Isotope selective ionization of tellurium dimers Te<sub>2</sub> formed by ecximer laser photodissociation of an organometallic compound: CH3 TeTeCh3. Appl. Phys. B 41/4, 213-215 (1986) PACS: 82.50 82.80

Larciprete R., Stuke M.:

Direct observation of excimer-laser photoablation products from polymers by picosecond-UV-laser mass spectroscopy

Appl. Phys. B 42/3, 181-184 (1987) PACS: 07.75 82.50 82.65

LEE W., NING C., HUANG Z.:

Shortening of travelling-wave-amplified spontaneous emission by a transversal pumping scheme

Appl. Phys. B 40/1, 35-38 (1986) PACS: 42.55 82.50 Letardi T., Di Lazzaro P., Giordano G., Zheng C.E.: Large area X-ray preionizer for electric discharge lasers.

Appl. Phys. B 48/1, 55-58 (1989) PACS: 52.80V 52.25 Letokhov V.S.

Laser-induced chemistry. Basic nonlinear processes and applications. Appl. Phys. B 46/3, 237-251 (1988) PACS: 32.00 42.50 82.50

Leupacher W., Penzkofer A., Runde B., Drexhage K.H.:

Efficient phase-matched third harmonic light generation in hexaflouroisopropanol solutions of a pyrimidonecarbocyannine dye Appl. Phys. B 44/2, 133-140 (1987) PACS: 42.65C 42.55 78.22

Leuthard W., Kneubühl F.K., Schötzau H.J.:

CO2-laser gas discharges in narrow gaps.

Appl. Phys. B 48/1, 1-20 (1989) PACS: 42.55E 42.60 52.00

Lew H., Marmet N., Marshall M.D., McKellar A.R.W., Nichols G.W.: A compact automatic wavemeter for use with tunable infrared diode lasers.

Appl. Phys. B 42/1, 5-10 (1987) PACS: 07.65 33.00 42.00

Li L., Yu G., Dong S., Wang G., Zhang Z.:

Adsorption active sites - Key factor on the adsorption ability of pyridine molecules on Ag surfaces

Appl. Phys. B 47/4, 283-286 (1988) PACS: 68.45D

LIN S.-C., ZHENG C.-E., LO D., Matsumoto J., ZHU S-B.:

Attachment kinetics and life time of preionization electrons in rare-gas halogen laser mixtures.

Appl. Phys. B 40/1, 15-23 (1986) PACS: 34.80G 42.55 52.80

Lobentanzer H., Elsaesser T.:

Theoretical and experimental analysis of infrared dye-laser action in a traveling-wave pumping geometry.

Appl. Phys. B 41/3, 139-145 (1986) PACS: 42.60 42.55

Lo D:

The effect of preionization electron number density on avalanche completion time

Appl. Phys. B 48/5, 405-410 (1989) PACS: 42.55G 52.80

Lo D.:

The role of halogen donors in discharge instability of rare-gas halide excimer lasers

Appl. Phys. B 49/6, 535-540 (1989) PACS: 34.80 42.55 52.80

Löhmannsröben H.-G:

Photophysical properties and laser performance of rubrene Appl. Phys. B 47/2, 195-199 (1988) PACS: 42.55M 82.50 33.20 Löhmannsröben H.G., Langhals H.:

Laser performance of perylenebis (dicarboximide) dyes with long secondary alkyl chains.

Appl. Phys. B 48/6, 449-452 (1989) PACS: 42.55M 82.50 33.20

Lokai P., Burghardt B., Mückenheim W.:

Sum-frequency generation in a cooled B-BaB2O4 crystal. Appl. Phys. B 45/4, 245-247 (1988) PACS: 42.65C

Single-beam thermal-wave microscopes based on Fourier imaging of phase information.

Appl. Phys. B 47/1, 35-40 (1988) PACS: 65.00 81.70

Lu C.-z., Clyne M.A.A.:

Quantum-resolved fluorescence excitation spectra of SnO free radical.

Appl. Phys. B 44/2, 99-102 (1987) PACS: 33.00 36.00

Luches A., Nassisi V., Perrone M.R.:

Improved conversion efficiency of XeCl radiation to the first Stokes at high pump energy.

Appl. Phys. B 47/1, 101-105 (1988) PACS: 42.55 42.60 42.65

Luches A., Nassisi V., Perrone M.R.:

Determination of the unsaturated losses and of the saturation intensity in the KrCl excimer laser

Appl. Phys. B 40/2, 115-120 (1986) PACS: 42.55 42.60

Lückemeyer T., Franke H.:

Profiles in volume phase holograms in Cp<sub>2</sub>TiCl<sub>2</sub>:PMMA. Appl. Phys. B 46/2, 157-164 (1988) PACS: 42.40 82.35

Luh W.T., Li Y., Huennekens J.: 830 nm emission in sodium vapor.

Appl. Phys. B 49/4, 349-359 (1989) PACS: 42.65K

Lu M.-H., Chen W.-M., Pan C.-L .:

Atomic absorption spectra induced by NaRb in sodium-rubidium

Appl. Phys. B 48/5, 365-369 (1989) PACS: 34.90

Luo X., Koch M., Urban W., Sung C.L., Yü Q.X., Lin J.X.:

Simultaneous two line operation of a CW-CO laser with arbitrary choice of laser transitions.

Appl. Phys. B 45/1, 13-16 (1988) PACS: 42.60D 33.80

Lüpke G., Marowsky G., Steinhoff R.: Phase-controlled nonlinear interferometry

Appl. Phys. B 49/3, 283-289 (1989) PACS: 42.65

Lusty M.E., Dunn M.H.:

Refractive indices and thermo-optical propeties of dye laser solvents.

Appl. Phys. B 44/3, 193-198 (1987) PACS: 42.55M 42.65

Lüthy W.: Lasers excited by photodissociation: The thallium iodide laser Appl. Phys. B 40/3, 121-132 (1986) PACS: 42.55H 32.80 33.20 Maier M.:

Persistant spectral holes in external fields.

Appl. Phys. B 41/2, 73-90 (1986) PACS: 78.50 71.70 35.20

Maisenhälder F., Bohn W.L., Hall Th., Wittwer W.:

Pulsed waveguide CO laser operating at room temperature. Appl. Phys. B 43/2, 99-103 (1987) PACS: 42.55H

Mallick S., Rouède D.:

Influence of the polarization direction on tow-beam coupling in photorefractive Bi<sub>12</sub>SiO<sub>20</sub>: Diffusion regime. Appl. Phys. B 43/4, 239-245 (1987) PACS: 42.65M 42.70 72.40

Manohar K.G., Bajaj P.N., Suri B.M., Talukdar R., Dasgupta K.,

Chakraborti P.K., Rao P.R.K.:

Observation of autoionization resonances in uranium by stepwise laser photoionization Appl. Phys. B 48/6, 525-530 (1989) PACS: 31.60 32.30 32.80

Ma P.H., Sugita K., Arai S.:

Production of highly concentrated <sup>13</sup>C by continuous two-stage IRMPD. CBr<sub>2</sub>F<sub>2</sub>/HI, CCl<sub>2</sub>F<sub>2</sub>/HI and CBrClF<sub>2</sub>/HI mixtures. Appl. Phys. B 49/6, 503-512 (1989) PACS 82.50

Maruyama Y., Suzuki Y., Arisawa T., Shiba K.:

Laser isotope separation of titanium by two-step photoionization.

Appl. Phys. B 44/3, 163-166 (1987) PACS: 32.80F Matsumoto H.:

The refractivity of CO2 gas in the region of 10 µm

Appl. Phys. B 44/3, 147-149 (1987) PACS: 06.20 42.68 78.20 Meier B., Penzkofer A.:

Determination of nonlinear refractive indices by external self-focusing. Appl. Phys. B 49/6, 513-519 (1989) PACS: 42.65J

Meier R., Kneubühl F.K., Schötzau H.J.:

Mass-spectroscopic study of the influence of nozzle material on highpressure SF<sub>6</sub>-arcs.

Appl. Phys. B 48/3, 187-211 (1989) PACS: 52.00

Meis C., Jardino M., Gelv B., Desainfuscien M.:

Relativistic Doppler effect in 199 Hg+ stored ions atomic frequency standard.

Appl. Phys. B 48/1, 67-72 (1989) PACS: 32.00 35.00

Meis C., Desaintfuscien M., Jardino M.:

Analytical calculation of the space charge potential and the temperature of stored ions in an RF quadrupole trap. Appl. Phys. B 45/2, 59-64 (1988) PACS: 06.00 07.65

Menzler H.P., Hertel P., Pape H.:

Bisection algorithm to calculate hybrid modes of birefringent planar graded index waveguides.

Appl. Phys. B 44/4, 205-209 (1987) PACS: 42.80 42.82 Meyer J., Kutzner J., Feldmann D., Welge K.H.:

Time-resolved experiments on the photoablation of polystyrene and PMMA by ArF-laser radiation.

Appl. Phys. B 45/1, 7-12 (1988) PACS: 42.60K 79.20 81.60 82.50

Mezei P., Ròzsa K., Jánossy M., Apai P.:

Endoergic and resonant charge transfer excitation in He-Cu discharge. Appl. Phys. B 44/1, 71-74 (1987) PACS: 34.00 42.55 52.00 Mihalache D., Mazilu D.:

Calculations of TM-polarized nonlinear waves guided by thin dielectric

Appl. Phys. B 41/2, 119-123 (1986) PACS: 42.65B 42.82 Miklòs A., Lörincz A.:

Windowless resonant acoustic chamber for laser-photoacoustic applications

Appl. Phys. B 48/3, 213-218 (1989) PACS: 07.65 43.20 43.85

Miklòs A., Lörincz A.:

Determination of thermal transport properties of thin films from pulsed thermoreflectance measurements in the picosecond regime Appl. Phys. B 48/3, 261-267 (1989) PACS: 65.00 68.55 78.20

Milosevic S., Beuc R., Pichler G.:

Superheating in the heat-pipe oven.

Appl. Phys. B 41/2, 135-138 (1986) PACS: 32.00 33.00

Mitschke F., Ankerhold G., Lange W.:

Analysis of optical bistability through rapid water desorption from hard coatings.

Appl. Phys. B 48/6, 467-470 (1989) PACS: 42.65P 68.55

Mitterer G., Schuöcker D., Klement E.:

Electric equivalent of dispersive optical bistability. Appl. Phys. B 46/2, 121-124 (1988) PACS: 42.10I

Mitterer G., Thiemann N., Schuöcker D., Klement E.: Optical adder for residue numbers.

Appl. Phys. B 46/2, 125-130 (1988) PACS: 42.10I

Mlynek J., Grimm R., Buhr E., Jordan V.:

Raman heterodyne Ramsey spectroscopy in a samarium atomic beam. Appl. Phys. B 45/2, 77-82 (1988) PACS: 42.65F 32.80 32.30

Moers F. v., Hebert T., Hese A.:

Theory and experiment of CW dye laser injection locking and its application to second harmonic generation. Appl. Phys. B 40/2, 67-75 (1986) PACS: 42.65 42.55 42.60

Moosmüller H:

Determination of gas concentrations and temperature in the exhaust of a power plant with a CW chemical HF laser.

Appl. Phys. B 40/1, 29-33 (1986) PACS: 42.60 42.10

Morinaga A., Riehle F., Ishikawa J., Helmcke J.:

A Ca optical frequency standard: Frequency stabilization by means of nonlinear Ramsey resonances.

Appl. Phys. B 48/2, 165-171 (1989) PACS: 32.00 42.50 42.55

Morinaga A., Helmcke J.:

High-resolution velocity selecting separated-field excitation of a calcium atomic beam.

Appl. Phys. B 45/4, 273-277 (1988) PACS: 42.65G 32.80 06.30

Moutonnet D.:

Maskless photoassisted etching of n-type Ga<sub>0.47</sub> In<sub>0.53</sub> As in basic solu-

Appl. Phys. B 42/4, 221-223 (1987) PACS: 82.50

Mückenheim W., Lokai P., Burghardt B., Basting D.:

Attaining the wavelength range 189-197 nm by frequency mixing in heta-RaB2O4

Appl. Phys. B 45/4, 259-261 (1988) PACS: 42.65C

Mukhopadhyay I., Lees R.M., Johns J.W.C.:

Confirmation of far infrared laser assignments from CH3-deformation and CH3-rocking states of optically pumped methanol. Appl. Phys. B 47/4, 319-324 (1988) PACS: 33.20E 42.55

Mutin P., Boquillon J.P.:

Very-narrow-bandwidth tunable infrared difference frequency generation with injection-locked dye lasers. Appl. Phys. B 48/5, 411-416 (1989) PACS: 33.20F 42.65 42.55

Mutsukura N., Machi Y.: Photo-chemical vapor deposition of hydrogenated amorphous silicon films

Appl. Phys. B 41/2, 103-108 (1986) PACS: 81.15 61.40

Myers E.G., Murnick D.E., Softky W.R.:

Isotope selective laser enhancement of the Li + H, reaction. Appl. Phys. B 43/4, 247-251 (1987) PACS: 28.60 82.50

Nalik J., Lange W., Mitschke F.:

Complexity out of a simple structure: The intricate multistable behaviour of an optical resonator filled with sodium atoms. Appl. Phys. B 49/3, 191-199 (1989) PACS: 42.65P

Nayak A.K., Sarkar S.K., Karve R.S., Parthasarathy V.,

Rama Rao K.V.S., Mittal J.P., Krishnamachari S.L. Venkitachalam T.V.: Infrared laser multiple photon dissociation of thiophene in gas phase. Appl. Phys. B 48/5, 437-443 (1989) PACS: 82.50 33.00

Nayak A.K., Karve R.S., Sarkar S.K., Rama Rao K.V.S., Mittal J.P.: T/D isotope selectivity in CO<sub>2</sub> laser induced multiple-frequency multi-photon dissociation of trifluoromethane-T. Appl. Phys. B 49/2, 139-143 (1989) PACS: 82.50 33.00

Neckel H., Wolfrum J .:

IR diode laser measurements of the NH3(v2) band at different tempera-

Appl. Phys. B 49/2, 85-89 (1989) PACS: 33.35

Nève de Mévergnies M.:

Infrared multiphoton dissociation of 13 CF<sub>3</sub> Cl induced by CO<sub>2</sub> laser

Appl. Phys. B 41/1, 61-68 (1986) PACS: 82.50 33.80

Nève de Mévergnies M.:

Remarks concerning the applicability of an Arrhenius-type relation to infrared multiphoton dissociation process Appl. Phys. B 43/2, 123-126 (1987) PACS: 82.50

Nicola S. de, Finizo A., Mormile P., Pierattini G., Martellucci S.,

Quartieri J., Bloisi F., Vicari L.:

Experimental results on the photophoretic motion and radiometric trapping of particles by irradiation with laser light. Appl. Phys. B 47/3, 247-250 (1988) PACS: 42.80 07.00 42.60

Nicola S. de, Kaplan A.E., Martellucci S., Mormile P., Pierattini G.,

Stable hysteretic reflection of light at a nonlinear interface. Appl. Phys. B 49/5, 441-444 (1989) PACS: 42.10F 42.60 46.65 42.80

O'Neil C., Galarneau P., Denariez-Roberge M.:

The effect of the relative position of the bandgap with respect to laser wavelength on the behaviour of DFWM in semiconductor-doped glasses. Appl. Phys. B 49/4, 327-330 (1989) PACS: 78.20 42.70 Ogawa T., Hanamura E.:

Numerical analysis of multi-mode laser with modulated inversion. Appl. Phys. B 43/3, 139-153 (1987) PACS: 42.50 42.55

Ogawa T.:

Statistical properties of the laser emission in a low-Q cavity. Appl. Phys. B 48/4, 327-338 (1989) PACS: 42.50 05.40 02.50 Ogawa T.:

Two unstable oscillations in the multimode laser with modulate inver-

Appl. Phys. B 49/5, 397-407 (1989) PACS: 42.50T 42.55 05.45
Okada T., Maeda M., Kajiki Y., Muraoka K., Akazaki M.:
Sensitive detection of H<sub>2</sub> molecules by two-photon excited laserinduced fluorescence.

Appl. Phys. B 43/2, 113-116 (1987) PACS: 82.80 82.40 Okada T., Nishigoori T., Kajiyama Y., Maeda M.:

LIF diagnostics of C<sub>2</sub> radical behaviour in laser CVD environment. Appl. Phys. B 44/3, 175-179 (1987) PACS: 32.50 82.30 82.50

Okada T., Kajiyama Y., Andou H., Maeda M.:

Determination of diffusion coefficients of C2 radicals by laser induced fluorescence spectroscopy.

Appl. Phys. B 47/2, 191-193 (1988) PACS: 32.50 82.30 82.50

Oka K., Sato H.:

Pyroelectric detection of a CO<sub>2</sub> laser beam using organic copolymers. Appl. Phys. B 48/1, 85-88 (1989) PACS:42.80

Olafsson A., Hammerich M., Bülow J., Henningsen J.:

Photoacoustic detection of NH<sub>3</sub> in power plant emission with a CO<sub>2</sub>

Appl. Phys. B 49/2, 91-97 (1989) PACS: 07.65G 42.55 86.70 86.70 Oliveira dos Santos, Fellows C.E., Oliveira e Souza J., Massone C.A.:

A 3% efficiency N<sub>2</sub> laser. Appl. Phys. B 41/4, 241-244 (1986) PACS: 42.60

Omenetto N.:

The impact of several atomic and molecular laser spectroscopic techniques for chemical analysis.

Appl. Phys. B 46/3, 209-220 (1988) PACS: 82.80 32.00 07.65

Ortiz C., Afonso C.N., Gehrtz M., Schellenberg F.M., Bjorklund G.C., Whittacker E.A.:

Spectral holeburning properties of R' color centers in LiF: Dependence on doping and irradiation processes. Appl. Phys. B 41/3, 197-203 (1986) PACS: 61.80 42.60

Osborne M.R., Schroeder W.A., Damzen M.J., Hutchinson M.H.R.:

Low-divergence operation of a long-pulse excimer laser using a SBS phase-conjugate cavity.

Appl. Phys. B 48/4, 351-356 (1989) PACS: 42.55G 42.60

Osborne M.R.:

Rare-gas-halide discharge stability. Appl. Phys. B 45/4, 285-291 (1988) PACS: 42.55H 52.35

Otis C.E .:

Detection of neutral products formed during excimer laser ablation of polymide by UV and VUV laser photoionization/mass spectrometry. Appl. Phys. B 49/5, 455-461 (1989) PACS: 07.75 79.20 82.80

Paisner J.A.:

Atomic vapor laser isotope separation. Appl. Phys. B 46/3, 253-260 (1988) PACS: 32.80

Partanen J.P., Shaw M.J.:

A single-mode KrF laser.

Appl. Phys. B 43/4, 231-237 (1987) PACS: 42.60D 42.55

Patel P.M., Almond D.P., Reiter H.:

Thermal-wave detection and characterisation of sub-surface defects. Appl. Phys. B 43/1, 9-15 (1987) PACS: 07.65 43.35 81.70 Peder-Gothoni A., Leppihalme M.:

GeO<sub>2</sub>-core/SiO<sub>2</sub>-cladding optical fibers made by MCVD process for stimulated Raman applications.

Appl. Phys. B 42/1, 45-49 (1987) PACS: 42.65G 42.80

Penzkofer A., Ossig F., Qiu P.: Picosecond third-harmonic light generation in calcite.

Appl. Phys. B 47/1, 71-81 (1988) PACS: 42.65C

Penzkofer A .:

Passive Q-switching and mode-locking for the generation of nanosecond to femtosecond pulses

Appl. Phys. B 46/1, 43-60 (1988) PACS: 42.55

Penzkofer A .:

Saturable absorbers with concentration-dependent absorption recovery time.

Appl. Phys. B 40/2, 85-93 (1986) PACS: 42.65 42.70 42.20

Pereira D., Scalabrin A.: Measurement and assignment of new FIR laser lines in 12 CH<sub>3</sub>OH and 18 CH, OH.

Appl. Phys. B 44/1, 67-69 (1987) PACS: 33.00 42.55

Peters P.J.M., Bastiaens H.M.J., Wittemann W.J., Gerber T .:

A study of the electron quenching of excimers in a KrF\* laser excited by a coaxial electron beam.

Appl. Phys. B 43/4, 253-261 (1987) PACS: 42.55H 42.60

Peters P.J.M., Mei Qi-Chu, Witteman W.J.:

Near infrared lasing transitions in Ar, Kr and Xe atoms pumped by a coaxial e-beam

Appl. Phys. B 47/2, 187-190 (1988) PACS: 42.55F 41.80

Phillipps G., Hinske P., Demtröder W., Möllmann K., Beigang R.:

NaCl-color center laser with birefringent tuning.

Appl. Phys. B 47/2, 127-133 (1988) PACS: 42.60F

Pi F., Schmidt-Iglesias C., Orriols G.: Thermally-induced optical bistability with two holding beams.

Appl. Phys. B 42/2, 85-89 (1987) PACS: 46.65 42.80

Piglmayer K., Bäuerle D.:

On the reaction kinetics in laser-induced photochemical gas phase pro-

Appl. Phys. B 48/6, 453-462 (1989) PACS: 82.50 82.65

Pini R., Salimbeni R., Vannini M.:

N2 laser frequency conversion by stimulated Raman scattering in H2. Appl. Phys. B 42/2, 111-113 (1987) PACS: 42.65C 42.55

Pinsl J., Deeg F.W., Bräuchle Chr.:

Two-photon four-level hologram recording in poly-(alkyl-α-cyanoacrylates).

Appl. Phys. B 40/2, 77-84 (1986) PACS: 42.40 82.35 Plumelle F., Desaintfuscien M., Jardino M., Petit P.:

Laser cooling of magnesium ions: Preliminary experimental results.

Appl. Phys. B 41/3, 183-186 (1986) PACS: 32.80 52.25

Pollock C.R., Pinto J.F., Georgiou E .: Recent progress in color center lasers.

Appl. Phys. B 48/4, 287-292 (1989) PACS: 42.60L 42.60 42.55

Przybylski M., Otto B., Gerhardt H.: Spectral purity of pulsed dye lasers.

Appl. Phys. B 49/3, 201-203 PACS: 42.55M 42.60

Qiu P., Penzkofer A.:

Intense ultrashort pulse generation in a two-photon pumped generatoramplifier system.

Appl. Phys. B 48/2, 115-124 (1989) PACS: 42.55M 42.65

Qiu P., Penzkofer A .:

Picosecond third-harmonic light generation in β-BaB<sub>2</sub>O<sub>4</sub>. Appl. Phys. B 45/4, 225-236 (1988) PACS 42.65C

Quapp W .:

An explanation of the direction of the relaxation in the HCN gas microwave laser, and a new assignement of some further laser lines along the path of internal vibrational energy redistribution.

Appl. Phys. B 48/3, 257-260 (1989) PACS: 82.20R 42.55 31.10

Ráksi F.:

Spatially-hole-burned distributed feedback dye laser produced tunable single picosecond pulses.

Appl. Phys. B 47/1, 91-96 (1988) PACS: 42.60 42.55

Rabinovich W.S., Adler C.L., Lawandy N.M.:

Self-pulsing and bichromatic emission in homogeneously broadened bidirectional ring lasers.

Appl. Phys. B 44/4, 211-220 (1987) PACS: 42.50 42.65

Radloff W., Hohmann H., Ritze H.-H., Paul R.:

Excimer laser photolysis of molybdenum hexacarbonyl with buffer gas. Appl. Phys. B 49/4, 301-305 (1989) PACS: 82.50 81.15

Rakowsky S., Zimmermann D., Ernst W.E.:

Accurate determination of wavenumbers for iodine molecular lines in the red spectral region.

Appl. Phys. B 48/6, 463-466 (1989) PACS: 33.20K 42.72

Reif J., Tepper P., Matthias E., Westin E., Rosen A.: Surface structure of cubic ionic crystals studied by optical second-harmonic generation.

Appl. Phys. B 46/2, 131-138 (1988) PACS: 42.65 68.20

Rentsch S., Döpel E., Petrov V.:

Steady state photoisomer accumulation in the absorber jet of the passively mode-locked femtosecond dye laser. Appl. Phys. B 46/4, 357-361 (1988) PACS: 42.55M

Rettig W.:

Photophysical and photochemical switches based on twisted intramolecular charge transfer (TICT) states.

Appl. Phys. B 45/3, 145-149 (1988) PACS: 82.50 85.60 42.55

Reuter R., Franke H.:

An integrated organic photoconductive detector for optoelectronics. Appl. Phys. B 48/3, 219-224 (1989) PACS: 42.80 42.82 72.40

Ringhofer K.H., Solymar L.:

Three-wave and four-wave forward mixing in photorefractive materi-

Appl. Phys. B 48/5, 395-400 (1989) PACS: 42.50 42.65

Ritonga J., Ushizaka T., Asakura T.:

Two-dimensional measurements of velocity using two rotating gratings. Appl. Phys. B 48/5, 371-377 (1989) PACS: 07.60 42.80

Romano V., Zweig A.D., Frenz M., Weber H.P.:

Time-resolved thermal microscopy with fluorescent films. Appl. Phys. B 49/6, 527-533 (1989) PACS: 07.20n 42.30 87.60

Rooth R.A., Pol J.A. van der, Haselhoff E.H.;

Intramode and Fermi relaxation in CO2, their influence on multiplepass, short-pulse energy extraction.

Appl. Phys. B 42/2, 103-110 (1987) PACS: 42.55D 34.50

Röper J., Chen G., Hess P.:

Intracavity photoacoustic resonance spectroscopy of C2H4. Appl. Phys. B 43/1, 57-59 (1987) PACS: 07.62 42.60

Roskos H., Robl T., Seilmeier A.:

Pulse shortening to 25 ps in a CW mode-locked Nd: YAG laser by introducing an intracavity etalon. Appl. Phys. B 40/2, 59-65 (1986) PACS: 07.60 42.55 42.60

Rotman S.R.:

Ambiguities in the analysis of non-radiative energy transfer data in solid-state laser materials.

Appl. Phys. B 49/1, 59-64 (1989) PACS: 42.55N

Rupp R.A:

Microphotometric investigations of thick refractive index gratings in photorefractive crystals.

Appl. Phys. B 41/3, 153-168 (1986) PACS: 42.30 42.40 42.70

Rupp R.A.:

Investigation of the dynamic recording process of thick refractive index gratings in photorefractive crystals by the microphotometric method. Appl. Phys. B 42/1, 21-29 (1987) PACS: 42.30 42.40 42.70 Ryan J.C., Lawandy N.M.:

Multiple relaxation and inhomogeneous broadening in resonance enhanced Raman scattering: Application to tunable infrared generation. Appl. Phys. B 48/2, 173-182 (1989) PACS: 42.55H

Saltiel S.M., Stankov K.A., Yankov P.D., Telegin L.I.: Realization of a diffraction-grating autocorrelator for single-shot measurement of ultrashort light pulse duration.

Appl. Phys. B 40/1, 25-27 (1986) PACS: 42.80 06.60

Saltiel S.M., Yankov P.D., Zheludev N.I.:

Second harmonic generation as a method for polarizing and analyzing laser light.

Appl. Phys. B 42/2, 115-119 (1987) PACS: 42.65 42.80

Sankey J.D., Mandej A.A.:

The production of ions for single-ion traps.

Appl. Phys. B 49/1, 69-72 (1989) PACS: 34.50 35.80

Sassi M.P., Barbeau N., Weiss C.O.:

Self pulsing properties of optically pumped FIR NH3 lasers. Appl. Phys. B 43/3, 179-182 (1987) PACS: 42.50T 42.55 Schäfer F.P.:

Lasers for chemical application.

Appl. Phys. B 46/3, 199-208 (1988) PACS: 82.20 82.50 82.80

Schätzel K ·

Dead time correction of photon correlation functions. Appl. Phys. B 41/2, 95-102 (1986) PACS: 07.65E 82.80 85.10 Schätzel K .:

Correlation techniques in dynamic light scattering. Appl. Phys. B 42/4, 193-213 (1987) PACS: 05.40 47.80 06.50

Schmidt-Iglesias C., Orriols G., Pi F.:

Phase-conjugate amplification through transverse optical Zeeman pumping in resonant Doppler-broadened degenerate four-wave mixing. Appl. Phys. B 47/1, 27-33 (1988) PACS: 42.65F 32.80

Schneider M., Hinz A., Groh A., Evenson K.M., Urban W.:

CO laser stabilization using the optogalvanic Lamb-dip. Appl. Phys. B 44/4, 241-245 (1987) PACS: 42.60B 42.55

Schöll E., Ketterer K., Böttcher E.H., Bimberg D.:

Gain-switched laser amplifier as an ultrafast optical gate. Appl. Phys. B 46/1, 69-77 (1988) PACS: 42.55P 42.60 85.60

Schulz R., Kuckartz M., Harde H.:

Wavelength tunable subpicosecond pulse generation with a fiber grating Raman laser.

Appl. Phys. B 49/3, 263-268 (1989) PACS: 42.80M 42.65 42.70 Schuöcker D.:

Dynamic phenomena in laser cutting and cut quality. Appl. Phys. B 40/1, 9-14 (1986) PACS: 42.60B 81.40 51.90

Scott R.Q., Usa M., Inaba H.: Ultraweak emission imagery of mitosing soyabeans.

Appl. Phys. B 48/2, 183-185 (1989) PACS: 87.10

Seguin V.A., Seguin H.J.J., Capjack C.E., Nikumb S.K.: Operational characteristics of a MAGPIE coaxial CO2 discharge system. Appl. Phys. B 43/2, 127-138 (1987) PACS: 42.55D

Seguin V.A., Capjack C.E., Seguin H.J.J:

Numerical simulation of gas flow in a magnetically stabilized coaxial laser discharge

Appl. Phys. B 42/4, 239-244 (1987) PACS: 52.80H 52.39 42.55 52.65 Serafetinides A.A., Rickwood K.R.:

Efficient multi and single line atomic fluorine lasers

Appl. Phys. B 44/2, 119-123 (1987) PACS: 42.55H 42.50 Sharfin W.F., Dagenais M.:

Optical switching of semiconductor laser amplifiers.

Appl. Phys. B 46/1, 35-41 (1988) PACS: 42.80 92.65 42.60 She C.Y., Moosmüller H., Herring G.C.:

Coherent light scattering spectroscopy for supersonic flow measure-

Appl. Phys. B 46/4, 283-297 (1988) PACS: 42.65C 47.40 06.30

Shi Z., Lu C., Xia J., Li Y.:

Intensity anomaly in the  $A^2\Sigma^+ \leftarrow X^2\Pi$  resonant-(2+2) multiphoton ionization spectra of NO.

Appl. Phys. B 47/1, 97-100 (1988) PACS: 33.00 35.00

Siegman A.E.:

Axial modes in a grating-dispersed laser cavity.

Appl. Phys. B 42/3, 165-166 (1987) PACS: 42.60

Siegner U., Noll G., Göbel E.O.:

Synchronized picosecond pulse generation with a synchronously pumped dye laser and a compressed Nd:YAG laser for non-degenerate grating experiments.

Appl. Phys. B 48/1, 21-23 (1989) PACS: 42.65R 42.60 78.47

Siese M., Tiemann E.:

Combination of Doppler-free polarization spectroscopy and magnetic rotation for the example of IBr

Appl. Phys. B 49/3, 245-250 (1989) PACS: 33.20K 33.45 07.65 Sigrist M.W., Chen Z.H.:

Analysis of liquid surface films by pulsed laser photoacoustic spectros-

Appl. Phys. B 43/1, 1-7 (1987) PACS: 68.15 78.65 78.20

Simon P.:

Time-resolved ablation-site photography of XeCl-laser irradiated polyimid.

Appl. Phys. B 48/3, 253-256 (1989) PACS: 42.60 81.60 82.65 Slater R .:

N2 production in e-beam pumped XeF lasers containing NF3.

Appl. Phys. B 42/1, 17-20 (1987) PACS: 82.50 34.80

Slenczka A., Marowsky G., Vodegel M.: H<sub>2</sub> vibrational CARS thermometry

Appl. Phys. B 47/1, 41-46 (1988) PACS: 42.65

Slinger C.W., Syms R.R.A., Solymar L.:

Multiple holographic transmission gratings in silver halide emulsion. Appl. Phys. B 42/2, 121-128 (1987) PACS: 42.20 42.40

Snels M., Baldacchini G.:

Shape and width of IR absorption lines of ammonia expanded in a supersonic jet.

Appl. Phys. B 47/3, 277-282 (1988) PACS: 33.70J 33.20 43.50

Snels M., Meerts W.L.:

High-resolution spectroscopy of CF<sub>2</sub>Cl<sub>2</sub> in a molecular jet. Appl. Phys. B 45/1, 27-31 (1988) PACS: 33.00 34.00 35.00 Solka H., Zimmermann W., Reinert D., Stahn A., Dax A.,

Urban W.:

A simple model for the velocity modulation detection technique of molecular ions

Appl. Phys. B 48/3, 235-242 (1989) PACS: 35.80 33.70

Speiser S., Chisena F.L.:

Optical bistability in flourescein dyes.

Appl. Phys. B 45/3, 137-144 (1988) PACS: 33.00 42.65 42.70

Speiser S., Houlding V.H., Yardley J.T.:

Nonlinear optical properties of organic dye dimer-monomer systems. Appl. Phys. B 45/4, 237-243 (1988) PACS: 33.00 42.65 42.70 Speiser S.:

Observation of laser-induced off-resonance intermolecular electronic energy transfer.

Appl. Phys. B 49/2, 109-112 (1989) PACS: 33.00 42.65 42.70

Sperber P., Weidner M., Penzkofer A.:

A versatile dye-laser generator-amplifier system for intense, tunable picosecond pulse generation.

Appl. Phys. B 42/3, 185-192 (1987) PACS: 42.55M 42.60

Srinivasan J., Kumar R., Gandhi K.S.:

A theory for the enhancement of photoacoustic signals by volatile liquids.

Appl. Phys. B 43/1, 35-41 (1987) PACS: 78.20H 68.45 44.30 43.35 Stamm U., Weidner F .:

Pulse formation in synchronously pumped infrared dye lasers.

Appl. Phys. B 48/2, 149-153 (1989) PACS: 42.55M 42.60 42.65 Stamm U.:

Numerical analysis of pulse generation in synchronously modelocked CW dve lasers

Appl. Phys. B 45/2, 101-108 (1988) PACS: 42.55M 42.60 42.65

Stañco J., Rozkwitalski Z., Sliwinski G., Konefal J., Kukiello P., Rabczuk G., Zaremba R.:

A high-power transverse-flow CW CO<sub>2</sub> laser-output and small-signal gain measurements.

Appl. Phys. B 41/4, 245-250 (1986) PACS: 42.55D 42.60

Stange H., Petermann K., Huber G., Duczynski E.W.:

Continuous wave 1.6 µm laser action in Er doped garnets at room tem-

Appl. Phys. B 49/3, 269-273 (1989) PACS: 42.55R 78.45 78.55

Stankov K.A.:

A mirror with intensity-dependent reflection coefficient. Appl. Phys. B 45/3, 191-195 (1988) PACS: 42.65 42.55

Stankov K.A.:

Laser resonator with ultrabroad longitudinal mode spacing. Appl. Phys. B 40/2, 103-105 (1986) PACS: 42.60 Steiner I., Enders V., Elsner F., Neuhauser W., Toschek P.E., Blatt R., Helmcke J.:

A dye ring-laser spectrometer for precision spectroscopy. Appl. Phys. B 49/3, 251-256 (1989) PACS 42.50 42.60

Steyer M., Stankov K.A., Mizoguchi H., Ouyang B., Schäfer F.P.: Compact, wide aperture X-ray preionized XeCl laser with high specific optical power.

Appl. Phys. B 49/4, 331-337 (1989) PACS: 42.55G 42.60 52.80 Steyer M., Voges H.:

Parametric study of X-ray preionized high-pressure rare gas halide

Appl. Phys. B 42/3, 155-160 (1987) PACS: 42.55G 52.80 34.80

Stielow G., Hammer Th., Bötticher W.:

Verification of a XeCl\* laser model by measurement of the plasma con-Appl. Phys. B 47/4, 333-342 (1988) PACS: 42.55G 52.65 52.80

Strashilov V.L., Konstantinov L.L., Ivanov O.:

Topographical studies of semiconductor surfaces by using a combined photo-acoustoelectric method.

Appl. Phys. B 43/1, 17-21 (1987) PACS: 72.50 73.20

Sun M., Yu W., Li M., Feng X .:

Synthesis of ethylamine with a CW tunable CO2 laser. Appl. Phys. B 45/2, 83-86 (1988) PACS: 82.50 Suntz R., Becker H., Monkhouse P., Wolfrum J.:

Two-dimensional visualization of the flame front in an internal combustion engine by laser-induced fluorescence of OH radicals. Appl. Phys. B 47/4, 287-293 (1988) PACS: 07.60 42.30 82.20

Suzuki T., Tanaka Y., Onae A., Tachikawa M., Shimizu T.:

Measurement of rotational temperature in CO<sub>2</sub> waveguide laser

Appl. Phys. B 45/2, 87-91 (1988) PACS: 42.55D 44.10

Svanberg S.:

Laser spectroscopy applied to energy, environmental and medical research.

Appl. Phys. B 46/3, 271-282 (1988) PACS: 82.80 87.00 82.50

Szabò G., Bor Z.:

300 femtosecond pulses at 497 nm generated by an excimer laser pumped cascade of distributed feedback dye lasers Appl. Phys. B 47/4, 299-302 (1988) PACS: 42.60 42.55

Szatmári S., Rácz B.:

Novel achromatic distributed feedback dye laser for subpicosecond operation

Appl. Phys. B 43/3, 173-177 (1987) PACS: 42.60 42.55

Szatmári S., Rácz B.:

Generation of 320 fs pulses with a distributed feedback dye laser. Appl. Phys. B 43/2, 93-97 (1987) PACS: 42.60 42.55

Szatmári S., Schäfer F.P.:

Subpicosecond, widely tunable distributed feedback dye laser. Appl. Phys. B 46/4, 305-311 (1988) PACS: 42.60F 42.55

Szatmári S., Kühnle G., Jasny J., Schäfer F.P.:

KrF laser system with corrected pulse front and compressed pulse dura-

Appl. Phys. B 49/3, 239-244 (1989) PACS: 42.60 42.55

Szczepanski P., Arnesson J., Kneubühl F.K.:

Energy theory of waveguide distributed feedback gas lasers. Appl. Phys. B 49/1, 49-57 (9189) PACS: 42.60B 42.60 42.80

Taira Y., Amano S., Takuma H.:

System for precise measurement in inverse Raman spectroscopy. Appl. Phys. B 48/5, 389-394 (1989) PACS: 07.65 33.20 35.80

Takahashi M., Kuze H., Tashiro H., Takami M., Namba S.: Isotope-selective infrared multiphoton dissociation of CF<sub>3</sub>Br in a supersonic free jet.

Appl. Phys. B 41/2, 91-94 (1986) PACS: 33.80W 33.80 82.40

Tang F., Henningsen J.O.:

Conditions for single-line and single-mode tuning of a CO2 waveguide

Appl. Phys. B 44/2, 93-98 (1987) PACS: 42.55D 42.60

Tang F., Olafsson A., Henningsen J.O.:

A study of the methanol laser with a 500 MHz tunable CO2 pump laser. Appl. Phys. B 47/1, 47-54 (1988) PACS: 33.20E 33.80 42.55

Taubmann G., Jones H., Davies P.B.:

New CW optically pumped FIR laser lines.

Appl. Phys. B 41/3, 179-181 (1986) PACS: 33.00 42.55

Taylor R.S.:

Preionization and discharge stability study of long optical pulse duration UV-preionized XeCl lasers

Appl. Phys. B 41/1, 1-24 (1986) PACS: 42.55 42.60

Telle H.R.:

Narrow linewidth laser diodes with broad continuous tuning range. Appl. Phys. B 49/3, 217-226 (1989) PACS: 42.55P 42.60

Teng P., Nishioka N.S., Anderson R.R., Deutsch T.F.:

Optical studies of pulsed-laser fragmentation of biliary calculi. Appl. Phys. B 42/2, 73-78 (1987) PACS: 52.00 87.00

Tervonen E., Turunen J., Friberg A.T.:

Transverse laser-mode structure determination from spatial coherence measurements: Experimental results.

Appl. Phys. B 49/5, 409-414 (1989) PACS: 42.60 42.10 42.50

Thiébeaux C., Courtois D., Delahaigue A., Corre H. Le, Mouanda J.C., Favt A .:

Dual-beam laser heterodyne spectrometer: Ethylene absorption spectrum in the 10 micrometer range

Appl. Phys. B 47/4, 313-318 (1988) PACS: 07.65 33.20

Thompson R.C., Barwood G.P., Gill P.:

Progress towards an optical frequency standard based on ion traps. Appl. Phys. B 46/1, 87-93 (1988) PACS: 32.80 52.25 06.00 Toda K., Yoshida S.:

Pb<sub>2</sub>CrO<sub>5</sub> photovoltaic device for detecting light-beam position.

Appl. Phys. B 45/2, 65-69 (1988) PACS: 07.60 85.60 72.40 Trtica M.S., Ribnikar S.V.:

Spectroscopic study of a TEA CO<sub>2</sub> laser of the CO<sub>2</sub>/X, X = H<sub>2</sub>; N<sub>2</sub>/H<sub>2</sub>

Appl. Phys. B 48/5, 379-382 (1989) PACS: 42.55D

Uehara K., Kikuchi H.:

Generation of nearly diffraction-free laser beams. Appl. Phys. B 48/2, 125-129 (1989) PACS: 42.60H 42.60

Vainer Yu.G., Gruzdev N.V., Puretzky A.A., Sil'kis E.G., Titov V.D.: Resonant Raman scattering of vibrationally highly excited supersonic-

jet-cooled SO<sub>2</sub> molecules. Appl. Phys. B 49/2, 131-137 (1989) PACS: 33.20F 33.50 34.30 Vigant Yu.V., Kovalev A.A., Kulikov O.L., Makshantsev B.I.,

Pilipetskii N.F.: On the mechanism of quartz surface crimping under laser irradiation. Appl. Phys. B 44/1, 61-65 (1987) PACS: 42.40 42.82 73.90

Vikram C.S., Billet M.L.: Window curvature effects and tolerances in Fraunhofer holography in

cylindrical tunnels. Appl. Phys. B 40/2, 99-102 (1986) PACS: 42.40F 42.10 42.30

Vodopyanov K.L., Kulevskii L.A., Toth Cs., Farkas Gy., Horváth Z.Gy.: Laser induced electron emission from gold surface irradiated by picosecond pulses at  $\lambda = 2.8 \mu m$ .

Appl. Phys. B 48/6, 485-488 (1989) PACS: 32.80K 79.20 79.60

Wächter Ch., Langbein U., Lederer F.:

Nonlinear waves guided by graded-index films. Appl. Phys. B 42/3, 161-164 (1987) PACS: 42.82 42.65

Theoretical investigation of Kleinman symmetry in molecules.

Appl. Phys. B 41/3, 169-172 (1986) PACS: 31.20 42.65 Wallmeier H., Zacharias H.:

Continuously tunable VUV radiation (129-210nm) by anti-Stokes Raman scattering in cooled H2

Appl. Phys. B 45/4, 263-272 (1988) PACS: 33.20N 42.65

Walser A.D., Alfano R.R.:

Transient photoconductivity in the ferromagnetic semiconductor CdCr2Se4.

Appl. Phys. B 47/3, 273-275 (1988) PACS: 85.30 85.60

Wang N., Gaubatz U.:

Optical frequency doubling of a single-mode dye laser in an external ring resonator

Appl. Phys. B 40/1, 43-47 (1986) PACS: 42.65

Wang Y., Shen S., Xia T.:

Multiple spectral structure of the 578.2 nm copper laser line. Appl. Phys. B 47/1, 87-89 (1988) PACS: 42.55H 42.72 32.70

Wang Y., Shen S., Xia T., Wu Z., Zhu J.: Spectral structure of CuBr vapor laser lines

Appl. Phys. B 46/2, 191-195 (1988) PACS: 42.55H 32.70

Wang Y., Lin B., Qian Y.:

Spectral structure of the 627.8 nm gold vapor laser line. Appl. Phys. B 49/2, 149-153 (1989) PACS: 32.70J 42.55

Wang Z.G., Schmidt H., Wellegehausen B.:

Two-photon excited parametric emission from sodium atoms. Appl. Phys. B 44/1, 41-44 (1987) PACS: 42.65C

Wang Z.G., Qin L.J., Zhang K.C., Cheng I.S.:

Stimulated radiation via several hybrid resonance processes in Na-K or

Appl. Phys. B 41/2, 125-129 (1986) PACS: 33.00 42.55 Watanabe M., Endoh A., Sarukura N., Watanabe S.:

Subpicosecond UV pulse generation for a multiterawatt KrF laser. Appl. Phys. B 48/5, 417-420 (1989) PACS: 42.55H 42.55 42.60

Watanabe M., Endoh A., Watanabe S.:

Single picosecond UV pulse generation by mode-locking of an excimer laser-pumped dye laser.

Appl. Phys. B 41/1, 49-52 (1986) PACS: 42.55M 42.55 42.60 Wazen P., Bourdet G.L.:

Experimental investigation of the MIR optically pumped ammonia bidirectional ring laser.

Appl. Phys. B 49/4, 377-381 (1989) PACS: 42.55 42.60

Weber C., Becker U., Renner R., Klingshirn C.:

Laser-induced grating self-diffraction from a medium with induced absorption. Appl. Phys. B 45/3, 113-120 (1988) PACS: 78.65 72.20 72.40

Wegner T., Petermann K.:

Excited state absorption of Ti3+: YAlO3.

Appl. Phys. B 49/3, 275-278 (1989) PACS: 42.55R 78.40 78.55

Weiss C.O., Klische W., Abraham N.B., Hübner U.:

Comparison of NH<sub>3</sub> laser dynamics with the extended Lorenz model. Appl. Phys. B 49/3, 211-215 (1989) PACS:42.50T 05.45 Wellegehausen B., Hube M., Jin F.:

Investigations on laser plasma soft X-ray sources generated with low

energy laser systems. Appl. Phys. B 49/3, 173-178 (1989) PACS: 52.50J 42.55

Werle P., Slemr F., Gehrtz M., Bräuchle C.:

Quantum-limited FM-spectroscopy with a lead-salt diode laser. Appl. Phys. B 49/2, 99-108 (1989) PACS:07.65

Wildmann D., Gnepf S., Kneubühl F.K .:

Standard and phase-matched grazing-incidence and distributed feedback FIR gas lasers.

Appl. Phys. B 42/3, 129-145 (1987) PACS: 42.60B 42.60 42.80

Witte K.J., Greiner-Mothes M.A:

Theoretical analysis of a Brillouin switch for amplifier decoupling and prepulse suppression in short-pulse high-power laser systems. Appl. Phys. B 46/4, 333-338 (1988) PACS: 42.60G 42.65

Wolfrum J .:

Laser spectroscopy for studying chemical processes

Appl. Phys. B 46/3, 221-236 (1988) PACS: 82.20 82.30 82.50 82.80

Wu H.H., Chu T.C., Wu C.Y.R.:

Intense spontaneous amplified emission of Li2 diffuse violet bands in the 440 nm region.

Appl. Phys. B 43/4, 225-230 (1987) PACS: 42.60 42.65 33.80

Yackerson N.:

Relative time parameters of optogalvanic responses

Appl. Phys. B 46/1, 79-86 (1988) PACS: 32.00 34.00 42.80

Yao Y.C., Zhang Z.G.:

Fluctuation mechanism and statistical characteristics of active-passive mode locking in giant pulse solid-state lasers.

Appl. Phys. B 40/3, 157-164 (1986) PACS: 42.55

Yih T.S., Wu H.H., Wang H.S., Chen Y.L.:

Observation of 280 nm and 298 nm ultraviolet emissions in sodium

Appl. Phys. B 48/5, 421-426 (1989) PACS: 42.60 42.65

Yu J., Desaintfuscien M., Plumelle F.: Ion density limitation in a Penning trap due to the combined effect of asymmetry and space charge.

Appl. Phys. B 48/1, 51-55 (1989) PACS: 41.70 32.80 52.55 Yun S.I., OH K.-D., RYU K.-S., KIM C.-G., Park H.L., Seo H.J.,

KUM C.

Photothermal probe beam deflection measurement of thermal diffusivity of atmospheric air.

Appl. Phys. B 40/2, 95-98 (1986) PACS: 07.60 42.60 07.20

Zartov G.D., Panajotov K.P., Pejeva R.A.:

Polarization bistability with a mirrorless hybrid device.

Appl. Phys. B 44/3, 181-184 (1987) PACS: 42.10 42.60 42.80 Zenteno L.A., Avramopoulos H., New G.H.C .:

Detailed analysis of active mode-locking

Appl. Phys. B 40/3, 141-146 (1986) PACS: 42.60

Zhang Y., Beuermann Th., Stuke M.: UV laser photofragment GaCH<sub>3</sub> detected by far UV laser mass spectrometry.

Appl. Phys. B 48/1, 97-100 (1989) PACS: 81.15H 82.50

Zhao Q., Szatmári S., Schäfer F.P.:

Gain dynamics of XeF and subpicosecond pulse generation at 351 nm.

Appl. Phys. B 47/4, 325-332 (1988) PACS: 42.60 42.55

Zhao Q., Schäfer F.P., Szatmári S.:

170 fs pulse generation by optical pulse compression at 308 nm. Appl. Phys. B 46/2, 139-140 (1988) PACS: 42.60 42.55

Zheludev N.I., Ruddock I.S., Illingworth R.:

Intensity dependence of thermal nonlinear optical activity in crystals.

Appl. Phys. B 49/1, 65-67 (1989) PACS: 42.65 42.70

ZHENG C.-E., Lo D., LIN S.-C .:

Performance improvement of an X-ray preionized XeCl laser of very small discharge volume.

Appl. Phys. B 41/1, 31-37 (1986) PACS: 34.80G 42.55 52.80

Zuhe Yu, Hsingmin Lu, Peixian Ye, Panming Fu:

Laser-induced helical structure in the isotropic phase of nematic liquid

Appl. Phys. B 44/1, 51-56 (1987) PACS: 42.65 78.20

Zuidema R.J., Ernst G.J.:

Characteristics of an X-ray preionized TEA CO laser. Appl. Phys. B 43/4, 263-271 (1987) PACS: 42.55E

Zweig A.D., Frenz M., Romano V., Weber H.P.:

A comparative study of laser tissue interaction at 2.94  $\mu m$  and 10.6  $\mu m$ . Appl. Phys. B 47/3, 259-265 (1988) PACS 87.60G

Zysset B., Fujimoto J.G., Deutsch T.F.:

Time-resolved measurements of picosecond optical breakdown. Appl. Phys. B 48/2, 139-147 (1989) PACS: 87.60 52.50 42.65